



**SLOVENSKI STANDARD**  
**SIST EN 300 392-11-19.9% - -**  
**01-1 1 1-1-2003**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 11. del: Dopolnilne storitve stopnje 2 - 11.-19. del: Zapora dohodnih klicev (BIC)**

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 11: Supplementary services stage 2; Sub-part 19: Barring of Incoming Calls (BIC)

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Ta slovenski standard je istoveten z: **EN 300 392-11-19.9% - - \* ! % \$**

SIST EN 300 392-11-19 V1 1-1-2003  
<https://standards.iteh.ai/catalog/standards/sist/4d55dc65-3680-4c00-9ccc-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003>

**ICS:**


33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

**SIST EN 300 392-11-19.9% - - en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 300 392-11-19 V1.1.1:2003

<https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**DRAFT**  
pr **ETS 300 392-11-19**

October 1996

---

Source: ETSI TC-RES

Reference: DE/RES-06001-11-19

ICS: 33.020, 33.060, 33.060.50

**Key words:** TETRA, Supplementary S

**Radio Equipment and Systems (RES);  
Trans-European Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 11: Supplementary Services (SS) Stage 2;  
Part 11-19: Barring of Incoming Calls (BIC)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 392-11-19 V1.1.1:2003](https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003>

## Contents

Foreword .....	5
1 Scope .....	7
2 Normative references .....	7
3 Definitions and abbreviations .....	8
3.1 Definitions .....	8
3.2 Abbreviations .....	9
4 SS-BIC stage 2 specification .....	9
4.1 Functional model .....	9
4.1.1 Functional model description .....	9
4.1.2 Description of FEs .....	10
4.1.2.1 Affected user's FE, FE1 .....	10
4.1.2.2 SS-BIC FE in SwMI, FE2 .....	11
4.1.2.3 Authorized user's FE, FE3 .....	11
4.1.2.4 SS-BIC generic FE in SwMI, FE4 .....	11
4.1.2.5 Calling party's FE, FE5 .....	11
4.2 Relationship with a basic and a packet data service .....	12
4.3 Definition of information flows .....	12
4.3.1 Definition .....	12
4.3.1.1 DEFINE .....	13
4.3.1.2 DEFINE-ACK .....	14
4.3.1.3 INFORM-USER .....	15
4.3.1.4 INFORM-USER-ACK .....	16
4.3.2 Interrogation .....	16
4.3.2.1 INTERROGATE .....	16
4.3.2.2 INTERROGATE-ACK .....	17
4.3.3 Operation .....	17
4.3.3.1 CALL-BARRED .....	18
4.4 Information flow sequences .....	19
4.4.1 Definition .....	19
4.4.2 Definition over ISI .....	20
4.4.3 Interrogation .....	20
4.4.4 Interrogation over ISI .....	21
4.4.5 Operation .....	21
4.4.6 Operation of SS-BIC when the service is barred through ISI .....	22
4.5 FE actions .....	22
4.5.1 OFE actions of FE1 .....	22
4.5.2 FE actions of FE2 .....	22
4.5.3 FE actions of FE3 .....	22
4.5.4 FE actions of FE4 .....	23
4.5.5 FE actions of FE5 .....	23
4.6 Allocation of FEs to physical equipment .....	23
4.7 Inter-working considerations .....	23
History .....	24

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 392-11-19 V1.1.1:2003](https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003>

## Foreword

This draft European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Public Enquiry phase of the ETSI standards approval procedure.

This ETS is a multi-part standard and will consist of the following parts:

- Part 1: "General network design".
- Part 2: "Air Interface (AI)".
- Part 3: "Inter-working", (DE/RES-06001-3).
- Part 4: "Gateways", (DE/RES-06001-4).
- Part 5: "Terminal equipment interface", (DE/RES-06001-5).
- Part 6: "Line connected stations", (DE/RES-06001-6).
- Part 7: "Security".
- Part 8: "Management services", (DE/RES-06001-8).
- Part 9: DE/RES-06001-9, work item stopped.
- Part 10: "Supplementary Services (SS) Stage 1".
- Part 11: "Supplementary Services (SS) Stage 2".**
- Part 12: "Supplementary Services (SS) Stage 3".
- Part 13: "SDL Model of the Air Interface".
- Part 14: "PICS Proforma", (DE/RES-06001-14).

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 300 392-11-19 V1.1.1:2003  
<https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003>

Proposed transposition dates	
Date of latest announcement of this ETS (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 392-11-19 V1.1.1:2003](https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003)

<https://standards.iteh.ai/catalog/standards/sist/4d53dc65-3680-4c60-9ece-a278887cbc56/sist-en-300-392-11-19-v1-1-1-2003>



## 1 Scope

This European Telecommunication Standard (ETS) defines the stage 2 specification of the Supplementary Service Barring of Incoming Calls (SS-BIC) for the Trans-European Trunked Radio (TETRA) as provided by European operators.

SS-BIC enables barring restrictions for incoming services, e.g. calls, to be set. SS-BIC specifies the definition, interrogation and operation of the supplementary service. The Switching and Management Infrastructure (SwMI) applies the SS-BIC definitions when an incoming service is requested for the restricted user. The SS-BIC actions are defined for the SwMI, for the Mobile Station (MS) and for the Line Station (LS). The SS-BIC information flows may be delivered over the Inter-System Interface (ISI).

SS-BIC is invoked for incoming services within one TETRA system or for services that extend over the ISI to several TETRA systems.

Man-Machine Interface (MMI) and charging principles are outside the scope of this ETS.

Stage 2 describes the functional capabilities of the Supplementary Service introduced in stage 1 description. Stage 2 identifies the functional capabilities for the management and operation of the service in the SwMI, in the MS and in the LS. Stage 2 describes also the information flows exchanged between these entities and the flows sent over the ISI.

NOTE: The stage 2 description is followed by the stage 3 description, which specifies the encoding rules for the information flows and process behaviour for the different entities in the SwMI, in the MS and in the LS.

## 2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 392-2: "Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Voice plus Data (V+D); Part: 2: Air Interface (AI)".
- [2] ETS 300 392-12-19: "Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Voice plus Data (V+D); Part: 12: Supplementary Services (SS) Stage 2; Part 12-19: Barring of Incoming Calls (BIC)".
- [3] ETS 300 392-10-1: "Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Voice plus Data (V+D); Part: 10: Supplementary services stage 1; Part 10-1: Call diversion".
- [4] ETS 300 392-10-6: "Radio Equipment and Systems (RES); Trans-European Trunked Radio (TETRA); Voice plus Data (V+D); Part: 10: Supplementary services stage 1; Part 10-6: Call authorized by dispatcher".

### 3 Definitions and abbreviations

#### 3.1 Definitions

For the purposes of this ETS, the following definitions apply:

**affected user:** Functional Entity 1 (FE1), the user on whose behalf the incoming services are barred. SS-BIC is defined either for authorized user or for a group of which the authorized user is member.

**authorized user:** FE3, the user who is permitted to define SS-BIC on affected user's behalf.

**basic service:** Circuit mode speech service or circuit mode data service, see ETS 300 392-2 [1] clause 11.

**calling party:** FE5, the party whose service request is barred due to SS-BIC.

**Functional Entity (FE):** Functional Entity performs the SS-BIC specific tasks in the MS, in the LS or in the SwMI.

NOTE: In stage 2 specification the FE functionality is not restricted to SS sub-entity within layer 3.

**home system:** The TETRA network which Mobile Network Identity (MNI) is equal to the user's MNI. The SS-BIC definition is saved in the home system and home system is responsible for transporting the SS-BIC definition to visited system(s).

**Inter System Interface (ISI):** The interface between two TETRA networks, that enables the inter-working of services between these two systems.

**Mobile Network Identity (MNI):** Mobile Country Code (MCC) and Mobile Network Code (MNC) of the TETRA Subscriber Identity (TSI).

**Mobile Station (MS):** A physical grouping that contains all of the mobile equipment that is used to obtain TETRA services. By definition, a mobile station contains at least one Mobile Radio Stack.

**packet data service:** Connection oriented packet mode data service and connectionless packet mode data service, see ETS 300 392-2 [1] clauses 24 and 26.

**SS-BIC definition indication:** The SS-BIC definition indication may be sent to the affected user(s) to inform him about the definition made on his behalf or for a group of which he is member.

**SS-BIC operation:** The barring of a call in accordance with the SS-BIC definition.

**Switching and Management Infrastructure (SwMI):** all of the TETRA equipment for a Voice plus Data (V+D) network except for subscriber terminals. The SwMI enables subscriber terminals to communicate with each other via the SwMI.

**visited system:** The TETRA network which MNI is not equal to the user's MNI.

### 3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

CC	Call Control functional entity
CCA	Call Control functional entity Agent
FE	Functional Entity
ISI	Inter System Interface
LS	Line Station
MCC	Mobile Country Code
MNC	Mobile Network Code
MNI	Mobile Network Identity
MS	Mobile Station
SS-BIC	Supplementary Service Barring of Incoming Calls
SwMI	Switching and Management Infrastructure
TETRA	Trans-European Trunked Radio
V+D	Voice plus Data

## 4 SS-BIC stage 2 specification

### 4.1 Functional model

#### 4.1.1 Functional model description

The functional model shall comprise the following Functional Entities (FEs):

FE1	affected user's FE for SS-BIC in MS/LS;
FE2	SS-BIC FE in SwMI;
FE3	authorized party's FE for SS-BIC in MS/LS;
FE4	SS-BIC generic FE for SS-BIC in SwMI in visited system;
FE5	calling party's FE for SS-BIC in MS/LS;
CC	call control functional entity in SwMI;
CCA	call control functional entity agent in MS/LS.

NOTE: CC/CCA refers to any basic service sub-entity or packet mode data service entity, which is used in conjunction with SS-BIC.

The following relationships shall exist between these FEs:

ra	between FE1 and FE2;
rb	between FE2 and FE4 in different TETRA systems;
rc	between FE2 and FE3;
rd	between FE2 and FE2 in different TETRA systems;
re	between FE1 and FE4;
rf	between FE3 and FE4;
rg	between FE2 and FE5.