



SLOVENSKI STANDARD

DSIST EHG 300 392-12-19.% - -

01-a U!% - -

Prizemni snopovni radio (TETRA) – Govor in podatki (V+D) – 12. del: Dopolnilne storitve stopnje 3 – 19. poglavje: Zapora dohodnih klicev (BIC)

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 12: Supplementary services stage 3; Sub-part 19: Barring of Incoming Calls (BIC)

Ta slovenski standard je istoveten z: EN 300 392-12-19 9%% - * !%&

ICS:

| | | |
|-----------|---------------------------------|-----------------------------------|
| 33.070.10 | Prizemni snopovni radio (TETRA) | Terrestrial Trunked Radio (TETRA) |
|-----------|---------------------------------|-----------------------------------|

DSIST EHG 300 392-12-19.% - - en



EUROPEAN
TELECOMMUNICATION
STANDARD

DRAFT
pr **ETS 300 392-12-19**

December 1996

Source: ETSI TC-RES

Reference: DE/RES-06001-12-19

ICS: 33.020

Key words: TETRA, V+D, BIC

**Radio Equipment and Systems (RES);
Trans-European Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 12: Supplementary Services (SS) Stage 3;
Part 12-19: Barring of Incoming Calls (BIC)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

Contents

| | |
|---|----|
| Foreword | 5 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Definitions and abbreviations | 7 |
| 3.1 Definitions | 7 |
| 3.2 Abbreviations | 8 |
| 4 SS-BIC stage 3 specification | 9 |
| 4.1 Functional model description | 9 |
| 4.2 Relationship with a basic and packet data service | 10 |
| 5 SS-BIC service description | 11 |
| 5.1 General | 11 |
| 5.2 Offered services | 11 |
| 5.3 TNSS-SAP | 11 |
| 5.4 TNCC-SAP | 12 |
| 5.5 TNSCLNS-SAP | 12 |
| 5.6 TNCO-SAP | 12 |
| 5.7 SS-BIC services offered over the TNSS-SAP | 13 |
| 5.7.1 SS-BIC primitives | 13 |
| 5.7.2 DEFINE request | 13 |
| 5.7.3 DEFINE confirm | 14 |
| 5.7.4 INFORM-USER indication | 15 |
| 5.7.5 INFORM-USER response | 15 |
| 5.7.6 INTERROGATE request | 16 |
| 5.7.7 INTERROGATE confirm | 16 |
| 5.7.8 CALL-BARRED indication | 17 |
| 5.8 Parameter descriptions | 17 |
| 5.9 Mapping of SS-BIC primitives to TNSS primitives | 19 |
| 6 SS-BIC protocol description | 20 |
| 6.1 General | 20 |
| 6.2 SS-BIC protocol states | 21 |
| 6.2.1 Protocol states of FE1 | 21 |
| 6.2.2 Protocol states of FE2 | 21 |
| 6.2.2.1 State IDLE | 21 |
| 6.2.2.2 State WAIT-FOR-ACK | 22 |
| 6.2.3 Protocol states of CC to which FE2 is collocated | 22 |
| 6.2.4 Protocol states of FE3 | 22 |
| 6.2.5 Protocol states of FE4 | 22 |
| 6.2.6 Protocol states of FE5 | 23 |
| 6.2.7 Protocol states of CCA to which FE5 is collocated | 23 |
| 6.2.7.1 State IDLE | 23 |
| 6.2.7.2 State MO_CALL_SETUP | 23 |
| 6.3 Procedures | 23 |
| 6.3.1 Procedures for FE1 | 23 |
| 6.3.2 Procedures for FE2 | 23 |
| 6.3.2.1 Definition in FE2 | 23 |
| 6.3.2.2 Distribution in FE2 | 24 |
| 6.3.2.3 Interrogation in FE2 | 24 |
| 6.3.2.3.3 Procedures for CC to which FE2 is collocated | 24 |
| 6.3.2.3.4 Procedures for FE3 | 25 |
| 6.3.2.3.5 Procedures for FE4 | 25 |
| 6.3.2.3.6 Procedures for FE5 | 25 |

| | | |
|-------|---|----|
| 6.4 | PDU Descriptions..... | 25 |
| 6.4.1 | DEFINE..... | 26 |
| 6.4.2 | DEFINE-ACK..... | 26 |
| 6.4.3 | INFORM-USER..... | 27 |
| 6.4.4 | INFORM-USER-ACK..... | 27 |
| 6.4.5 | INTERROGATE..... | 28 |
| 6.4.6 | INTERROGATE-ACK..... | 28 |
| 6.4.7 | CALL-BARRED..... | 29 |
| 6.4.8 | Element coding..... | 29 |
| | 6.4.8.1 Action type..... | 29 |
| | 6.4.8.2 Address string..... | 29 |
| | 6.4.8.3 Definition result..... | 30 |
| | 6.4.8.4 Definition type..... | 30 |
| | 6.4.8.5 Digit..... | 30 |
| | 6.4.8.6 Distribution result..... | 31 |
| | 6.4.8.7 Exception to address string..... | 31 |
| | 6.4.8.8 Interrogation result..... | 31 |
| | 6.4.8.9 Length of address string..... | 31 |
| | 6.4.8.10 Number of address strings..... | 32 |
| | 6.4.8.11 Number of exceptions to address strings..... | 32 |
| | 6.4.8.12 Number of service(s)..... | 32 |
| | 6.4.8.13 Number of subscriber identities..... | 32 |
| | 6.4.8.14 Rejection cause..... | 33 |
| | 6.4.8.15 Service..... | 33 |
| | 6.4.8.16 Service type..... | 34 |
| | 6.4.8.17 Subscriber identity..... | 34 |
| 7 | SS-BIC FE behaviour..... | 34 |
| 7.1 | Behaviour of FE1..... | 35 |
| | 7.1.1 Service interaction for FE1..... | 35 |
| | 7.1.2 Process description for FE1..... | 36 |
| 7.2 | Behaviour of FE2..... | 37 |
| | 7.2.1 Service interaction for FE2..... | 37 |
| | 7.2.2 Process description for FE2..... | 38 |
| 7.3 | Behaviour of CC to which FE2 is collocated..... | 40 |
| | 7.3.1 Service interaction for CC to which FE2 is collocated..... | 40 |
| | 7.3.2 Process description for CC to which FE2 is collocated..... | 41 |
| 7.4 | Behaviour of FE3..... | 42 |
| | 7.4.1 Service interaction for FE3..... | 42 |
| | 7.4.2 Process description for FE3..... | 43 |
| 7.5 | Behaviour of FE4..... | 44 |
| | 7.5.1 Service interaction for FE4..... | 44 |
| | 7.5.2 Process description for FE4..... | 45 |
| 7.6 | Behaviour of FE5..... | 46 |
| | 7.6.1 Service interaction for FE5..... | 46 |
| | 7.6.2 Process description for FE5..... | 47 |
| 7.7 | Behaviour of CCA to which FE5 is collocated..... | 48 |
| | 7.7.1 Service interaction for CCA to which FE5 is collocated..... | 48 |
| | 7.7.2 Process description for CCA collocated to FE5..... | 49 |
| | History..... | 50 |

Foreword

This draft European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Public Enquiry phase of the ETSI standards approval procedure.

This ETS is a multi-part standard and will consist of the following parts:

- Part 1: "General network design".
- Part 2: "Air Interface (AI)".
- Part 3: "Inter-working", (DE/RES-06001-3).
- Part 4: "Gateways", (DE/RES-06001-4).
- Part 5: "Terminal equipment interface", (DE/RES-06001-5).
- Part 6: "Line connected stations", (DE/RES-06001-6).
- Part 7: "Security".
- Part 8: "Management services", (DE/RES-06001-8).
- Part 10: "Supplementary Services (SS) Stage 1".
- Part 11: "Supplementary Services (SS) Stage 2".
- Part 12: "Supplementary Services (SS) Stage 3".**
- Part 13: "SDL Model of the Air Interface".
- Part 14: "PICS Proforma".

| Proposed transposition dates | |
|---|---------------------------------|
| Date of latest announcement of this ETS (doa): | 3 months after ETSI publication |
| Date of latest publication of new National Standard or endorsement of this ETS (dop/e): | 6 months after doa |
| Date of withdrawal of any conflicting National Standard (dow): | 6 months after doa |

Blank page