
INTERNATIONAL STANDARD



5734

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Test conditions of mechanical dividing heads for machine tools – Testing of the accuracy

Conditions d'essai des appareils diviseurs, à commande mécanique, pour machines-outils – Contrôle de la précision

First edition – 1978-03-15

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 5734:1978

<https://standards.iteh.ai/catalog/standards/sist/11e188ea-77c7-45b3-8897-f7fa84dd1510/iso-5734-1978>

UDC 621.9.08

Ref. No. ISO 5734-1978 (E)

Descriptors : machine tools; dividing apparatus; testing conditions; dimensional measurement; accuracy; precision.

Price based on 7 pages

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 5734 was developed by Technical Committee ISO/TC 39, *Machine tools*, and was circulated to the member bodies in October 1976.

STANDARD PREVIEW

(standards.iteh.ai)

It has been approved by the member bodies of the following countries :

Austria
Belgium
Brazil
Bulgaria
Czechoslovakia
France
Germany
Hungary

India
Italy
Japan
Korea, Rep. of
Mexico
Poland
Romania
South Africa, Rep. of

ISO 5734:1978

Spain

Sweden

Switzerland

United Kingdom

U.S.A.

U.S.S.R.

Yugoslavia

<https://standards.iteh.ai/catalog/standards/sist/11e188ea-77c7-45b3-8897-f7a84dd15110/iso-5734-1978>

No member body expressed disapproval of the document.

Test conditions of mechanical dividing heads for machine tools – Testing of the accuracy

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies, with reference to ISO/R 230, geometrical tests on general purpose and normal accuracy mechanical dividing heads for use on machine tools, and the corresponding permissible deviations and ranges that apply.

It deals only with the verification of the accuracy of the device. It does not apply to the running of the device, which should generally be checked before testing accuracy.

2 REFERENCE

ISO/R 230, *Machine tool test code*.

3 PRELIMINARY REMARKS

3.1 In this International Standard, deviations and ranges are expressed in millimetres and in inches.

3.2 To apply this International Standard, reference should be made to ISO/R 230, especially for the des-

cription of measuring methods and the recommended accuracy of testing equipment.

3.3 The sequence in which the geometrical tests are given is related to the sub-assemblies of the device, and this in no way defines the practical order of testing. In order to make the mounting of instruments or gauging easier, tests may be applied in any order.

3.4 When inspecting a device, it is not always necessary to carry out all the tests given in this International Standard. It is up to the user to choose, in agreement with the manufacturer, those relating to the properties which are of interest to him, but these tests are to be clearly stated when ordering a device.




3.5 When establishing the tolerance for a measuring range different from that given in this International Standard (see 2.311 in ISO/R 230), it should be taken into consideration that the minimum value of tolerance is 0,01 mm (0.0004 in).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 5734:1978

<https://standards.iteh.ai/catalog/standards/sist/11e188ea-77c7-45b3-8897-f7fa84dd1510/iso-5734-1978>


4 GEOMETRICAL TESTS

No.	Diagram	g instruments	Observations and references to the test code ISO/R 230
G 1		gauge and test	Sub-clause 5.612.3
G 2	<p style="text-align: center; color: red;">iTeh STANDARD PREVIEW (standards.iteh.ai)</p>  <p style="text-align: center; color: red;">ISO 5734:1978 https://standards.iteh.ai/catalog/standards/sist/11e188ea-77c7-45b3-8897-f7fa89dd1510/iso-5734-1978</p>	gauge and test	Sub-clause 5.612.2
G 3		gauge and test	<p>a) Sub-clause 5.612.2</p> <p>For a tapered spindle nose, the dial gauge shall be set perpendicular to the generatrix of the taper.</p> <p>b) and c) Sub-clauses 5.62, 5.621.2, 5.622.1, 5.622.2 and 5.632</p> <p>For the position of dial gauge, see figures 59 to 64 and 67, sub-clause 5.62, 5.622 and 5.632.</p> <p>The value of the force <i>F</i> to apply when carrying out checks a), b) and c) shall be specified by the manufacturer.</p>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 5734:1978




<https://standards.iteh.ai/catalog/standards/sist/11e188ea-77c7-45b3-8897-f7fa84dd1510/iso-5734-1978>

No	Diagram g instruments	Observations and references to the test code ISO/R 230
G 4	 <p style="text-align: center;">iTech STANDARD PREVIEW (standards.itech.ai)</p> <p style="text-align: center;">ISO 5734:1978 https://standards.itech.ai/catalog/standards/sist/11e188ea-77c7-4312-8072-f7fa84dd1510/iso-5734-1978</p>	<p style="text-align: right;">Sub-clause 5.512.1</p> <ol style="list-style-type: none"> 1) The dial gauge shall be set in a vertical plane parallel to the swivelling axis of the dividing head. <p>Dial gauge rotated through 180° and the differences of readings observed.</p> <ol style="list-style-type: none"> 2) The dial gauge should be set in a plane perpendicular to the preceding one. The deviation shall be noted and after rotating the dial gauge through 180° the difference of readings observed. <p>* Distance between the two points touched.</p>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 5734:1978

<https://standards.iteh.ai/catalog/standards/sist/11e188ea-77c7-45b3-8897-f7fa84dd1510/iso-5734-1978>

No.	Diagram	g instruments	Observations and references to the test code ISO/R 230
G 5		<p>ge and test</p>	<p>Sub-clauses 5.412.1 and 5.412.4</p> <p>The measurement shall be carried out on two diametrically opposed generatrix of the mandrel, after they have been rotated (instead of the spindle) through 180°.</p> <p>The tolerance is equal to the algebraic mean of the measurements.</p> <p>Tenons adjusted, if necessary.</p>
G 6		<p>plate</p>	<p>a) Clause 6.111</p> <p>This test eliminates any error in the plate for the hole and pin type.</p> <p>b) Clause 6.114</p> <p>The permissible deviation includes the transmission errors in any type of dividing head as well as errors in the plate for the hole and pin type.</p>
G 7		<p>ge and test</p>	<p>Sub-clause 5.412.4</p> <p>Test mandrel held between centres :</p> <p>a) tenons adjusted, if necessary;</p> <p>b) height adjusted, if necessary.</p>

iTeH STANDARD PREVIEW
(standards.iteh.ai)
ISO 5734:1978
<https://standards.iteh.ai/catalog/standards/sist/11e188ea-77e7-45b1-8891-f7fa84dd1510/iso-5734-1978>