



Edition 2.1 2009-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Hand-held motor-operated electric tools – Safety – Part 2-15: Particular requirements for hedge trimmers

Outils électroportatifs à moteur – Sécurité – Partie 2-15: Règles particulières pour les taille-haies

IEC 60745-2-15:2006

https://standards.iteh.ai/catalog/standards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office	Tel.: +41 22 919 02 11
3, rue de Varembé	Fax: +41 22 919 03 00
CH-1211 Geneva 20	info@iec.ch
Switzerland	www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished 00/43

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.





Edition 2.1 2009-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Hand-held motor-operated electric tools – Safety – Part 2-15: Particular requirements for hedge trimmers

Outils électroportatifs à moteur – Sécurité – Partie 2-15: Règles particulières pour les taille-haies

IEC 60745-2-15:2006

https://standards.iteh.ai/catalog/standards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.140.20; 65.060.80

ISBN 978-2-8891-0272-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

1	Scope	7
2	Normative references	7
3	Terms and definitions	7
4	General requirements	8
5	General conditions for the tests	8
6	Void	8
7	Classification	9
8	Marking and instructions	9
9	Protection against access to live parts	9
10	Starting	
11	Input and current	10
12	Heating	10
13	Leakage current	10
14		-
15	Electric strength	
16	Overload protection of transformers and associated circuits	
17	Endurance	10
18	Abnormal operation	
19	Mechanical hazards	11
20	Mechanical strength	
21	Construction	
22	Internal wiring	
23	Components	
24	Supply connections and external flexible cords	
25	Terminals for external conductors	
26	Provision for earthing	
27	Screws and connections	
28	Creepage distances, clearances and distances through insulation	
29	Resistance to heat, fire and tracking	
30	Resistance to rusting	
31	Radiation, toxicity and similar hazards	16
Anı	nexes	23
Anı	nex K (normative) Battery tools and battery packs	23
	nex L (normative) Battery tools and battery packs provided with mains connection non-isolated sources	23
	nex AA (normative) Symbols for safety recommendations and warnings	

Figure 101 – Pictorial representation of some definitions	. 17
Figure 102 – Pictorial representation of some definitions	. 17
Figure 103 – Measurement of cutting length	. 18
Figure 104 – Handles positioning	. 18
Figure 105 – Measurement of reach distance	. 19
Figure 106 – Cutting device configuration options for categories 1 and 2 (see Table 101)	19
Figure 107 – Cutting device configuration option for category 3 (see Table 101)	.20
Figure 108 – Cutting device configuration option for category 4 (see Table 101)	.20
Figure 109 – Measurement method for 400 mm minimum length of blunt extensions	.21
Figure 110 – Impact test fixture for handle insulation	. 22
Figure 111 – Lower barrier	. 22

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60745-2-15:2006

https://standards.iteh.ai/catalog/standards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS – SAFETY –

Part 2-15: Particular requirements for hedge trimmers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.

https://6) All users should ensure that they have the latest edition of this publication. 7c3d4eea596/iec-60745-2-15-2006

- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60745-2-15 edition 2.1 contains the second edition (2006) [documents 61F/626/FDIS and 61F/638/RVD] and its amendment 1 (2009) [documents 116/10/FDIS and 116/16/RVD].

A vertical line in the margin shows where the base publication has been modified by amendment 1.

International Standard IEC 60745-2-15 has been prepared by subcommittee 61F: Safety of hand-held motor-operated electric tools, of IEC technical committee 61: Safety of household and similar electrical appliances.

60745-2-15 © IEC:2006+A1:2009

Main changes include Clause 8: Markings and instructions, introducing detailed safety warnings; Clause 19: Mechanical hazards, with requirements for handles, hand protection, cutting device, blade stopping time, lower barrier, cutting device cover; and Clause 21: Construction, with requirements for blade controls (switches) and insulation of knobs and handles.

The amendment modifies the present part 2-15 to ensure its conformity with the fourth edition (2006) of IEC 60745-1, Hand-held motor-operated electric tools – Safety – Part 1: General requirements

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60745-1, *Hand-held motor-operated electric tools – Safety – Part 1: General requirements,* and its amendments. It was established on the basis of the fourth edition (2006) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60745-1.

This part 2 supplements or modifies the corresponding clauses of IEC 60745-1, so as to convert that publication into the IEC standard: Safety requirements for hedge trimmers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, items, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- additional annexes are lettered AA, BB, etc.

NOTE 3 In this standard, the following print types are used:

- requirements: in roman type;
- test specifications: in italic type; <u>IEC 60745-2-15:2006</u>

https://stanotes: in smaller roman type.dards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006

IEC 60745 consists of the following parts, under the general title *Hand-held motor-operated electric tools – Safety:*

- Part 1: General requirements
- Part 2-1: Particular requirements for drills and impact drills
- Part 2-2: Particular requirements for screwdrivers and impact wrenches
- Part 2-3: Particular requirements for grinders, polishers and disk-type sanders
- Part 2-4: Particular requirements for sanders and polishers other than disk type
- Part 2-5: Particular requirements for circular saws
- Part 2-6: Particular requirements for hammers
- Part 2-7: Particular requirements for spray guns for non-flammable liquids
- Part 2-8: Particular requirements for shears and nibblers
- Part 2-9: Particular requirements for tappers
- Part 2-11: Particular requirements for reciprocating saws (jig and sabre saws)
- Part 2-12: Particular requirements for concrete vibrators
- Part 2-13: Particular requirements for chain saws
- Part 2-14: Particular requirements for planers
- Part 2-15: Particular requirements for hedge trimmers
- Part 2-16: Particular requirements for tackers

- Part 2-17: Particular requirements for routers and trimmers
- Part 2-18: Particular requirements for strapping tools
- Part 2-19: Particular requirements for jointers
- Part 2-20: Particular requirements for band saws
- Part 2-21: Particular requirements for drain cleaners

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- 6 -

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60745-2-15:2006

https://standards.iteh.ai/catalog/standards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006

HAND-HELD MOTOR-OPERATED ELECTRIC TOOLS – SAFETY –

Part 2-15: Particular requirements for hedge trimmers

1 Scope

This clause of Part 1 is applicable, except as follows:

1.1 Addition:

This standard applies to hedge trimmers which are designed for use by one operator for trimming hedges and bushes, utilizing one or more linear reciprocating cutter blades.

This standard is not applicable to hedge trimmers with a rotating blade.

2 Normative references

This clause of Part 1 is applicable, except as follows:

Addition:

(https://standards.iteh.ai)

ISO 3864-3¹, Graphical symbols – Safety colours and safety signs – Part 3: Design criteria for graphical symbols used in safety signs

3 Terms and definitions

://standards.iteh.a/catalog/standards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006 This clause of Part 1 is applicable, except as follows:

3.101

blade tooth

part of the cutter blade which is sharpened or has sharp edges to perform the shearing action (see Figures 101 and 102)

3.102

cutter blade

part of the cutting device having blade teeth which cut by shearing action either against other blade teeth or against a shear plate (see Figures 101 and 102)

3.103

cutting device

part of the assembly of cutter blade and shear plate or of two cutter blades together with any supporting part which performs the cutting action. This may be either single or double sided (see Figures 101 and 102)

¹ ISO 3864-2 is currently in DIS state.

3.104

cutting length

effective cutting length of the cutting device measured from the inside edge of the first blade tooth or shear plate tooth to the inside edge of the last blade tooth or shear plate tooth (see Figure 103). Where both blades move, the cutting length is measured when the first and last teeth are furthest apart

- 8 -

3.105

front handle

handle located at or towards the cutting device (see Figure 104)

3.106

rear handle

handle located furthest from the cutting device (see Figure 104)

3.107

blade control

device activated by the operator's hand or fingers for controlling the blade movement

3.108

blunt extension

blunt part of the cutting device or a part of an unsharpened plate fitted to the cutting device which extends beyond the blade teeth (see Figures 101 and 102)

3.109

iTeh Standards

blade stopping time

elapsed time from the release of the blade control until the cutter blade stops

3.110

maximum speed

highest motor speed obtainable when adjusted in accordance with the manufacturer's specifications and/or instructions and with the cutting device engaged

ps://standards.iteh.ai/catalog/standards/iec/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006 3.111

shear plate

part of the cutting device which assists cutting by shearing action against a cutter blade (see Figure 101)

4 General requirements

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable, except as follows:

5.2 Addition:

For the test of 19.104, one additional sample may be provided.

6 Void

60745-2-15 © IEC:2006+A1:2009

7 Classification

This clause of Part 1 is applicable.

8 Marking and instructions

This clause of Part 1 is applicable, except as follows:

8.1 Addition:

Hedge trimmers shall be marked with safety recommendations and warnings of the following substance, which shall be written in one of the official languages of the country in which the tool is to be sold. Alternatively, they shall be marked with symbols of the type specified in Annex AA.

-9-

For hedge trimmers with a degree of protection of less than IPX4:

"Do not expose to rain."

For mains supplied tools:

- "Remove plug from the mains immediately if the cable is damaged or cut."

If other symbols are used they shall be in accordance with ISO 3864-3.

8.12.1.1 Addition:

Hedge trimmer safety warnings: / Standards.iteh.

- Keep all parts of the body away from the cutter blade. Do not remove cut material or hold material to be cut when blades are moving. Make sure the switch is off when clearing jammed material. A moment of inattention while operating the hedge trimmer may result in serious personal injury.
- Carry the hedge trimmer by the handle with the cutter blade stopped. When 2006 transporting or storing the hedge trimmer always fit the cutting device cover. Proper handling of the hedge trimmer will reduce possible personal injury from the cutter blades.
 - Hold the power tool by insulated gripping surfaces only, because the cutter blade may contact hidden wiring or its own cord. Cutter blades contacting a "live" wire may make exposed metal parts of the power tool "live" and could give the operator an electric shock.
 - **Keep cable away from cutting area.** During operation the cable may be hidden in shrubs and can be accidentally cut by the blade.
 - 8.12.2.b) Addition:
 - 101) Advice to check the hedge for foreign objects, e.g. wire fences
 - 102) Recommendation for the use of a residual current device with a tripping current of 30 mA or less
 - 103) Instruction to hold the hedge trimmer properly, e.g. with both hands if two handles are provided

9 Protection against access to live parts

This clause of Part 1 is applicable.

10 Starting

This clause of Part 1 is applicable.

11 Input and current

This clause of Part 1 is applicable.

12 Heating

This clause of Part 1 is applicable, except as follows:

12.4 Replacement:

The tool is operated at rated input or rated current for 30 min. The temperature rises are measured at the end of the 30 min.

13 Leakage current

This clause of Part 1 is applicable. It is applicable Standards

14 Moisture resistance ps://standards.iteh.ai)

This clause of Part 1 is applicable unent Preview

15 Electric strength

EC 60745-2-15:2006

This clause of Part 1 is applicable.^{c/8c4a8d14-f4d5-42d7-86e0-b7c3d4eea596/iec-60745-2-15-2006}

16 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

17 Endurance

This clause of Part 1 is applicable, except as follows:

17.2 Addition:

During the test, the cutting device is lubricated as necessary to prevent undue friction.

18 Abnormal operation

This clause of Part 1 is applicable.

19 Mechanical hazards

This clause of Part 1 is applicable, except as follows:

19.1 Addition:

The requirements of this subclause do not apply to those moving parts and guards which are separately covered by 19.102 and 19.103.

19.101 Handles

The number of handles shall be in accordance with Table 101.

The handles shall be designed in such a way that each one can be grasped with one hand. The gripping surface shall be at least 100 mm long. On bail or closed handles (U-shaped handles) this dimension is related to the inner width of the gripping surface. On straight handles it is the complete length between the housing and the end of the handle. There shall be a minimum radial clearance of 25 mm around the gripping length.

If a part containing the motor complies with the dimensions above it may be considered as a handle.

The gripping length of a bail or closed handle comprises any length that is straight or curved at a radius of greater than 100 mm together with any blend radius but not more than 10 mm at either or both ends of the gripping surface.

If a straight handle is supported centrally (i.e. T type) the gripping length shall be calculated as follows:

- for handles with a periphery (not including the support) of less than 80 mm the gripping length is the sum of the two parts on either side of the support;
- https:/-lafor handles with a periphery (not including the support) of 80 mm or more the gripping 2006 length is the complete length from end to end.

If applicable, the part of the handle containing the blade control actuator shall be counted as part of the handle gripping length. Finger grip or similar superimposed profiles shall not affect the method of calculating handle gripping length.

Handles shall be positively locked in position. If they are adjustable in different positions it shall not be possible to lock them in a position which contravenes other provisions of this standard.

For handles which are adjustable without the use of a tool, it shall not be possible to alter the handle position when the cutting device is operating. When altering the handle position the cutting device shall be inoperable.

Compliance is checked by inspection and measurements.

19.102 Hand protection

From any handle it shall not be possible to touch the moving cutter blade with the fingers spread out.

Compliance is checked by the following test.

The requirements are met if all the handles are located so that the test distance from the cutter blade of any handle is not less than 120 mm as shown in Figure 105.

If there is a guard, then the x_1 and x_2 distances shall be measured along the shortest path from the backside of the handle, via the edge of the blade guard, to the nearest cutting edge of the cutter blade.

19.103 Cutting device

To safeguard against contact with the cutter blade, hedge trimmers shall be constructed to meet the requirements of one of the categories given in Table 101.

Items with requirements	Category number and requirements			
	1	2	3	4
Cutting length	<u><</u> 200 mm	> 200 mm	> 200 mm	> 200 mm
Number of handles	1	2	2	2
Number of handles with blade control	1 (rear handle)	1 (rear handle)	1 (rear handle)	2
Maximum blade stopping time (subclause 211 19.104)	SINOIC	No	3 s	1 s
Blade configuration figure	21062	106	107	108
Lower barrier (subclause 19.105)	No	No	Yes	No

Table 101 – Hedge trimmer categories

For category 3, the 19 mm test probe in Figure 107 shall not contact any blade tooth.

Blunt extensions shall extend over the full length of the cutting device for the blade configurations according to Figures 106 and 107. For cutting devices with blade 2006 configurations as shown in Figure 108, the blunt extensions shall reach a distance of at least 400 mm from any point of the rear face of the front handle (see Figure 109). If the front handle is located part way along the cutting device the blunt extensions shall start at the first blade tooth and continue until the 400 mm minimum distance beyond the rear of the front handle is reached.

Blunt extensions are not required for tools of category 4 with a blade configuration as shown in Figure 108 where there are only two handles and the front handle is permanently fixed to the smooth side of a single sided cutting device.

To provide blade visibility during use, at least 50 % of the area of the top surface of the cutting device of category 3 tools, excluding areas occupied by a warning label and the surfaces wiped by blade motion, shall be coloured with a highly visible durable bright-red, - yellow or -orange colour which sharply contrasts with green. The coloured portion shall extend for at least 90 % of the length of the cutting device measured from the outboard end.

Compliance is checked by inspection and measurement.

19.104 Blade stopping time

The cutting device stopping mechanism shall meet the stop time requirement (see Table 101), with the hedge trimmer adjusted and lubricated as recommended by the manufacturer.

Compliance is checked by the test of 19.104.2 carried out in accordance with 19.104.1.