
Polimerni materiali – Določevanje nateznih lastnosti – 4. del: Preskusni pogoji za izotropne in ortotropne z vlakni ojačene polimerne kompozite (ISO 527-4:1997)

Plastics - Determination of tensile properties - Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites (ISO 527-4:1997)

Kunststoffe - Bestimmung der Zugeigenschaften - Teil 4: Prüfbedingungen für isotrop und anisotrop faserverstärkte Kunststoffverbundwerkstoffe (ISO 527-4:1997)

Plastiques - Détermination des propriétés en traction - Partie 4: Conditions d'essai pour les composites plastiques renforcés de fibres isotropes et orthotropes (ISO 527-4:1997)

<https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-eb4607ff83e5/sist-en-iso-527-4-1999>

Ta slovenski standard je istoveten z: EN ISO 527-4:1997

ICS:

83.120

Ojačani polimeri

Reinforced plastics

SIST EN ISO 527-4:1999

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 527-4:1999

[https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-
eb4607ff83e5/sist-en-iso-527-4-1999](https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-eb4607ff83e5/sist-en-iso-527-4-1999)

EUROPEAN STANDARD

EN ISO 527-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 1997

ICS 83.120

Descriptors: see ISO document

English version

**Plastics - Determination of tensile properties - Part
4: Test conditions for isotropic and orthotropic
fibre-reinforced plastic composites
(ISO 527-4:1997)**

Plastiques - Détermination des propriétés en
traction - Partie 4: Conditions d'essai pour
les composites plastiques renforcés de fibres
isotropes et orthotropes (ISO 527-4:1997)

Kunststoffe - Bestimmung der Zugeigenschaften
- Teil 4: Prüfbedingungen für isotrop und
anisotrop faserverstärkte
Kunststoffverbundwerkstoffe (ISO 527-4:1997)

(standards.iteh.ai)

SIST EN ISO 527-4:1999

[https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-
eb4607ff83e5/sist-en-iso-527-4-1999](https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-eb4607ff83e5/sist-en-iso-527-4-1999)

This European Standard was approved by CEN on 1997-03-28. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Page 2
EN ISO 527-4:1997

Foreword

The text of the International Standard ISO 527-4:1997 has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics", the secretariat of which is held by IBN.

ISO 527 contains the following parts with the general title: "Plastics - Determination of tensile properties".

- Part 1: General principles
- Part 2: Test conditions for moulding and extrusion plastics
- Part 3: Test conditions for films and sheets
- Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites
- Part 5: Test conditions for unidirectional fibre-reinforced plastic composites

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 1997, and conflicting national standards shall be withdrawn at the latest by October 1997.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 527-4:1997 was approved by CEN as a European Standard without any modification.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

Annex ZA (normative)**Normative references to international publications
with their relevant European publications**

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN</u>	<u>Year</u>
ISO 527-1	1993	Plastics - Determination of tensile properties - Part 1: General principles	EN ISO 527-1	1996
ISO 527-2	1993	Plastics - Determination of tensile - Part 2: Test conditions for moulding and extrusion plastics	EN ISO 527-2	1996
ISO 527-5	1997	Plastics - Determination of tensile - Part 5: Test conditions for unidirectional fibre-reinforced plastic composites	EN ISO 527-5	1997

<https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-eb4607ff83e5/sist-en-iso-527-4-1999>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 527-4:1999

[https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-
eb4607ff83e5/sist-en-iso-527-4-1999](https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-eb4607ff83e5/sist-en-iso-527-4-1999)

INTERNATIONAL STANDARD

**ISO
527-4**

First edition
1997-04-15

Plastics — Determination of tensile properties —

Part 4:

Test conditions for isotropic and orthotropic
fibre-reinforced plastic composites

iTeh STANDARD PREVIEW

Plastiques — Détermination des propriétés en traction —

*Partie 4. Conditions d'essai pour les composites plastiques renforcés de
fibres isotropes et orthotropes*

SIST EN ISO 527-4:1999

[https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-
eb4607ff83e5/sist-en-iso-527-4-1999](https://standards.iteh.ai/catalog/standards/sist/c0f1ded0-58e0-468a-8443-eb4607ff83e5/sist-en-iso-527-4-1999)



Reference number
ISO 527-4:1997(E)

ISO 527-4:1997(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 527-4 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 2, *Mechanical properties*.

Together with part 5, this part of ISO 527 cancels and replaces the first edition of ISO 3268 (ISO 3268:1978) which has been technically revised.

ISO 527 consists of the following parts, under the general title *Plastics — Determination of tensile properties*:

- *Part 1: General principles*
- *Part 2: Test conditions for moulding and extrusion plastics*
- *Part 3: Test conditions for sheet and film*
- *Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites*
- *Part 5: Test conditions for unidirectional fibre-reinforced plastic composites*

Annex A forms an integral part of this part of ISO 527. Annex B is for information only.

© ISO 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet central@iso.ch
X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

Plastics — Determination of tensile properties —

Part 4:

Test conditions for isotropic and orthotropic fibre-reinforced plastic composites

1 Scope

1.1 This part of ISO 527 specifies the test conditions for the determination of the tensile properties of isotropic and orthotropic fibre-reinforced plastic composites, based upon the general principles given in part 1.

Unidirectionally reinforced materials are covered by part 5.

1.2 See ISO 527-1, subclause 1.2.

1.3 The test method is suitable for use with the following materials:

- fibre-reinforced thermosetting and thermoplastic composites incorporating non-unidirectional reinforcements such as mats, woven fabrics, woven rovings, chopped strands, combinations of such reinforcements, hybrids, rovings, short or milled fibres or preimpregnated materials (prepregs) (for directly injection-moulded specimens, see specimen 1A in ISO 527-2:1993);
- combinations of the above with unidirectional reinforcements and multidirectional reinforced materials constructed from unidirectional layers, provided such laminates are symmetrical (for materials with completely, or mainly, unidirectional reinforcements, see ISO 527-5);
- finished products made from these materials.

The reinforcement fibres covered include glass fibres, carbon fibres, aramid fibres and other similar fibres.

1.4 The method is performed using specimens machined from a test panel made in accordance with ISO 1268 or by equivalent methods, or from finished and semi-finished products with suitable flat areas.

1.5 See ISO 527-1, subclause 1.5.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 527. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 527 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 527-1:1993, *Plastics — Determination of tensile properties — Part 1: General principles*.