

SLOVENSKI STANDARD SIST EN ISO 4894-2:2000

01-maj-2000

Dc`]a Yfb]'a UhYf]U]'!'A UhYf]U]'nUcV`]_cj Ub Υ ']b'Y_glfi X]fUb Υ ']n'_cdc`]a Yfcj gh]fYb#U_f]`cb]lf]`'fG5 B½!'&"XY.'Df]dfUj U'dfYg_i ýUbWfj ']b'Xc`c Ub Υ ``Uglbcgh]'fLGC (,-(!&%-)&

Plastics - Styrene/acrylonitrile (SAN) moulding and extrusion materials - Part 2: Preparation of test specimens and determination of properties (ISO 4894-2:1995)

Kunststoffe - Styrol/Acrylnitril (SAN) Formmassen - Teil 2: Herstellung von Probekörpern und Bestimmung von Eigenschaften (ISO 4894-2:1995) (standards.iteh.ai)

Plastiques - Styrene/acrylonitrile (SAN) pour moulage et extrusion - Partie 2: Préparation des éprouvettes et détermination des propriétés (ISO 4894-2:1995)₄₅₅

9fabfc747c51/sist-en-iso-4894-2-2000

Ta slovenski standard je istoveten z: EN ISO 4894-2:1999

ICS:

83.080.20 Plastomeri Thermoplastic materials

SIST EN ISO 4894-2:2000 en

SIST EN ISO 4894-2:2000

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 4894-2:2000</u> https://standards.iteh.ai/catalog/standards/sist/17fc8b45-e95f-4b26-a455-9fabfc747c51/sist-en-iso-4894-2-2000

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 4894-2

May 1999

ICS 83.080.20

English version

Plastics - Styrene/acrylonitrile (SAN) moulding and extrusion materials - Part 2: Preparation of test specimens and determination of properties (ISO 4894-2:1995)

Plastiques - Styrène/acrylonitrile (SAN) pour moulage et extrusion - Partie 2: Préparation des éprouvettes et détermination des propriétés (ISO 4894-2:1995)

Kunststoffe - Styrol/Acrylnitril (SAN)-Formmassen - Teil 2: Herstellung von Probekörpern und Bestimmung von Eigenschaften (ISO 4894-2:1995)

This European Standard was approved by CEN on 16 April 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and United Kingdom.

9fabfc747c51/sist-en-iso-4894-2-2000



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Page 2 EN ISO 4894-2:1999

Foreword

The text of the International Standard from Technical Committee ISO/TC 61 "Plastics" of the International Organization for Standardization (ISO) has been taken over as an European Standard by Technical Committee CEN/TC 249 "Plastics", the secretariat of which is held by IBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 1999, and conflicting national standards shall be withdrawn at the latest by November 1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 4894-2:1995 has been approved by CEN as a European Standard without any modification.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

SIST EN ISO 4894-22000

https://standards.iteh.ai/catalog/standards/sist/17fc8b45-e95f-4b26-a455-9fabfc747c51/sist-en-iso-4894-2-2000

Page 3 EN ISO 4894-2:1999

Annex ZA (normative)
Normative references to international publications
with their relevant European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

Publication	<u>Year</u>	<u>Title</u>	EN	<u>Year</u>
ISO 75-1	1993	Plastics - Determination of temperature of deflection under load - Part 1: General test method	EN ISO 75-1	1996
ISO 75-2	1993	Plastics - Determination of temperature of deflection under load - Part 2: Plastics and ebonite	EN ISO 75-2	1996
ISO 178	1993	Plastics - Determination of flexural properties	EN ISO 178	1996
ISO 179	1993	Plastics - Determination of Charpy D PREV impact strength (standards.iteh.ai)	EN 150 179	1996
ISO 291	1997	Plastics - Standard atmospheres for conditioning and testingst EN ISO 4894-2:2000	EN ISO 291	1997
ISO 306	1994	https://standards.iteh.ai/catalog/standards/sist/17fc8b45-e95 Plastics - Thermoplastic/materials-iso-4894-2-2000 Determination of Vicat softening temperature (VST)	EN ISO 306	1996:
ISO 527-1	1993	Plastics - Determination of tensile properties - Part 1: General principles	EN ISO 527-1	1996
ISO 527-2	1993	Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics	EN ISO 527-2	1996
ISO 899-1	1993	Plastics - Determination of creep behaviour - Part 1: Tensile creep	EN ISO 899-1	1996
ISO 2818	1994	Plastics - Preparation of test specimens by machining	EN ISO 2818	1996
ISO 3167	1993	Plastics - Multipurpose-test specimens	EN ISO 3167	1996
ISO 4589-3	1996	Plastics - Determination of burning behaviour by oxygen index - Part 3: Elevated-temperature test	EN ISO 4589-3	1996
ISO 8256	1990	Plastics - Determination of tensile-impact strength	EN ISO 8256	1996
ISO 10350	1993	Plastics - Acquisition and presentation of comparable single-point data	EN ISO 10350	1995

Page 4 EN ISO 4894-2:1999

ISO 62	1999	Plastics - Determination of water absorption	EN ISO 62	1999
ISO 527-4	1997	Plastics - Determination of tensile properties - Part 4: Test conditions for isotropic and orthotopic fibre-reinforced plastic composites	EN ISO 527-4	1997
ISO 1133	1997	Plastics - Determination of the melt mass-flow rate (MFR) and the melt volume-flow rate (MVR) of thermoplastics	EN ISO 1133	1999
ISO 4894-1	1997	Plastics - Styrene/acrylonitrile (SAN) moulding and extrusion materials - Part 1: Designation system and basis for specifications	EN ISO 4894-1	1999

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 4894-2:2000</u> https://standards.iteh.ai/catalog/standards/sist/17fc8b45-e95f-4b26-a455-9fabfc747c51/sist-en-iso-4894-2-2000 SIST EN ISO 4894-2:2000

INTERNATIONAL STANDARD

ISO 4894-2

> Second edition 1995-05-01

Plastics — Styrene/acrylonitrile (SAN) moulding and extrusion materials —

Part 2:

iTeh SPreparation of test specimens and determination of properties

SIST EN ISO 4894-2:2000

https://standards.itcPlastiquessum Styrène/acrylonitfile (SAN) pour moulage et extrusion —
9hhr74725 / sixter-iso-4894-22000
Partie 2: Préparation des éprouvettes et détermination des propriétés



ISO 4894-2:1995(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting to the vote.

International Standard ISO 4894-2 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 9, *Thermoplastic materials*, 2000

This second edition cancells://sandardreplacestalog/standards/sist/edition/5-e95f-4b26-a455-(ISO 4894-2:1981) and includes the following changes://sist-en-iso-4894-2-2000

The text has been brought into accordance with the frame text developed by SC 9. The table of test methods has been revised in accordance with ISO 10350.

ISO 4894 consists of the following parts, under the general title *Plastics — Styrene/acrylonitrile (SAN) moulding and extrusion materials*:

- Part 1: Designation
- Part 2: Preparation of test specimens and determination of properties

Annex A forms an integral part of this part of ISO 4894.

© ISO 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Plastics — Styrene/acrylonitrile (SAN) moulding and extrusion materials —

Part 2:

Preparation of test specimens and determination of properties

1 Scope

2 Normative references

iTeh STANDARD PRFVIFW The following standards contain provisions which,

This part of ISO 4894 specifies the methods of preparation of test specimens and the test methods to be 4894 used in determining the properties of SAN moulding and extrusion materials. Requirements for handling test material and for conditioning both the test material before moulding and the specimens before testing are given here.

Procedures and conditions for the preparation of test specimens and procedures for measuring properties of the materials from which these specimens are made are given. Properties and test methods which are suitable and necessary to characterize SAN moulding and extrusion materials are listed.

The properties have been selected from the general test methods in ISO 10350. Other test methods in wide use for or of particular significance to these moulding and extrusion materials are also included in this part of ISO 4894, as are the designatory properties specified in part 1: Vicat softening temperature, melt flow rate, impact strength and flexural modulus.

In order to obtain reproducible and comparable test results, it is necessary to use the methods of specimen preparation and conditioning, the specimen dimensions and the test procedures specified herein. Values determined will not necessarily be identical to those obtained using specimens of different dimensions or prepared using different procedures.

standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 62:1980, *Plastics* — *Determination of water absorption*.

ISO 75-1:1993, Plastics — Determination of temperature of deflection under load — Part 1: General test method.

ISO 75-2:1993, Plastics — Determination of temperature of deflection under load — Part 2: Plastics and ebonite.

ISO 178:1993, Plastics — Determination of flexural properties.

ISO 179:1993, Plastics — Determination of Charpy impact strength.

ISO 291:1977, Plastics — Standard atmospheres for conditioning and testing.

ISO 293:1986, Plastics — Compression moulding test specimens of thermoplastic materials.