



SLOVENSKI STANDARD
SIST EN 301 934-2 V1.1.1:2005
01-januar-2005

Inteligentno omrežje (IN) – Tretji nabor zmožnosti inteligentnega omrežja (CS3) – Abstraktni preskušalni niz (ATS) in delna dodatna informacija za preskušanje izvedbe protokola (PIXIT) – Proforma specifikacija – 2. del: Ravnanje z udeležencem klica (CPH)

Intelligent Network (IN); Intelligent Network Capability Set 3 (CS3); Abstract Test Suite (ATS) and Partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification; Part 2: Call Party Handling (CPH)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 934-2 V1.1.1:2005
https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005](https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005)

Ta slovenski standard je istoveten z: EN 301 934-2 Version 1.1.1

ICS:

33.040.35 Telefonska omrežja Telephone networks

SIST EN 301 934-2 V1.1.1:2005 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 934-2 V1.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005>

ETSI EN 301 934-2 V1.1.1 (2003-01)

European Standard (Telecommunications series)

**Intelligent Network (IN);
Intelligent Network Capability Set 3 (CS3);
Abstract Test Suite (ATS) and Partial Protocol
Implementation eXtra Information for Testing (PIXIT)
proforma specification;
Part 2: Call Party Handling (CPH)**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 301 934-2 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005>



Reference

DEN/SPAN-120063-4-2

Keywords

ATS, CS3, CTM, IN, INAP, PIXIT, TTCN

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 934-2 V1.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503cd78/sist-301-934-2-v1-1-1-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003.
All rights reserved.

DECT™, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	7
4 Test architecture	8
4.1 Abstract Test Method (ATM).....	8
4.2 Overall configuration	8
4.3 Test of SSF-SCF interface using INAP.....	9
4.4 Points of control and observation (PCOs)	9
4.5 Test system.....	9
4.6 Functional configurations.....	10
4.6.1 SSF-SCF interface	10
4.6.2 Reference to product implementation	11
4.7 Protocol primitives	11
4.7.1 Protocol primitives at PCO_1 and PCO_2.....	11
4.7.2 Protocol primitives at PCO_3_1 and PCO_3_2.....	12
5 ATS naming conventions	13
5.1 Declarations part	13
5.1.1 Test suite type and structured type definitions by reference.....	13
5.1.2 Test suite operations definitions.....	13
5.1.3 Test suite parameter declarations.....	13
5.1.4 Test case selection expression definitions.....	13
5.1.5 Test suite constant declarations by reference.....	13
5.1.6 Test suite variable declarations.....	13
5.1.7 Test case variable declarations.....	14
5.1.8 Timer declarations	14
5.1.9 ASP type definitions	14
5.1.10 Alias definitions.....	14
5.2 Constraints part	14
5.3 Dynamic part.....	15
5.3.1 Test case identifier	15
5.3.2 Preambles and their naming conventions.....	15
5.3.3 Postamble identifier	16
6 Implementation conventions	16
6.1 TC and TP mapping	16
7 ATS generalities	16
7.1 ATS design.....	16
7.1.1 Methodology.....	16
7.2 Test Configuration.....	18
7.2.1 Example	19
7.3 ATS restrictions.....	19
Annex A (normative): ATS for INAP CS3 Call Party Handling	20
A.1 The TTCN Graphical form (TTCN.GR)	20
A.2 The TTCN Machine Processable form (TTCN.MP).....	20
Annex B (normative): Partial PIXIT proforma for INAP CS3 CPH.....	21

B.1	Identification summary.....	21
B.2	ATS summary	21
B.3	Test laboratory.....	21
B.4	Client identification.....	21
B.5	SUT	22
B.6	Protocol layer information.....	22
B.6.1	Protocol identification	22
B.6.2	IUT information	22
B.6.2.1	Implicit send events	22
B.6.2.2	PICS and PIXIT Values required by the ATS	23
Annex C (normative):	Protocol Conformance Test Report (PCTR) proforma for INAP INAP CS3 CPH.....	27
C.1	Identification summary.....	27
C.1.1	Protocol conformance test report.....	27
C.1.2	IUT identification	27
C.1.3	Testing environment.....	27
C.1.4	Limits and reservation	28
C.1.5	Comments.....	28
C.2	IUT conformance status	28
C.3	Static conformance summary	28
C.4	Dynamic conformance summary.....	29
C.5	Static conformance review report.....	29
C.6	Test campaign report.....	29
C.7	Observations.....	34
Annex D (informative):	Bibliography.....	35
History		36

iTech STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 934-2 V1.1.1:2005
<https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

All published ETSI deliverables shall include information which directs the reader to the above source of information.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [3].

National transposition dates	
Date of adoption of this EN:	27 December 2002
Date of latest announcement of this EN (doa):	31 March 2003
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 September 2003
Date of withdrawal of any conflicting National Standard (dow):	30 September 2003

[SIST EN 301 934-2 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/02661a98-317e-4719-8d25-4e242503ccca/sist-en-301-934-2-v1-1-1-2005>

1 Scope

The present document contains the Abstract Test Suite (ATS) and Partial PIXIT for Call Party Handling (CPH), part of CoreINAP CS-3.

The present document provides the Abstract Test Suite (ATS) and Partial PIXIT for the testing of the Call Party Handling (CPH) operations of the Service Switching Function (SSF), defined for the Intelligent Network Application Protocol (INAP) of Intelligent Network (IN) Capability Set 3 (CS3) according to ETSI EN 301 931-1 [1] and ETSI EN 301 931-2 [2].

Annex A provides the Tree and Tabular Combined Notation (TTCN).

Annex B provides the Partial Protocol Implementation eXtra Information for Testing (PIXIT) Proforma.

Annex C provides the Protocol Conformance Test Report (PCTR) Proforma.

The present document is completed by other parts constituting the testing of the CS3 Core INAP specifications: ETSI EN 301 934-1 [3] (Basic capability set of CS-3).

ISO/IEC 9646-1 [4] and ISO/IEC 9646-2 [5] are used as the basis for the testing methodology.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] ETSI EN 301 931-1: "Intelligent Network (IN); Intelligent Network Capability Set 3 (CS3); Intelligent Network Application Protocol (INAP); Protocol specification; Part 1: Common aspects".
- [2] ETSI EN 301 931-2: "Intelligent Network (IN); Intelligent Network Capability Set 3 (CS3); Intelligent Network Application Protocol (INAP); Protocol specification; Part 2: SCF-SSF interface".
- [3] ETSI EN 301 934-1: "Intelligent Network (IN); Intelligent Network Capability Set 3 (CS-3); Abstract Test Suite (ATS) and Partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification; Part 1: Basic capability set of CS3".
- [4] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [5] ISO/IEC 9646-2: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract Test Suite specification".
- [6] ISO/IEC 9646-3: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The Tree and Tabular Combined Notation (TTCN)".
- [7] ETSI ETS 300 374-1: "Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent Network Application Protocol (INAP); Part 1: Protocol specification".
- [8] ITU-T Recommendation Q.771: "Functional description of transaction capabilities".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions defined in ETSI EN 301 931-1 [1], ISO/IEC 9646-1 [4] and ISO/IEC 9646-2 [5] apply.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ASP	Abstract Service Primitive
ATM	Abstract Test Method
ATS	Abstract Test Suite
BI	Invalid Behaviour tests
BO	Inopportune Behaviour tests
BV	Valid Behaviour tests
CS	Call Segment
CS	Capability Set
IN	Intelligent Network
INAP	Intelligent Network Application Protocol
IP	Intelligent Peripheral
IUT	Implementation Under Test
LE	Local Exchange
LT	Lower Tester
MPyT	Multy Party Testing
MSC	Message Sequence Chart
NWK	NetWork Layer
PCO	Point of Control and Observation
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
SAP	Service Access Point
SCF	Service Control Function
SCP	Service Control Point
SDF	Service Data Function
SDL	Specification and Description Language
SRF	Specialized Resource Function
SSF	Service Switching Function
SSP	Service Switching Point
SUT	System Under Test
TC	Test Case
TCAP	Transaction Capabilities Application Part
TE	Transit Exchange
TP	Test Purpose
TSS	Test Suite Structure
TTCN	Tree and Tabular Combined Notation

4 Test architecture

4.1 Abstract Test Method (ATM)

This clause describes the ATM used for testing the INAP protocol. It is the embedded variant of the remote test method used in Multy Party Testing (MPyT) context, as defined in ISO/IEC 9646-2 [5].

This test method has been selected, because:

- this test method implies no specific requirements from the Implementation Under Test (IUT);
- the upper Service Access Point (SAP) of the IUT cannot be directly observed;
- this test method places minimum limitations in the realization of conformance testing.

4.2 Overall configuration

Figure 1 describes the test architecture which will be used for the definition of the ATS.

A single test architecture covers all testing configuration requirements.




Figure 1: Multi-party, single-layer testing context: one IUT and 4 types of LTs

Figure 1 shows the multi-party, single layer testing context. The same architecture can be used for testing several interfaces. The roles of IUT and LTs change according to the protocol to be tested in the IUT.

Table 1 gives the nature of the IUT and LTs according to the protocol under test.

Table 1: possible testing configurations

Test Config	Tested Interface	IUT	LT1	LT2	LT3_1	LT3_2	Functional Configuration
1	SSF-SCF	SSF	SCF	SRF	Sig con A	Sig con B	A
2	SSF-SCF	SSF	SCF	-	Sig con A	Sig con B	B

4.3 Test of SSF-SCF interface using INAP

The test program contains the program of the main LT1 main tester as well as the co-ordination points to co-ordinate the tasks with the other testers LT2 and LT3.

IUT: Is the SSF-INAP.

LT1: Test program is the SCF.

LT2: Test program is the SRF-INAP when required.

LT3: Informal test program for actions and observation at the signalling control points, to play the role of end users A, B and C for instance.

There are as many LT3 as required by the test configuration (LT3_1, LT3_2, etc.) according to the number of end users A, B and C involved in a service scenario for instance, using different types of protocols).

Pz: Contains the protocols used below the INAP between SCP and SSP, also between SSP and SRF. They could be e.g. TCAP, SCCP and MTP of SS7 etc.

Pm: Contains the protocols used below the LT3_1 between the IUT and the Signalling control point. It could be the DSS1 protocols or ISUP SS7 protocol (in the case of having a transit exchange).

Pn: Contains the used protocols below the LT3_2 between the IUT and the Signalling control point. It could be the DSS1 protocols or ISUP SS7 protocol (in the case of having a transit exchange).

4.4 Points of control and observation (PCOs)

PCO-Declarations.

- 1) **PCO_1:** This PCO is at the core INAP interface between SSP and SCP. The lower layer protocol is Pz. It could be e.g. TCAP.
- 2) **PCO_2:** This PCO is at the core INAP interface between SSP and SRF. The lower layer protocol is Pz. It could be e.g. TCAP, ISUP, B-ISUP, TUP or the NWK of DSS1.
- 3) **PCO_3_1:** This PCO is at the interface between SSP and Signalling Control A. The lower layer protocol is Pm. It could be e.g. ISUP, B-ISUP, TUP or the NWK of DSS1.
- 4) **PCO_3_2:** This PCO is at the interface between SSP and Signalling Control B. The lower layer protocol is Pn. It could be e.g. ISUP, B-ISUP, TUP or the NWK of DSS1.

4.5 Test system

It is expected that the test system supports the protocols Pz, Pz-1, Pz-2 and the protocols for Pm and Pn.

It is expected that the test system supports the PCO Requirements of PCO_1, PCO_2, PCO_3_1 to PCO_3_n.

4.6 Functional configurations

4.6.1 SSF-SCF interface




Figure 2: SCP with single SSP
Configuration A: IUT = SSF (non integrated with SRF)




Figure 3: SCP with single SSP
Configuration B: IUT = SSF (integrated with SRF)