

SLOVENSKI STANDARD SIST EN 61196-3:2002

01-september-2002

Radio frequency cables - Part 3: Sectional specification for coaxial cables for local area networks (IEC 61196-3:1998)

Radio frequency cables -- Part 3: Sectional specification for coaxial cables for local area networks

Hochfrequenzkabel -- Teil 3: Rahmenspezifikation für Koaxialkabel für lokale Netze iTeh STANDARD PREVIEW

Câbles pour fréquences radioélectriques a Partie 3: Spécification intermédiaire pour câbles coaxiaux pour réseaux locaux

SIST EN 61196-3:2002

Ta slovenski standard je istoveten z seddo/sist-0-3;1998

ICS:

33.120.10 Koaksialni kabli. Valovodi Coaxial cables. Waveguides

SIST EN 61196-3:2002 en

SIST EN 61196-3:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61196-3:2002

 $https://standards.iteh.ai/catalog/standards/sist/15\overline{1}ed7fc-49ab-4d39-87c9-01403cb5edd9/sist-en-61196-3-2002$

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61196-3

November 1998

ICS 33,120,10

Descriptors: Radio frequency cables, local area networks

English version

Radio frequency cables Part 3: Sectional specification for coaxial cables for local area networks (IEC 61196-3:1998)

Câbles pour fréquences radioélectriques Partie 3: Spécification intermédiaire pour câbles coaxiaux pour réseaux locaux (CEI 61196-3:1998) Hochfrequenzkabel
Teil 3: Rahmenspezifikation für
Koaxialkabel für lokale Netze

iTeh STANDARD PREVIEW

(standards.iteh.ai)

<u>SIST EN 61196-3:2002</u> https://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9-01403cb5edd9/sist-en-61196-3-2002

This European Standard was approved by CENELEC on 1998-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

^{© 1998} CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Page 2 EN 61196-3:1998

Foreword

The text of document 46A/323/FDIS, future edition 1 of IEC 61196-3, prepared by SC 46A, Coaxial cables, of IEC TC 46, Cables, wires, waveguides, R.F. connectors, and accessories for communication and signalling, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61196-3 on 1998-10-01.

This EN 61196-3 is to be used in conjunction with IEC 61196-1:1995.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 1999-07-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2001-07-01

Annexes designated "normative" are part of the body of the standard. In this standard, annex ZA is normative.

Annex ZA has been added by CENELEC.

iTeh STAN<mark>DARD</mark> PREVIEW

Endorsement notice (standards.iteh.ai)

The text of the International Standard IEC 61196-3:1998 was approved by CENELEC as a European Standard without any modification. 1196-3:2002

https://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9-01403cb5edd9/sist-en-61196-3-2002



Page 3 EN 61196-3:1998

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE: When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60028	1925	International standard of resistance for copper	- '	-
IEC 60050(461)	1984	International Electrotechnical Vocabulary (IEV)	-	
	l	Chapter 461. Electric cables PREVE	W	•
IEC 60169	series	Radio-frequency connectors teh.ai)	EN 60169	series
IEC 60304	1982	Standard colours for insulation for low-frequency cables and wires //standards.iteh.av.catalog/standards/sist/151ed7fc-49ab-4d3	HD 402 S2 9-87c9-	1984
IEC 60332-1	1993	Tests on electric cables under fire conditions Part 1: Test on a single vertical insulated wire or cable	EN 50265-1 ¹⁾	1998
IEC 61196-1	1995	Radio-frequency cables Part 1: Generic specification - General, definitions, requirements and test methods	-	-

¹⁾ The title of EN 50265-1 is: IEC standard voltages.

SIST EN 61196-3:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61196-3:2002

 $https://standards.iteh.ai/catalog/standards/sist/15\overline{1}ed7fc-49ab-4d39-87c9-01403cb5edd9/sist-en-61196-3-2002$

NORME INTERNATIONALE INTERNATIONAL STANDARD

CEI IEC 61196-3

Première édition First edition 1998-07

Câbles pour fréquences radioélectriques -

Partie 3:

Spécification intermédiaire pour câbles coaxiaux pour réseaux locaux

iTeh STANDARD PREVIEW

Radio frequency cables 1

Part 3: SIST EN 61196-3:2002

standards iteh ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9-Sectional specification for coaxial cables for local area networks

© IEC 1998 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site http://www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия

CODE PRIX
PRICE CODE

. •

Pour prix, voir catalogue en vigueur For price, see current catalogue

CONTENTS

Total Columbia
1 General 9 1.1 Scope and object 9 1.2 Normative references 9 1.3 Definitions 11 1.4 Installation considerations 11 1.4.1 Pulling strength 11 1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 11 STANDARD PREVIEW 13 2.5 Outer conductor or sc(eehanclards.itch.ai/catalog/standards.itch.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15 2.8 Identification//standards.itch.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
1.1 Scope and object 9 1.2 Normative references 9 1.3 Definitions 11 1.4 Installation considerations 11 1.4.1 Pulling strength 11 1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric IED STANDARD PREVIEW 13 2.5 Outer conductor or sc(eehandards.itch.ai/catalog/standards/sist/151ed/fc-49ab-4d39-87c9- 15 2.8 Identification/standards.itch.ai/catalog/standards/sist/151ed/fc-49ab-4d39-87c9- 15
1.2 Normative references 9 1.3 Definitions 11 1.4 Installation considerations 11 1.4.1 Pulling strength 11 1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 1 STANDARD PREVIEW 13 2.5 Outer conductor or sc(echandards.itch.ai/catalog/standards/sist/15led7fc-49ab-4d39-87c9- 15 2.8 Identification://standards.itch.ai/catalog/standards/sist/15led7fc-49ab-4d39-87c9- 15
1.2 Normative references 9 1.3 Definitions 11 1.4 Installation considerations 11 1.4.1 Pulling strength 11 1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 1 STANDARD PREVIEW 13 2.5 Outer conductor or sc(echandards.itch.ai/catalog/standards/sist/15led7fc-49ab-4d39-87c9- 15 2.8 Identification://standards.itch.ai/catalog/standards/sist/15led7fc-49ab-4d39-87c9- 15
1.4 Installation considerations 11 1.4.1 Pulling strength 11 1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 11 STANDARD PREVIEW 13 2.5 Outer conductor or sc(eehandards.itch.ai/catalog/standards/sist/15led7fc-49ab-4d39-87c9- 15 2.8 Identification//standards.itch.ai/catalog/standards/sist/15led7fc-49ab-4d39-87c9- 15
1.4.1 Pulling strength 11 1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 11 Central STANDARD PREVIEW 2.5 Outer conductor or sc(eenandards.iteh.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SISTEM.61196.3:2002 15 2 8 Identification //standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
1.4.2 Temperature rating 11 1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 11 Eh STANDARD PREVIEW 2.5 Outer conductor or sc(eehandards:itehai) 13 2.6 Sheath 15 2.7 Colour of the sheath 15 2.8 Identification://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
1.4.3 Bending radius 11 2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 1 STANDARD PREVIEW 2.5 Outer conductor or sc(een and arcds:itch.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath 15 2.8 Identification://standards.itch.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2 Materials and cable construction 11 2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 17 Eh STANDARD PREVIEW 2.5 Outer conductor or sc(eehandards.iteh.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath 15 2.8 Identification://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric ITCH STANDARD PREVIEW 13 13 2.5 Outer conductor or sc(eehandards.itch.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SIST.EN.61196-3:2002 15 2.8 Identification://standards.itch.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.1 General 11 2.2 Cable construction 11 2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric ITCH STANDARD PREVIEW 13 13 2.5 Outer conductor or sc(eehandards.itch.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SIST.EN.61196-3:2002 15 2.8 Identification://standards.itch.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.3 Inner conductor 13 2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric ITeh STANDARD PREVIEW 13 2.5 Outer conductor or sc(eeh and ards.iteh.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SIST.EN.61.196-3:2002 15 2.8 Identification://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.3.1 Conductor material 13 2.3.2 Conductor construction 13 2.4 Dielectric 11ch STANDARD PREVIEW 13 2.5 Outer conductor or sc(eehandards.iteh.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SIST FN.61196-3:2002 15 2.8 Identification://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.3.2 Conductor construction
2.3.2 Conductor construction
2.5 Outer conductor or sc(een and ards.iteh.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SIST.FN.61196-3:2002 15 2.8 Identification://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.5 Outer conductor or sc(een and ards.iteh.ai) 13 2.6 Sheath 15 2.7 Colour of the sheath SIST.FN.61196-3:2002 15 2.8 Identification://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.6 Sheath 15 2.7 Colour of the sheath SIST EN.61196-3:2002 15 2.8 Identification://standards.itch.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9- 15
2.7 Colour of the sheathSIST EN.61196-3:2002
2.8 Identifical iton://standards.iteh.ai/catalog/standards/sist/151ed7fc-49ab-4d39-87c9-
01403cb5edd9/sist-en-61196-3-2002
2.8.1 Cable identification
2.8.2 Sheath marking15
2.9 Delivery and storage
3 Characteristics and requirements
3.1 General
3.2 Engineering information
3.2.1 Connector
3.2.2 Mass
3.2.3 Bending radius
3.2.4 Capacitance
3.2.5 Voltage rating 17
3.3 Electrical integrity
3.3.1 Sheath spark test
3.3.2 Dielectric withstand voltage
3.3.3 Insulation resistance
3.4 Transmission characteristics
3.4.1 Characteristic impedance
3.4.2 Loop DCR
3.4.3 Outer conductor DCR
3.4.4 Attenuation
3.4.5 Attenuation after ageing

Cla	ıse			Page
		3.4.6	Velocity ratio	19
		3.4.7	Surface transfer impedance	19
		3.4.8	Screening attenuation	19
		3.4.9	Return loss	19
	3.5	Mecha	nical characteristics	19
		3.5.1	Elongation after break of the inner conductor	19
		3.5.2	Elongation after break of the insulation	21
		3.5.3	Tensile strength and elongation after break of the sheath	21
		3.5.4	Tensile strength and elongation after break of the sheath after ageing	21
		3.5.5	Bending at low temperature of the cable	21
		3.5.6	Bending radius at room temperature	21
		3.5.7	Dielectric adhesion	21
	3.6	Enviro	nmental characteristics	21
		3.6.1	Cable test under fire conditions	21
		3.6.2	Smoke opacity, toxicity, halogen gas emission	21
4	Quali	ty assu	rance	21
5 Blank detail specification				
	5.1	Field o	of application STANDARD PREVIEW	23
	5.2	Identif	ication of the detail specification	23
	5.3	Pro fo	ication of the detail specificationrunrma blank detail specification	25
Ei a	uro 1	Movim	SIST EN 61196-3:2002	29
rig	ure i -	- iviaxiii	numitransfer (requency alog/standards/sist/15 led7fc-49ab-4d39-87e9-	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO FREQUENCY CABLES -

Part 3: Sectional specification for coaxial cables for local area networks

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be inconformity with one of its standards.led7ic-49ab-4d39-87c9-
- 6) Attention is drawn to the possibility that some of the elements of this international Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61196-3 has been prepared by subcommittee 46A: Coaxial cables, of IEC technical committee 46: Cables, wires, waveguides, r.f. connectors and accessories for communication and signalling.

This standard shall be used in conjunction with IEC 61196-1.

The text of this standard is based on the following documents:

FDIS	Report on voting	
46A/323/FDIS	46A/332/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

RADIO FREQUENCY CABLES -

Part 3: Sectional specification for coaxial cables for local area networks

1 General

1.1 Scope and object

This sectional specification specifies requirements for radio frequency coaxial cables for local area networks.

The object of this sectional specification is to prescribe recommended ratings and characteristics and to select from the generic specification the appropriate quality assessment procedures, test and measuring methods, and to give general performance requirements for coaxial cables for local area networks plus complementary test methods. Test severities and requirements prescribed in detail specifications referring to this sectional specification should be of equal or higher performance levels.

When the requirements of IEC 61196-1 and of this sectional specification conflict with each other, this sectional specification shall prevail.

1.2 Normative references (standards.iteh.ai)

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61196. At the time of publication, the editions indicated were valid. All normative documents are subject to revision, and parties to agreements based on this part of IEC 61196 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60028:1925, International standard of resistance for copper

IEC 60050(461):1994, International Electrotechnical Vocabulary (IEV) – Chapter 461: Electric cables

IEC 60169, Radio-frequency connectors

IEC 60304:1982, Standard colours for insulation for low-frequency cables and wires

IEC 60332-1:1993, Tests on electric cables under fire conditions – Part 1: Test on a single vertical insulated wire or cable

IEC 61196-1:1995, Radio-frequency cables – Part 1: Generic specification: General, definitions, requirements and test methods