

# SLOVENSKI STANDARD SIST EN 60289:1997/A11:2004

01-februar-2004

Reactors -	Amendment A11		
Reactors			
Drosselspu	len		
Bobines d'iı	nductance iTeh STAND	ARD PREVIEW	
Ta slovens	ki standard je istoveten z:	rds.iteh.ai) EN 60289:1994/A11:2002	
		0289:1997/A11:2004	
	https://standards.iteh.ai/catalog/sta	andards/sist/8d380328-9091-49b4-a5c7-	
ICS:	https://standards.iteh.ai/catalog/sta		

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60289:1997/A11:2004</u> https://standards.iteh.ai/catalog/standards/sist/8d380328-9091-49b4-a5c7-414760bdb05e/sist-en-60289-1997-a11-2004

### SIST EN 60289:1997/A11:2004

# EUROPEAN STANDARD

# EN 60289/A11

# NORME EUROPÉENNE

# EUROPÄISCHE NORM

February 2002

ICS 29.180

English version

# Reactors

Bobines d'inductance

Drosselspulen

This amendment A11 modifies the European Standard EN 60289:1994; it was approved by CENELEC on 2002-02-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

# CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

#### Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2002 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

#### Foreword

This amendment to the European Standard EN 60289:1994 was prepared by the Technical Committee CENELEC TC 14, Power transformers.

The text of the draft was submitted to the formal vote and was approved by CENELEC as amendment A11 to EN 60289:1994 on 2002-02-01.

The following dates were fixed:

-	latest date by which the amendment has to be implemente at national level by publication of an identical national standard or by endorsement		2003-02-01
-	latest date by which the national standards conflicting with the amendment have to be withdrawn	(dow)	2005-02-01

The reference of clauses, subclauses, notes, figures and annexes which are in addition to those in IEC 60289 is prefixed with the letter Z.

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given for information only. In this standard, annex ZB is informative DARD PREVIEW Annex ZB has been added by CENELEC. (standards.iteh.ai)

> <u>SIST EN 60289:1997/A11:2004</u> https://standards.iteh.ai/catalog/standards/sist/8d380328-9091-49b4-a5c7-414760bdb05e/sist-en-60289-1997-a11-2004

The text of EN 60289:1994 is modified as follows:

## 1 Scope

Add as second indent in the list of exclusions (end of first paragraph) the following:

- reactors having windings with rated voltage  $U_n$  lower than, or equal to 1 000 V;

**Modify** the second paragraph (Where IEC ... or in part) into a note.

Add at the end of section 1 a new clause as follows:

# Z1 Electromagnetic compatibility (EMC)

Reactors under the limits of clause 1 shall be considered as a part of an installation. The EMC requirements are therefore those applicable to the whole installation.

Add a new annex:

#### iTeh STANDANEX BPREVIEW (informative) (standards.tteh.ai) Installation and safety of a reactor

SIST EN 60289:1997/A11:2004

## ZB.1 Manuals https://standards.iteh.ai/catalog/standards/sist/8d380328-9091-49b4-a5c7-

Instruction manuals concerning installation requirements, transport requirements, erection, maintenance and operation should be given to the purchaser by the supplier, in particular for the supply of a prototype for a given purchaser. Unless otherwise specified in the contract, it is considered a good practice to transmit these manuals in advance, in order to enable the purchaser to check the correctness of the installation and the steps taken to organise transport and erection, if applicable.

### ZB.2 Installation

### ZB.2.1 General

Safety in the reactor use can be considered from different points of view:

- a) intrinsic safety of the reactor to be free from dangerous events arising from internal failure;
- b) safety deriving from steps taken in the installation precautions against unavoidable events;
- c) limitation of consequences of external events.

National laws and regulations impose in several countries the steps to be taken to improve safety in b) and c) above.

HD 637 S1 and national standards specify installation requirements to be observed.

NOTE National laws and regulations prevail on the contents of this informative annex.

The following subclauses give some examples on the steps to be taken both by the supplier and the purchaser to assure an acceptable degree of safety.

### ZB.2.2 Intrinsic safety

The fulfilment of the requirements contained in this standard gives the necessary reliability against dangerous failures inside the reactor. For the insulation liquids the applicable standards issued by IEC/TC 10 assist, with the exception of IEC 60599. For main fittings the relevant standards are applicable.

The following particular points may be applicable:

- insulation levels and tests;
- maximum heat generation resulting from the guaranteed losses;
- maximum temperature in service;
- systematic maintenance of the reactor, its accessories and protection. The manual should address these points;
- the manual should give guidance on condition based maintenance.

### ZB.2.3 Installation precautions

Installation precautions are given in national laws and regulations, in national standards and in HD 637 S1.

Installation designers should consider the following, non exhaustive, list of points:

- the cooling system should be sufficient to keep the temperature of the ambient air and cooling medium below the specified maximum limits;
- adequate protection against transient overvoltages; REVIEW
- protection on the reactor (gas actuated relay: if applicable, contacts on temperature indicating devices, etc.) and in the installation (relays, fuses, etc.);
- risk and consequences of and precaution against fire with origin in the reactor itself or origin at other place; and ards.iteh.ai/catalog/standards/sist/8d380328-9091-49b4-a5c7-
- the generation of gases; 414760bdb05e/sist-en-60289-1997-a11-2004
- liquid retention means, if applicable;
- restricted access to avoid contact with live parts or hot parts and to limit the presence of persons in the case of failure;
- control of the noise emission outside the installation according the applicable rules, if any;
- control of the emission of magnetic fields outside the installation.