

INTERNATIONAL STANDARD

**Fibre optic interconnecting devices and passive components performance standard –
Part 031-6: Non-connectorized single-mode 1×N and 2×N non-wavelength-selective branching devices (NWBD) for Category O – Uncontrolled environment**

IEC 61753-031-6:2008

<https://standards.iteh.ai/catalog/standards/iec/65590859-730e-48b0-8d43-4902a4742b2e/iec-61753-031-6-2008>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00



INTERNATIONAL STANDARD

**Fibre optic interconnecting devices and passive components performance
standard –
Part 031-6: Non-connectorized single-mode 1×N and 2×N non-wavelength-
selective branching devices (NWBD) for Category O – Uncontrolled environment**

IEC 61753-031-6:2008

<https://standards.iteh.ai/catalog/standards/iec/c5330859-730e-48b0-8d43-4902a4742b2e/iec-61753-031-6-2008>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

R

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Test.....	7
4 Test report.....	7
5 Performance requirements	8
5.1 Dimensions	8
5.2 Sample size, sequencing and grouping	8
5.3 Test details and requirements	8
Annex A (informative) Examples of attenuation requirements of 1 × N and 2 × N branching devices.....	15
Annex B (normative) Sequencing and grouping of tests	17
Bibliography.....	18
Table 1 – Test details and requirements	9
Table A.1 – Attenuation and uniformity requirements of balanced bidirectional branching devices having the most common port configurations for Class FBT	15
Table A.2 – Attenuation and uniformity requirements of balanced bidirectional branching devices having the most common port configurations for Class PLC	15
Table A.3 – Attenuation requirements of 1×2 and 2×2 unbalanced branching devices having the most common port configurations	16
Table B.1 – Sample sizes, test groups and sequencing order	17

IEC 61753-031-6:2008

<https://standards.iteh.ai/catalog/standards/iec/e530859-730e-48b0-8d43-4902a4742b2e/iec-61753-031-6-2008>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE
COMPONENTS PERFORMANCE STANDARD –**
**Part 031-6: Non-connectorized single-mode 1×N and 2×N
non-wavelength-selective branching devices (NWBD) for Category O –
Uncontrolled environment**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61753-031-6 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/2704/FDIS	86B/2725/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61753 series, under the general title *Fibre optic interconnecting devices and passive components performance standard*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

NOTICE

This document contains material that is Copyright © 2006, Telcordia Technologies, Inc. ("Telcordia"). All rights reserved.

The reader is advised that this IEC document and Telcordia source(s) may differ, and the context and use of said material in this IEC document may differ from that of Telcordia. TELCORDIA MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THE SUFFICIENCY, ACCURACY, OR UTILITY OF ANY INFORMATION OR OPINION CONTAINED HEREIN. ANY USE OF OR RELIANCE UPON SAID INFORMATION OR OPINION IS AT THE RISK OF THE USER. TELCORDIA SHALL NOT BE LIABLE FOR ANY DAMAGE OR INJURY INCURRED BY ANY PERSON ARISING OUT OF THE SUFFICIENCY, ACCURACY, OR UTILITY OF ANY INFORMATION OR OPINION CONTAINED HEREIN.

IEC 61753-031-6:2008

<https://standards.iteh.ai/catalog/standards/iec/e5320859-730e-48b0-8d43-4902a4742b2e/iec-61753-031-6-2008>

INTRODUCTION

This International Standard takes into account two technologies present on the market: the Fused Biconical Taper (FBT) and the Planar Lightwave Circuit (PLC). The requirements cover balanced bidirectional non-connectorized single-mode $1\times N$ and $2\times N$ non-wavelength-selective branching devices for use in an IEC Category O environment (N is the number of output ports), especially but not exclusively used for PON network application. The specifications of unbalanced branching devices are limited to 1×2 and 2×2 devices because they are the most commonly used.

Withdrawing

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 61753-031-6:2008
<https://standards.iteh.ai/catalog/standards/iec/c5590659-730e-48b0-8d43-4902a4742b2e/iec-61753-031-6-2008>

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS PERFORMANCE STANDARD –

Part 031-6: Non-connectorized single-mode 1×N and 2×N non-wavelength-selective branching devices (NWBD) for Category O – Uncontrolled environment

1 Scope

This part of IEC 61753 contains the minimum initial tests and measurement requirements and severities which a non-wavelength selective branching device (NWBD) should satisfy in order to be categorized as meeting the requirements of Category 0 (uncontrolled environment) as defined in Annex A of IEC 61753-1.

2 Normative references

The following normative documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-5, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-5: Tests – Torsion/Twist*

IEC 61300-2-14, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-14: Tests – Optical power handling and damage threshold characterization*

IEC 61300-2-19, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Damp heat (steady state)*

IEC 61300-2-22, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Change of temperature*

IEC 61300-2-42, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Static side load for connectors*

IEC 61300-2-44, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Flexing of the strain relief of fibre optic devices*

IEC 61300-2-48, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Temperature-humidity cycling*

IEC 61300-3-2, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-2: Examinations and measurements – Polarization dependence of attenuation in a single-mode fibre optic device*

IEC 61300-3-3, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-3: Examinations and measurements – Active monitoring of changes in attenuation and return loss*

IEC 61300-3-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss*

IEC 61300-3-7, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-7: Examinations and measurements – Wavelength dependence of attenuation and return loss*

IEC 61300-3-20, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-20: Examinations and measurements – Directivity of fibre optic branching devices*

IEC 61753-021-6, *Fibre optic interconnecting devices and passive components -Performance standard – Part 021-6: Grade B/2 single-mode fibre optic connectors for category O - Uncontrolled environment*

3 Test

All test methods are selected within the IEC 61300 series of standards.

The samples for tests shall be terminated onto single-mode fibres according to Type B1.1 of IEC 60793-2 in either coated fibres (primary and secondary) or reinforced cable format.

All tests shall be carried out to validate performance over the full wavelength range of the optical fibre, namely 1 260 nm to 1 650 nm. However, from an application and laser wavelength point of view, more limited bands can be considered in the test, such as:

1. Spectral bands I:
 - 1 260 nm to 1 360 nm
 - 1 480 nm to 1 500 nm
 - 1 550 nm to 1 560 nm
2. Spectral bands II:
 - 1 615 nm to 1 635 nm (1 625 nm OTDR band)
 - 1 640 nm to 1 660 nm (1 650 nm OTDR band).

Other wavelength ranges may be agreed upon between the customer and the supplier.

4 Test report

Fully documented test reports and supporting evidence shall be prepared and be available for inspection as evidence that the tests have been carried out and complied with.

5 Performance requirements

5.1 Dimensions

Dimensions shall comply with either an appropriate IEC interface standard or with those given in appropriate manufacturers drawings, where the IEC interface standard does not exist or cannot be used.

5.2 Sample size, sequencing and grouping

Sample sizes for the tests are defined in Annex B and test groups and sequences shall be in sequential order, as shown in Annex B.

5.3 Test details and requirements

Attenuation and return loss performances are given only for non-connectorized branching devices. For connectorized components the connector performances shall be in compliance with IEC 61753-021-6.

During the environmental tests where monitoring of the branching device is needed, all ports of the device shall be controlled.

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 61753-031-6:2008

<https://standards.iteh.ai/catalog/standards/iec/c5320859-730e-48b0-8d43-4902a4742b2e/iec-61753-031-6-2008>