

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Electrical apparatus for explosive gas atmospheres –
Part 15: Construction, test and marking of type of protection "n" electrical
apparatus**

**Matériel électrique pour atmosphères explosives gazeuses –
Partie 15: Construction, essais et marquage des matériels électriques
du mode de protection «n»**

IEC 60079-15:2005

<https://standards.iteh.ai/catalog/standards/iec/5217ded4-e317-4529-b985-34759bf39127/iec-60079-15-2005>

WUJIAOJIAN



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2005 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Electrical apparatus for explosive gas atmospheres –
Part 15: Construction, test and marking of type of protection "n" electrical
apparatus**

**Matériel électrique pour atmosphères explosives gazeuses –
Partie 15: Construction, essais et marquage des matériels électriques
du mode de protection «n»**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XC

CONTENTS

FOREWORD.....	7
1 Scope	9
2 Normative references	12
3 Terms and definitions	14
4 General.....	16
4.1 Apparatus grouping and temperature classification.....	16
4.2 Potential ignition sources.....	17
5 Temperatures.....	17
5.1 Environmental influences.....	17
5.2 Service temperature	17
5.3 Maximum surface temperature.....	17
5.4 Surface temperature and ignition temperature.....	17
5.5 Small components.....	18
6 Requirements for electrical apparatus.....	18
6.1 General.....	18
6.2 Mechanical strength of apparatus.....	18
6.3 Opening times.....	18
6.4 Circulating currents.....	18
6.5 Gasket retention.....	18
6.6 Degree of protection of enclosure (IP).....	18
6.7 Clearances, creepage distances and separations.....	19
6.8 Electric strength.....	26
7 Non-metallic enclosures and non-metallic parts of enclosures.....	27
7.1 General.....	27
7.2 Thermal endurance.....	27
7.3 Electrostatic charges on external non-metallic materials of enclosures.....	27
7.4 Threaded holes.....	27
7.5 Thermal shock.....	27
7.6 Resistance to light.....	27
8 Enclosures containing light metals.....	27
8.1 Material composition.....	27
8.2 Threaded holes.....	27
9 Fasteners.....	28
9.1 General.....	28
9.2 Special fasteners.....	28
10 Interlocking devices.....	28
11 Bushings.....	28
12 Materials used for cementing.....	28
13 Ex components.....	28
13.1 Type of protection “n”.....	28
13.2 Mounting.....	28
13.3 Internal mounting.....	29
13.4 External mounting.....	29

14	Connection facilities and terminal compartments	29
14.1	General	29
14.2	Connection for external conductors	29
14.3	Internal connection facilities	30
15	Connection facilities for earthing or bonding conductors	30
16	Entries into enclosures	30
17	Supplementary requirements for non-sparking electrical machines	31
17.1	General	31
17.2	Connection facilities for external conductors	31
17.3	Neutral point connections	32
17.4	Radial air gap	32
17.5	Ventilation systems	32
17.6	Bearing seals and shaft seals	33
17.7	Rotor cages	33
17.8	Surface temperature limitation	34
17.9	Additional requirements for machines with rated voltage greater than 1 kV	35
18	Supplementary requirements for switchgear	37
19	Supplementary requirements for non-sparking fuses and fuse assemblies	37
19.1	Fuses	37
19.2	Temperature class of an apparatus	38
19.3	Fuse mounting	38
19.4	Fuse enclosures	38
19.5	Replacement fuse identification	38
20	Supplementary requirements for non-sparking plugs and sockets	38
20.1	Plugs and sockets for external connections	38
20.2	Maintaining degree of protection	39
20.3	Plugs and sockets for internal connections	39
20.4	Sockets that do not have plugs inserted in normal operation	39
21	Supplementary requirements for non-sparking luminaires	39
21.1	General	39
21.2	Construction	40
21.3	Other apparatus containing light sources	46
22	Supplementary requirements for apparatus incorporating non-sparking cells and batteries	46
22.1	Categorization of cells and batteries	46
22.2	General requirements for cells and batteries of types 1 and 2	47
22.3	Charging of type 1 cells and batteries	49
22.4	Charging of type 2 cells and batteries	49
22.5	Requirements for type 3 secondary batteries	50
22.6	Verification and tests	53

23	Supplementary requirements for non-sparking low power apparatus	53
24	Supplementary requirements for non-sparking current transformers	54
25	Other electrical apparatus	54
26	General supplementary requirements for apparatus producing arcs, sparks or hot surfaces	55
27	Supplementary requirements for enclosed-break devices and non-incendive components producing arcs, sparks or hot surfaces	55
27.1	Type testing	55
27.2	Ratings	55
27.3	Construction of enclosed-break devices	56
28	Supplementary requirements for hermetically sealed devices producing arcs, sparks or hot surfaces	56
29	Supplementary requirements for sealed devices or encapsulated devices producing arcs, sparks or hot surfaces	56
29.1	Non metallic materials	56
29.2	Opening	57
29.3	Internal spaces	57
29.4	Handling	57
29.5	Resilient gasket and seals	57
29.6	Encapsulating compounds	57
29.7	Thickness of encapsulant	58
29.8	Type tests	58
30	Supplementary requirements for energy-limited apparatus and circuits producing arcs, sparks or hot surfaces	58
30.1	General	58
30.2	Associated energy-limited apparatus	59
30.3	Energy-limited apparatus	59
30.4	Self protected energy-limited apparatus	59
30.5	Separation of conducting parts	59
30.6	Plugs and sockets	59
30.7	Protection against polarity reversal	60
30.8	Requirements for components on which energy limitation depends	60
30.9	Battery powered apparatus	61
30.10	Marking and documentation	61
31	Supplementary requirements for restricted-breathing enclosures protecting apparatus producing arcs, sparks or hot surfaces	61
31.1	General	61
31.2	Test point for restricted breathing apparatus	61
31.3	Test point exemption	62
31.4	Gasket and seal requirements	62
31.5	Non-resilient seals	62
31.6	Maintenance considerations	62
31.7	Internal fans	62

32	General information on verification and tests	62
33	Type tests	62
33.1	Representative samples.....	62
33.2	Test configuration.....	63
33.3	Tests for enclosures on which the type of protection depends.....	63
33.4	Test for enclosed-break devices and non-incendive components	66
33.5	Tests for sealed devices and encapsulated devices.....	67
33.6	Assessment and test of energy-limited apparatus and circuits.....	69
33.7	Tests for restricted-breathing enclosures.....	70
33.8	Test for screw lampholders	70
33.9	Test for starter holders for luminaires.....	71
33.10	Tests for electronic starters for tubular fluorescent lamps and for ignitors for high pressure sodium or metal halide lamps	71
33.11	Test for wiring of luminaires subject to high-voltage impulses from ignitors.....	73
33.12	Mechanical shock test for batteries	73
33.13	Insulation resistance test for batteries.....	74
33.14	Additional ignition tests for large or high-voltage machines.....	74
34	Routine verifications and tests	76
34.1	General.....	76
34.2	Specific routine tests	76
35	Marking.....	77
35.1	General.....	77
35.2	Additional marking for batteries.....	77
35.3	Examples of marking	78
36	Documentation	79
37	Instructions	79
	Bibliography	80
	Figure 1 – Examples for determining clearances and creepage distances	26
	Figure 2a) – Example of acceptable spring leaf screwless terminal construction.....	44
	Figure 2b) – Example of non-acceptable spring leaf screwless terminal construction	44
	Figure 2 – Spring leaf terminal	44
	Table 1 – Relationship of this part to IEC 60079-0	9
	Table 2 – Minimum creepage distances, clearances and separations	21
	Table 3 – Tracking resistance of insulating materials	22
	Table 4 – Separation in compound-filled cable sealing boxes.....	22
	Table 5 – Assumed working voltage of neutral points.....	32
	Table 6 – Potential air gap sparking risk assessment for cage rotor ignition risk factors.....	34
	Table 7 –Potential stator winding discharge risk assessment – Ignition risk factors.....	37

Table 8 – Creepage distances and clearances at peak values of pulse voltages greater than 1,5 kV	43
Table 9 – Types and use of cells and batteries	47
Table 10 – Minimum creepage distances, clearances and separations for low power apparatus	54
Table 11 – Insertion torque	71
Table 12 – Minimum removal torque.....	71
Table 13 – Text of warning markings	79

Withstand

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 60079-15:2005

<https://standards.iteh.ai/catalog/standards/iec/5217aed4-e317-4529-b985-34759bf39127/iec-60079-15-2005>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES –**Part 15: Construction, test and marking of type of protection,
"n" electrical apparatus**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-15 has been prepared by IEC technical committee 31: Electrical apparatus for explosive atmospheres.

This third edition cancels and replaces the second edition, published in 2001, and constitutes a technical revision.

The significant technical changes with respect to the previous edition are as follows:

- Linking the standard to IEC 60079-0 and adding Table 1 to show the connections
- References to third party testing stations removed

- Adding the definition of associated energy limiting apparatus [nL] and [Ex nL]
- Definitions eliminated that also appear in IEC 60079-0
- Elimination of n-pressurization, all pressurization requirements now covered by IEC 60079-2
- Air gap spark test requirement added for motors over 100 kW
- Added risk assessment tables for motors over 1 kV and over 100 kW
- Requirements changed for motors operating with frequency converters
- References to other IEC standards updated for luminaires
- Caplights and handlights addressed by reference to IEC 60079-0
- Creepage and clearance requirements for low powered apparatus between 60 V a.c. up to 250 V a.c. added in Table 10
- Requirement for plugs and sockets to maintain the degree of protection expanded
- Cable clamping test eliminated
- Insertion and removal torque values for E40/E39 lamp caps adjusted downward
- High-voltage impulse test for ballasts eliminated
- Changes made to test and acceptance criteria in luminaire starter and ignitor tests
- Ignition tests for large or high-voltage machines added
- Marking and documentation sections changed to reflect changes elsewhere in the standard
- Manufacturer's responsibility section dropped and replaced with instructions section

The text of this standard is based on the following documents:

FDIS	Report on voting
31/558/FDIS	31/569/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This International standard is to be read in conjunction with IEC 60079-0.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES –

Part 15: Construction, test and marking of type of protection "n" electrical apparatus

1 Scope

This part of IEC 60079 specifies requirements for the construction, testing and marking for Group II electrical apparatus with type of protection, "n" intended for use in explosive gas atmospheres.

This part is applicable to non-sparking electrical apparatus and also to electrical apparatus with parts or circuits producing arcs or sparks or having hot surfaces which, if not protected in one of the ways specified in this standard, could be capable of igniting a surrounding explosive gas atmosphere. This standard describes several different methods by which this can be achieved which may be combined with other methods described in IEC 60079-0.

This part supplements the general requirements in IEC 60079-0. The relationship of IEC 60079-0 to this part is as indicated in Table 1.

Table 1 – Relationship of this part to IEC 60079-0

Clause of IEC 60079-0	IEC 60079-0 clause application to IEC 60079-15					
	Type of protection nC	Non sparking apparatus nA and nA nL	Restricted breathing apparatus nR	Energy limited apparatus nL	Associated energy limited apparatus [nL] and [Ex nL]	
4	Apparatus grouping and temperature classification	Yes	Yes	Yes	Yes	Yes
5	Temperatures					
5.1	Environmental influences	Yes	Yes	Yes	Yes	Yes
5.2	Service temperature	Yes	Yes	Yes	Yes	Yes
5.3	Maximum surface temperature	Yes	Yes	Yes	Yes	No
5.4	Surface temperature and ignition temperature	No	No	No	No	No
5.5	Small components	Yes	Yes	Yes	Yes	No
6	Requirements for all electrical apparatus					
6.1	General	Yes	Yes	Yes	Yes	Yes
6.2	Mechanical strength of apparatus	Yes	Yes	Yes	Yes ^{c)}	No
6.3	Opening times	No	No	Yes	No	No
6.4	Circulating currents	Yes	Yes	Yes	No	No
6.5	Gasket retention	Yes	Yes	Yes	Yes	No

Clause of IEC 60079-0		IEC 60079-0 clause application to IEC 60079-15				
		Type of protection nC	Non sparking apparatus nA and nA nL	Restricted breathing apparatus nR	Energy limited apparatus nL	Associated energy limited apparatus [nL] and [Ex nL]
7	Non-metallic enclosures and non-metallic parts of enclosures					
7.1	General	Yes	Yes	Yes	Yes	No
7.2	Thermal endurance	Yes	Yes	Yes	Yes	No
7.3	Electrostatic charges on external non-metallic materials of enclosures	Yes	Yes	Yes	Yes	No
7.4	Threaded holes	Yes	Yes	Yes	Yes	No
8	Enclosures containing light metals					
8.1	Material composition	Yes	Yes	Yes	Yes	No
8.2	Threaded holes	Yes	Yes	Yes	Yes	No
9	Fasteners					
9.1	General	Yes	Yes	Yes	Yes	No
9.2	Special fasteners	No	No	No	No	No
9.3	Holes for special fasteners	No	No	No	No	No
10	Interlocking devices	No	No	No	No	No
11	Bushings	Yes	Yes	Yes	Yes	No
12	Materials used for cementing	No	No	No	No	No
13	Ex components	No	No	No	No	No
14	Connection facilities and terminal compartments	No	No	No	No	No
15	Connection facilities for earthing or bonding conductors	Yes	Yes	Yes	Yes	No
16	Entries into enclosures	Yes	Yes	Yes	Yes	No
17	Supplementary requirements for rotating electrical machines	No	Yes	No	No	No
18	Supplementary requirements for switchgear	Yes	Yes	Yes	No	No
19	Supplementary requirements for fuses	No	No	No	No	No
20	Supplementary requirements for plugs and sockets	No	No	No	No	No
21	Supplementary requirements for luminaires	No	No	No	No	No
22	Supplementary requirements for cap lights and handlights	Yes	Yes	Yes	No	No
23	Apparatus incorporating cells and batteries	Yes	Yes	Yes	Yes	No
24	Documentation	Yes	Yes	Yes	Yes	Yes

Clause of IEC 60079-0		IEC 60079-0 clause application to IEC 60079-15				
		Type of protection nC	Non sparking apparatus nA and nA nL	Restricted breathing apparatus nR	Energy limited apparatus nL	Associated energy limited apparatus [nL] and [Ex nL]
25	Compliance of prototype or sample with documents	Yes	Yes	Yes	Yes	Yes
26	Type tests					
26.1	General	Yes	Yes	Yes	Yes	Yes
26.2	Test configuration	Yes	Yes	Yes	Yes	Yes
26.3	Tests in explosive test mixtures	Yes	Yes	Yes	Yes	Yes
26.4	Tests of enclosures					
26.4.1	Order of tests	No	No	No	No	No
26.4.2	Resistance to impact	Yes	Yes	Yes	Yes	No
26.4.3	Drop test	Yes	Yes	Yes	Yes	No
26.4.4	Acceptance criteria for test for resistance to impact and drop test	Yes	Yes	Yes	Yes	No
26.4.5	Degree of protection IP by enclosures	No	No	No	No	No
26.5	Thermal tests					
26.5.1	Temperature measurement	Yes	Yes	Yes	Yes	No
26.5.2	Thermal shock test	Yes	Yes	Yes	Yes	No
26.5.3	Small component ignition test	Yes	Yes	No	Yes	No
26.6	Torque test for bushings	Yes	Yes	Yes	Yes	Yes
26.6.1	Procedure	Yes	Yes	Yes	Yes	Yes
26.6.2	Acceptance criteria	Yes	Yes	Yes	Yes	Yes
26.7	Non-metallic enclosures or of non-metallic parts of enclosures					
26.7.1	General	Yes	Yes	Yes	Yes	No
26.7.2	Temperatures during tests	Yes	Yes	Yes	Yes	No
26.8	Thermal endurance to heat	Yes	Yes	Yes	Yes	No
26.9	Thermal endurance to cold	Yes	Yes	Yes	Yes	No
26.10	Resistance to light	Yes	Yes	Yes	Yes	No
26.11	Resistance to chemical agents for Group I electrical apparatus	No	No	No	No	No
26.12	Earth continuity	Yes	Yes	Yes	Yes	No
26.13	Surface resistance test of parts of enclosures of non-metallic materials	Yes	Yes	Yes	Yes	No
26.14	Charging tests to verify the inability to store a dangerous charge	Yes	Yes	Yes	Yes	No

Clause of IEC 60079-0		IEC 60079-0 clause application to IEC 60079-15				
		Type of protection nC	Non sparking apparatus nA and nL	Restricted breathing apparatus nR	Energy limited apparatus nL	Associated energy limited apparatus [nL] and [Ex nL]
26.15	Measurement of capacitance to verify the inability to store a dangerous charge	Yes	Yes	Yes	Yes	Yes
26.15.1	Procedure	Yes	Yes	Yes	Yes	No
26.15.2	Acceptance criteria	Yes	Yes	Yes	Yes	No
27	Routine verifications and tests	Yes	Yes	Yes	Yes	Yes
28	Manufacturer's responsibility	Yes	Yes	Yes	Yes	Yes
28.1	Certificate	Yes	Yes	Yes	Yes	Yes
28.2	Responsibility for marking	Yes	Yes	Yes	Yes	Yes
29	Marking	Yes	Yes	Yes	Yes	Yes
30	Instructions	Yes	Yes	Yes	Yes	Yes
<p>^{a)} An entry of "Yes" in the table indicates the requirements of the referenced section of IEC 60079-0 apply. An entry of "No" indicates the requirements either do not apply or have been modified by IEC 60079-15.</p> <p>^{b)} Type of protection nC includes encapsulated devices, enclosed break devices, non-incendive components, sealed devices and hermetically sealed devices.</p> <p>^{c)} Clause 6.2 is a calling clause for the tests in 26.4 which are different for both portable and fixed apparatus.</p>						

NOTE 1 A non-incendive component is limited in use to the particular circuit for which it has been shown to be non-ignition capable and, therefore, cannot be separately assessed as complying with this standard.

NOTE 2 Compliance with this standard does not imply any removal of, or lowering of the requirements of any other standard with which the electrical apparatus complies.

NOTE 3 This part supplements, and may enhance, the requirements for apparatus for normal industrial applications. Where compliance with other IEC standards is indicated, such as IEC 60034 for motors and IEC 60598-2 for luminaires, proving compliance to those standards is normally the responsibility of the manufacturer.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP Code) – Classification*

IEC 60034-7, *Rotating electrical machines – Part 7: Classification of type of construction, mounting arrangements and terminal box position (IM Code)*

IEC 60034-25, *Rotating electrical machines – Part 25: Guide for the design and performance of cage induction motors specifically designed for converter supply*