

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Teleweb application –  
Part 1: General description

Application teleweb –  
Partie 1: Description générale

ITeH STANDARD PREVIEW  
(standards.iteh.ai)

[IEC 62298-1:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/cb5ff2b8-8b7f-4f82-8c08-6f970c2968f4/iec-62298-1-2005>



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2005 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



IEC 62298-1

Edition 1.0 2005-05

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Teleweb application –  
Part 1: General description

Application teleweb –  
Partie 1: Description générale

STANDARD PREVIEW  
(standards.iteh.ai)

[IEC 62298-1:2005](#)

[http://standards.iteh.ai/catalog/standards/sist/cb5ff2b8-8b7f-4f82-8c08-6f970c2968f4/iec-62298-1-2005](#)

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

P

ICS 33.170; 35.240.99

ISBN 978-2-8322-0729-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Terms, definitions and abbreviations .....	6
3.1 Terms and definitions .....	6
3.2 Abbreviations .....	7
4 General description of TeleWeb.....	7
4.1 Aims.....	7
4.2 Overview .....	8
4.3 OSI seven-layer model .....	8
5 Documentation structure.....	8
6 TeleWeb Application profiles .....	9
6.1 General .....	9
6.2 Superteletext profile .....	9
6.3 Hyperteletext profile .....	11
7 Display model.....	11
7.1 Display planes.....	11
7.2 Display priority .....	14
8 Control model.....	14
8.1 User control device .....	14
8.2 Control functions .....	14
9 Referencing.....	15
10 General decoder architecture .....	15
Bibliography.....	16
Figure 1 – OSI-style seven-layer model for different delivery systems.....	8
Figure 2 – Documentation structure .....	9
Figure 3 – Display planes and their priority order .....	12
Figure 4 – Screen layout example .....	13
Figure 5 – Block diagram of an example of a Superteletext TeleWeb decoder.....	15

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## TELEWEB APPLICATION –

## Part 1: General description

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62298-1 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This bilingual version (2013-07) corresponds to the monolingual English version, published in 2005-05.

This standard cancels and replaces IEC/PAS 62298 published in 2002.

This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/922/FDIS	100/960/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62298 consists of the following parts, under the general title *TeleWeb application*:

Part 1: General description

Part 2: Delivery methods

Part 3: Superteletext profile

Part 4: Hyperteletext profile (in preparation)

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under <http://webstore.iec.ch> in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 62298-1:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/cb5ff2b8-8b7f-4f82-8c08-6f970c2968f4/iec-62298-1-2005>

## INTRODUCTION

TeleWeb delivers World Wide Web-style content to the TV environment, giving the viewer an enhanced television experience. It can be seen as the successor to Teletext. TeleWeb is not restricted to the TV environment and can be deployed equally effectively in areas like DAB, DRM, and home automation.

This standard gives a general overview of the TeleWeb application.

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[IEC 62298-1:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/cb5ff2b8-8b7f-4f82-8c08-6f970c2968f4/iec-62298-1-2005>

## TELEWEB APPLICATION –

### Part 1: General description

#### 1 Scope

This part of IEC 62298 gives a general overview of the TeleWeb application that allows Web-style text and graphics to be broadcast to, and displayed by, suitable decoders.

TeleWeb services can be broadcast in a number of different ways, for example, VBI, DVB, DAB, etc., and to a variety of decoder types, for example, TVs, portable decoders, PCs, etc. These transmission protocols are described separately.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62297 (all parts), *Trigger messages for broadcast applications*

IEC 62298 (all parts), *TeleWeb application*

ETSI EN 300 231, *Television systems; Specification of the domestic video Programme Delivery Control (PDC) system*

ETSI EN 300 468, *Digital Video Broadcasting (DVB); Specification for Service Information (SI) in DVB systems*

ETSI EN 300 707, *Electronic Programme Guide (EPG); Protocol for a TV Guide using electronic data transmission*

ITU-R BT 1379-1:2004, *Safe areas of wide-screen 16:9 and standard 4:3 aspect ratio productions to achieve a common format during a transition period to wide-screen 16:9 broadcasting*

#### 3 Terms, definitions and abbreviations

##### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

###### 3.1.1 button

part of the user interface that enables the viewer to select a page or trigger an event, etc. It may not necessarily exist as a physical button on a remote control handset

###### 3.1.2 Independent Data Line (IDL)

stand-alone Teletext packet containing both control and application data, which does not form part of a Teletext page. The packet address is either 30 or 31



### 3.1.3

#### **semi-standby**

standby mode, currently known in the TV world, in which the small-signal part of the set is powered to support acquisition and signal processing. The picture tube, audio power amplifiers and other large-signal parts are not powered. To the user the set appears to be switched off

### 3.2 Abbreviations

<b>DAB</b>	Digital Audio Broadcasting
<b>DRM</b>	Digital Radio Mondiale
<b>DSM-CC</b>	Digital Storage Media Command and Control
<b>DVB</b>	Digital Video Broadcasting
<b>EPG</b>	Electronic Program Guide
<b>ETSI</b>	European Telecommunication Standard Institute
<b>GIF</b>	Graphics Interchange Format
<b>HTML</b>	Hyper Text Mark-up Language
<b>IDL</b>	Independent Data Line
<b>JPEG</b>	Joint Picture Experts Group
<b>MPEG</b>	Moving Picture Experts Group
<b>OSI</b>	Open System Interconnection
<b>RGB</b>	Red Green Blue
<b>URL</b>	Uniform Resource Locator
<b>VBI</b>	Vertical Blanking Interval

## 4 General description of TeleWeb

### 4.1 Aims

The aim of TeleWeb is to deliver World Wide Web-style content to the living room TV to give the viewer an enhanced television experience. A TeleWeb service broadcasts data files containing text and high-definition graphics to suitable decoders. The data transmitted can be closely linked to events within the accompanying TV programmes, or can be more general in nature to emulate a traditional, but higher definition, Superteletext service.

It is intended that TV-based decoders be implemented in a cost-effective manner without recourse to the technology normally associated with personal computers. In part, this is achieved by limiting the number of different types of multimedia data that can be used within a service. By careful design of the user interface, decoder manufacturers will be able to offer easy-to-use equipment for accessing TeleWeb services without requiring the consumer to be computer-literate. In addition, they will be able to customize their products to differentiate them from those of their competitors.

The encoding and transmission scheme is designed to be as efficient and robust as possible consistent with conveying potentially large data files via a unidirectional channel or bi-directional channel with a low or high data rate.

For example, TeleWeb data can be broadcast via Teletext packets using existing infrastructures. The TeleWeb data stream can be encoded into independent data packets that can be transmitted with minimal interference to existing Teletext services. In many instances, it will be possible to recover otherwise wasted Teletext transmission capacity, and the effect on existing services will be negligible.

It is possible to carry multiple services from different service providers on the same television channel. The fast transmission of services on analogue TV channels where there is no accompanying video component is also possible.

Two TeleWeb profiles are defined:

- a) a first profile for Superteletext;
- b) a second profile for Interactive applications.

Second-profile decoders shall provide backward compatibility with Superteletext decoders.

#### 4.2 Overview

A database of files is broadcast, some or all of which are captured and stored by a decoder. Certain files may be broadcast repetitively; others may be transmitted only once when they contain real-time updates or are linked to events in the accompanying TV programme. Each file has a set of attributes to define the file name, file type and other parameters as required. One of these is the theme or content description. This allows a decoder to be programmed to receive only specific information or to exclude certain categories. This is useful where the volume of data transmitted exceeds the storage capacity available in the decoder.

On selecting a TeleWeb service, the viewer is first presented with the home page of the service. Navigation to other pages is via embedded links. It is possible that there may be more than one TeleWeb service on a given channel. Therefore, each service includes additional information to allow a menu of available services to be presented to the user. The user interface is at the discretion of the decoder manufacturer, as is the provision of "bookmark" and "history" browser features.

#### 4.3 OSI seven-layer model

Figure 1 shows an OSI-style seven-layer model for TeleWeb when broadcast via different delivery systems.

Layer 7: Application	Superteletext service				
Layer 6: Presentation	HTML, Text, graphics and data files				
Layer 5: Session	File attributes				
Layer 4: Transport	DSM-CC	DSM-CC	DSM-CC	Delivery methods for radio	Delivery methods for IP
Layer 3: Network	IDL	IDL	DSM-CC		
Layer 2: Link	Teletext	MPEG	MPEG		
Layer 1: Physical	VBI	DVB	DVB		

IEC 674/05


Figure 1 – OSI-style seven-layer model for different delivery systems

### 5 Documentation structure

IEC 62298-1 describes the general principles and application profiles of TeleWeb and outlines the display and control models on which the other parts are based. Services can be delivered via a variety of methods as described in IEC 62298-2. IEC 62298-3 specifies the TeleWeb Superteletext profile and IEC 62298-4 describes the TeleWeb Hyperteletext profile.

A graphical overview of the documentation structure is given in Figure 2.

## TeleWeb documentation structure



iTeh STANDARD PREVIEW  
(standards.iteh.ai)

IEC 675/05

Figure 2 – Documentation structure

## 6 TeleWeb application profiles

IEC 62298-1:2005

### 6.1 General

The TeleWeb application profiles are twofold as depicted in Figure 2:

- the basic functionality Superteletext profile specified in IEC 62298-3;
- the higher functionality Hyperteletext profile specified in IEC 62298-4.

The following subclauses are general requirements of these profiles.

### 6.2 Superteletext profile

#### 6.2.1 General

The Superteletext profile consists of the Superteletext broadcast features with optional return channel features.

#### 6.2.2 Superteletext broadcast features

This subclause lists the main features of the TeleWeb Superteletext profile. The Superteletext profile is fully specified in IEC 62298-3.

- Fixed content width and height (640 × 480 pixels).
- One proportional font, 5 sizes, 4 styles. The style "normal" is mandatory, the styles "bold", "italics" and "bold and italics" are optional.

- One fixed font, 5 sizes, 4 styles. The style “normal” is mandatory, the styles “bold”, “italics” and “bold and italics” are optional.
- Defined fixed-font character cells (height × width in pixels).
- Support for all East and West European Latin-1 based languages.
- Minimum colour resolution of 12 bit (RGB = 444), 24 bit recommended (RGB 888).
- A minimum of 188 colours in a colour palette.
- Bit-mapped graphics using the GIF and JPEG formats ([GIF], Annex A, [JPEG1], [JPEG2]).
- Dithering to achieve best colour matching (optional).
- Support for full and partial transparency.
- Animation using animated GIF and marquee
- Accentuation using blink (optional).
- Display of text and graphics over video.
- The content is authored using TeleWeb HTML.
- Additional navigation possibilities via coloured (PDC, see EN 300 231) and numbered keys.
- Direct access to pages through page numbers.
- Home page indication.
- Service identification.
- Content identification via themes.
- Age rating system based on EN 300 468.
- Indication of a priority level (filtering possibilities in case of decoder memory restrictions).
- Control of primary link selection in the decoder.
- Decoder acquisition in semi-standby mode.
- 5 Mbytes of database broadcast capacity. If the broadcaster applies compression to the HTML pages and uses the most appropriate encoding for images, more pages can be broadcast. This broadcast capacity is divided over two services, a “short TeleWeb service” (100 Kbytes) and a “full TeleWeb service” (4.9 Mbytes).
- Decoder shall support one “preferred” full TeleWeb service.
- Decoder shall support the short TeleWeb service on the currently tuned channel.
- Cross-linking between several services is supported through absolute TeleWeb URLs (optional).
- Supporting multiple Full TeleWeb Services is optional.
- Decoder support for internal links within the same TeleWeb service.
- Decoders supporting Teletext should at least support links from a short TeleWeb service to Teletext. For all other decoders this is optional.
- Support of nexTView (EPG, see EN 300 707) links from TeleWeb to nexTView (optional).
- Support of file compression based on ZLIB [ZLIB].
- Support of IEC 62297.
- Decoder support for the processing of programme-related information to build a TeleWeb EPG application (optional).
- Support for group and individual decoder addressing.

### 6.2.3 Superteletext return channel features

A return channel is optional in Superteletext.

This subclause describes the optional interaction features included in the Superteletext profile:

- URL substitution;
- HTTP protocol version 1.1;
- domain name translation (DNS);
- transport layers (TCP/UDP);
- network layer (IPv4);
- user control of the interaction channel connection.

### 6.3 Hyperteletext profile

A return channel is mandatory in the Hyperteletext profile.

This profile supports the following features on top of the Superteletext profile:

- persistent storage of personal and connection data;
- interaction channel security;
- style sheets;
- ECMAScript;
- document object model (DOM);
- HTML frames.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[IEC 62298-1:2005](https://standards.iteh.ai/catalog/standards/sist/cb5ff2b8-8b7f-4f82-8c08-6f970c2968f4/iec-62298-1-2005)

## 7 Display model

<https://standards.iteh.ai/catalog/standards/sist/cb5ff2b8-8b7f-4f82-8c08-6f970c2968f4/iec-62298-1-2005>

This section defines the features of a TeleWeb display. They are applicable to both editing stations and decoders. The information is presented as a set of concepts to convey the general requirements. No particular method of realization is implied.

The behaviour of a Superteletext display should conform to the TeleWeb reference decoder, which should be used as a guideline to ensure the conformity of all decoders in the market. The reference decoder is conformant with IEC 62298-3.

### 7.1 Display planes

#### 7.1.1 Types

The conceptual TeleWeb "display model" consists of up to five aligned planes (see Figure 3).

The cursor plane does not form part of this specification. It is an option for the decoder manufacturer and might be included as part of the user interface. If present, it is assumed to have the highest display priority.

The text/graphics plane is used to display all visible foreground elements of a TeleWeb service. This includes the text and image data defined and invoked within the body section of an HTML file.

The background image plane displays an image behind the foreground elements.