



SLOVENSKI STANDARD SIST EN 60335-2-17:1999

01-julij-1999

BUXca Yý U
SIST EN 60967:1995
SIST EN 60967:1995/A2:1998

Safety of household and similar flexible heating appliances (IEC 60335-2-17:1998)

Safety of household and similar electrical appliances -- Part 2-17: Particular requirements for blankets, pads and similar flexible heating appliances

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke -- Teil 2-17: Besondere Anforderungen an Wärmездеcken, Wärmeunterbetten, Heizkissen und ähnliche schmiegsame Wärmegeräte

[SIST EN 60335-2-17:1999](https://standards.iteh.ai/catalog/standards/sist/1fa7dcb-252-4701-b11e-8c4439024aa/sist-en-60335-2-17-1999)

Sécurité des appareils électrodomestiques et analogues -- Partie 2-17: Règles particulières pour les couvertures, coussins et appareils chauffants souples analogues

Ta slovenski standard je istoveten z: EN 60335-2-17:1999

ICS:

13.120	Varnost na domu	Domestic safety
97.030	Ò\ dã } áæ ææá æá { Á æ •] [z} [Domestic electrical appliances in general

SIST EN 60335-2-17:1999 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60335-2-17:1999](https://standards.iteh.ai/catalog/standards/sist/1faf7dcb-25f2-4701-b11e-8c443902f4aa/sist-en-60335-2-17-1999)

<https://standards.iteh.ai/catalog/standards/sist/1faf7dcb-25f2-4701-b11e-8c443902f4aa/sist-en-60335-2-17-1999>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60335-2-17

January 1999

ICS 13.120; 97.040.50

Supersedes EN 60967:1990 and its amendments

Descriptors: Household electrical appliances, heated blankets, safety requirements, protection against electric shock, fire protection, protection against mechanical hazard

English version

Safety of household and similar electrical appliances
Part 2-17: Particular requirements for blankets, pads and similar flexible
heating appliances
(IEC 60335-2-17:1998)

Sécurité des appareils
électrodomestiques et analogues
Partie 2-17: Règles particulières pour
les couvertures, coussins et appareils
chauffants souples analogues
(CEI 60335-2-17:1998)

Sicherheit elektrischer Geräte für den
Hausgebrauch und ähnliche Zwecke
Teil 2-17: Besondere Anforderungen an
Wärmezudecken, Wärmeunterbetten,
Heizkissen und ähnliche schmiegsame
Wärmegeräte
(IEC 60335-2-17:1998)

<https://standards.iteh.ai/catalog/standards/sist/1fa7dcb-25f2-4701-b11e-8c443902f4aa/sist-en-60335-2-17-1999>

This European Standard was approved by CENELEC on 1999-01-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 61/1483/FDIS, future first edition of IEC 60335-2-17 prepared by the IEC Technical Committee 61, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60335-2-17 on 1999-01-01.

This European Standard replaces EN 60967:1990 + A1:1993 + A51:1994 + A2:1997.

The following dates are applicable:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 1999-10-01
- date on which national standards conflicting with the EN have to be withdrawn (dow) 2001-10-01

This standard has to be used in conjunction with EN 60335-1, Safety of household and similar electrical appliances, Part 1: General requirements. It was established on the basis of the 1994 edition of that standard. Amendments and revisions of part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric blankets, pads and similar flexible heating appliances.

When a particular subclause of part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of part 1 is to be adapted accordingly.

Subclauses, figures and tables which are additional to those in part 1 are numbered starting with 101. Additional annexes to those in part 1 are lettered AA, BB, etc.

There are no special national conditions causing a deviation from this European Standard, other than those listed in annex ZA to EN 60335-1.

There are no national deviations from this European Standard, other than those listed in annex ZB to EN 60335-1.

NOTE - The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in clause 2. When a definition of part 1 concerns an adjective, the adjective and the associated noun are also in bold.

Introduction

An investigation by CENELEC TC 61 has concluded that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. If the product has mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 89/392/EEC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-17:1998 was approved by CENELEC as a European Standard without any modification.

INTERNATIONAL STANDARD

IEC 60335-2-17

First edition
1998-11

Safety of household and similar electrical appliances –

Part 2-17: Particular requirements for blankets, pads and similar flexible heating appliances

(standards.iteh.ai)

*Sécurité des appareils électrodomestiques
et analogues* – EN 60335-2-17:1999

<https://standards.iteh.ai/catalog/standards/sist/1faf7dcb-25f2-4701-b11e-8c443902f1aa/sist-en-60335-2-17-1999>

Partie 2-17:

*Règles particulières pour les couvertures, coussins
et appareils chauffants souples analogues*

© IEC 1998 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland
Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

T

For price, see current catalogue

CONTENTS

	Page
FOREWORD	4
Clause	
1 Scope	6
2 Definitions	6
3 General requirement	9
4 General conditions for the tests	9
5 Void	10
6 Classification	10
7 Marking and instructions	10
8 Protection against access to live parts	13
9 Starting of motor-operated appliances	13
10 Power input and current	13
11 Heating	13
12 Void	15
13 Leakage current and electric strength at operating temperature	15
14 Void	16
15 Moisture resistance	16
16 Leakage current and electric strength	17
17 Overload protection of transformers and associated circuits	17
18 Endurance	17
19 Abnormal operation	18
20 Stability and mechanical hazards	21
21 Mechanical strength	21
22 Construction	27
23 Internal wiring	30
24 Components	30
25 Supply connection and external flexible cords	30
26 Terminals for external conductors	31
27 Provision for earthing	31
28 Screws and connections	31
29 Creepage distances, clearances and distances through insulation	31
30 Resistance to heat, fire and tracking	32
31 Resistance to rusting	34
32 Radiation, toxicity and similar hazards	34
Annexes	
AA (normative) Specification for the thermal insulation	47
BB (normative) Apparatus for the mechanical strength test for blankets	48

	Page
Figures	
101 Symbol for "Read the instruction"	35
102 Symbol for "Do not use folded or rucked"	35
103 Symbol for "Do not insert pins"	35
104 Grid for the heatstroke test	36
105 Arrangement for measuring leakage current of the flexible part	36
106 Arrangement for the three-thickness fold test	37
107 Positioning of the thermal insulation on flexible parts incorporating thermostats	38
108 Examples of the position of the thermal insulation on folded pads	39
109 Tumbling barrel for testing the mechanical strength of pads	40
110 Impact apparatus for testing enclosures of moisture-proof appliances	41
111 Shape of sample for the tear resistance test	42
112 Apparatus for flexing heating elements and internal wiring	42
113 Arrangement for the rigidity test of ruck-resistance blankets	43
114 Apparatus for the spark ignition test	44
114a Details of the mask	45
BB.1 Apparatus for the mechanical strength test	49
BB.2 Detail of the drum and cylinders	50
BB.3 Detail of the clamping bar	50
SIST EN 60335-2-17:1999 https://standards.iteh.ai/catalog/standards/sist/1faf7dcb-25f2-4701-b11e-8c443902f4aa/sist-en-60335-2-17-1999	
Tables	
101 Maximum temperatures	14
102 Maximum temperature rises	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –

Part 2-17: Particular requirements for blankets, pads and
similar flexible heating appliances

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-17 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This first edition of IEC 60335-2-17 cancels and replaces IEC 60967 published in 1988, including its amendment 1 (1991) and amendment 2 (1995).

IEC 60967 cancelled and replaced IEC 335-17 published in 1974.

The text of this standard is based on the following documents:

FDIS	Report on voting
61/1483/FDIS	61/1524/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the third edition (1991) of that standard.

A bilingual version of this standard may be issued at a later date.

This part 2 supplements or modifies the corresponding clauses of IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric blankets, pads and similar flexible heating appliances.

When a particular subclause of part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in part 1 is to be adapted accordingly.

NOTE 1 – The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in clause 2. When a definition of part 1 concerns an adjective, the adjective and the associated noun are also in bold.

NOTE 2 – Subclauses, figures and tables which are additional to those in part 1 are numbered starting from 101. Additional annexes to those in part 1 are lettered AA, BB, etc.

The following additional differences exist in some countries:

- 6.1: Class 0 products are allowed (Japan and USA).
- 19.108: The fuse is not required to rupture (Australia).
- 22.102: Thermostats and thermal cut-outs are not allowed in the flexible part of underblankets (Australia and New Zealand).
- Annex AA: Felt is used for the thermal insulation (USA).

SIST EN 60335-2-17:1999
<https://standards.iteh.ai/catalog/standards/sist/1fa7dcb-25f2-4701-b11e-8c443902f4aa/sist-en-60335-2-17-1999>

SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –

Part 2-17: Particular requirements for blankets, pads and similar flexible heating appliances

1 Scope

This clause of part 1 is replaced by:

This standard deals with the safety of electric **blankets, pads** and other flexible appliances which heat the bed or human body, for household and similar purposes, their **rated voltage** being not more than 250 V. It also applies to **control units** supplied with the appliance.

So far as is practicable, this standard deals with the common hazards presented by appliances which are encountered by all persons in and around the home.

This standard does not in general take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 1 – Children are considered to be old enough to use an appliance without supervision when they have been adequately instructed by a parent or guardian and are deemed competent to use the appliance safely.

NOTE 2 – Attention is drawn to the fact that

- for appliances intended to be used in vehicles, or on board ships or aircraft, (additional requirements may be necessary);
- for appliances intended to be used in tropical countries, special requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 3 – This standard does not apply to

- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- rigid bed warmers, such as those of metal or ceramic material;
- appliances specifically intended for use under medical supervision (IEC 60601-2-35)¹⁾;
- heating appliances for breeding and rearing of animals (IEC 60335-2-71);
- water bed heaters (IEC 60335-2-66);
- foot warmers and heating mats (IEC 60335-2-81).

2 Definitions

This clause of part 1 is applicable except as follows.

¹⁾ IEC 60335-2-35; *Medical electrical equipment – Part 2: Particular requirements for the safety of blankets, pads and mattresses intended for heating in medical use*

2.2.9 Replacement:

normal operation

operation of the appliance under the following condition

The **flexible part** is supported by a piece of plywood, 20 mm thick, situated not less than 300 mm above the floor.

Mattresses are covered by a sheet of thermal insulation.

Duvets are placed on a sheet of thermal insulation but not covered.

Other appliances are placed between sheets of thermal insulation.

The size of the plywood is such that the thermal insulation can be fully supported over its entire area. Unless otherwise specified, the size of the sheets of thermal insulation is such that the edges extend at least 100 mm beyond the outline of the **heated area**.

NOTE – The specification for the thermal insulation is given in annex AA.

2.10.4 Replacement

PTC heating element

heating element consisting of two conductors separated by a conductive material which has a rapid non-linear increase in resistance when the temperature is raised through a particular range

(standards.iteh.ai)

2.101

flexible part

all layers of material forming the permanent enclosure of the appliance together with the **heating element, thermostats** and all other current-carrying parts contained within it

NOTE – The **flexible part** may be inside a **detachable cover**.

2.102

blanket

appliance comprising a substantially flat **flexible part**, which is intended to form part of the bedding, for heating the bed

2.103

underblanket

blanket intended to be used under the occupant of the bed

2.104

ruck-resistant blanket

underblanket which has sufficient rigidity to prevent rucking of the **flexible part**

2.105

overblanket

blanket intended to be used over the occupant of the bed

2.106

duvet

quilted **overblanket** intended to be used without additional bedding over the occupant of the bed and in which a **heating element** provides supplementary heat

2.107**pad**

appliance comprising a **flexible part** having a **heated area** not exceeding 0,2 m² on each face and which is intended to heat part of the human body

2.108**mattress**

appliance for supporting the bedding and which incorporates an upholstered **flexible part** for heating the bed

2.109**controlled appliance**

appliance incorporating means in the **flexible part** for sensing changes in temperature when the appliance is operated under **normal operation**, thus automatically controlling the average power input

2.110**heating element**

heating conductor, including the core on which it is wound and the insulation, together with any other integrated conductor

2.111**heated area**

area of the **flexible part** enclosed within the outer perimeter of the **heating element**. It includes a margin outside the perimeter that has a width equal to 0,5 times the average distance between adjacent runs of the **heating element**.

NOTE 1 – The **heated area** includes the return length of the **heating element** if the average distance between this part and the adjacent **heating element** does not exceed the average distance between adjacent runs of the **heating element**.

NOTE 2 – If a **blanket** or **mattress** has two separate **heated areas**, the surface between the two areas is considered to be part of the **heated areas**, if at any place the distance between the two **heating elements** does not exceed 1,5 times the average distance between adjacent runs of the **heating element**.

2.112**moisture-proof appliance**

appliance having a **flexible part** which is suitable for use under moist conditions

2.113**bonded enclosure**

enclosure of the **flexible part** which has the opposite faces joined together by means of an adhesive or by welding

NOTE – The bonded enclosure may include several bonded layers of material.

2.114**control unit**

device, external to the **flexible part**, by means of which the average power input of the appliance can be adjusted or regulated

NOTE 1 – **Control units** may be incorporated in the **supply cord** or at the end of an **interconnection cord**.

NOTE 2 – Multi-position cord switches are not considered to be **control units** unless they incorporate components for regulating the power input.

3 General requirement

This clause of part 1 is applicable.

4 General conditions for the tests

This clause of part 1 is applicable except as follows.

4.2 Modification:

The tests are carried out on two appliances which are named appliance A and appliance B.

*For appliances having a **bonded enclosure**, an additional appliance is required for the tests of 21.108 and 21.111. For other appliances, a length of 15 m of **heating element** is required for the tests of 21.111.*

*If heat-shrink material is used to insulate connections in the **flexible part**, a sample at least 150 mm in length is required for the test of 30.102.*

*For **moisture-proof pads** subjected to the tests of 21.110, five additional appliances and 1 m² of enclosure material are required.*

NOTE 1 – An additional appliance may be required for the test of 19.110.

NOTE 2 – Additional samples of **pads** may be required for the test of 30.101.

NOTE 3 – If a further appliance is required in order to continue testing after a test of clause 19, it has to be adequately preconditioned taking into account 21.102 to 21.107.17:1999

NOTE 4 – **Duvets** are tested as **overblankets**.
<https://standards.iteh.ai/catalog/standards/sist/1fa7dcb-25f2-4701-b11e-8c443902f4aa/sist-en-60335-2-17-1999>

4.3 Replacement:

The order in which the tests are carried out is as follows:

Appliance A: 7, 22.11, 8, 22.114, 10, 11.101, 21.102 to 21.107, 22.108, 13, 15, 16, 17, 20, 25.15, 25.16, 19, 21.108, 22.18, 30, 31 and 32.

Appliance B: 10, 11 (remainder), 21, 21.101, 22 (remainder), 23, 24, 25 (remainder), 26, 27, 28 and 29.

*The **flexible part** of washable appliances is laundered twice in accordance with instructions for use before testing is started.*

If it is evident from the construction of the appliance that a particular test is not applicable, the test is not carried out.

4.5 Addition:

*If the **flexible part** of the appliance is provided with a **detachable cover**, the tests are carried out with or without this cover, whichever is more unfavourable.*

Duvets are tested without a **detachable cover**.

If the **heating element** can move in the channels, it is manipulated so that the individual runs are placed in the most unfavourable position.

4.6 Addition:

When testing appliances for d.c. only, the possible influence of polarity on the operation of the appliance is taken into account.

4.7 Addition:

The tests of clauses 10, 11 and 19 performed on **flexible parts** incorporating **PTC heating elements** are carried out at the most unfavourable ambient temperature within the range of 0 °C to 25 °C.

For other **controlled blankets** and **mattresses**, the tests of clauses 10, 11 and 19 are carried out at the most unfavourable ambient temperature within the range of 0 °C to 15 °C.

4.8.1 Addition:

Appliances for d.c. only are tested with d.c.

4.8.2 Addition:

Controlled appliances are supplied as specified for **motor-operated appliances**.

NOTE – Appliances incorporating **PTC heating elements** within the **flexible part** are considered to be **controlled appliances**.

5 Void

6 Classification

This clause of part 1 is applicable except as follows.

6.1 Modification:

Appliances shall be of **class II** or **class III**. **Class III appliances** shall have a **rated voltage** not exceeding 24 V.

7 Marking and instructions

This clause of part 1 is applicable except as follows.

7.1 Modification:

Appliances shall be marked with the **rated power input**.

Addition:

Flexible parts and **detachable covers** shall be marked with the name, trademark or identification mark of the manufacturer or responsible vendor.

Detachable covers shall be marked with the model or type reference of the appliance with which they are intended to be used.

The **flexible part** of appliances to be used with a **detachable control unit** shall be marked with the reference of the **control unit** to be used.

The **flexible part** of appliances to be used with a **detachable transformer** shall be marked with the reference of the transformer to be used.

Flexible parts and **detachable covers** shall be marked with the substance of the following:

- read the instructions;

NOTE 1 – This marking may be replaced by symbol 1641 of ISO 7000 (see figure 101).

- do not use folded (this marking is not required for **duvets**, **mattresses** and appliances with **PTC heating elements**);
- do not use rucked (this marking is required only for **underblankets**, other than those with **PTC heating elements**);
- do not insert pins;

NOTE 2 – These markings may be replaced by the relevant symbols shown in figures 101 to 103 for which the rules of ISO 3864 apply.

- underblanket or overblanket, as appropriate;
- do not use if wet (this marking is not required for **moisure-proof appliances**);
- do not use with a helpless person, an infant or a person insensitive to heat;
- overlong application at high setting can result in skin burns (this marking is required only for **pads**, other than those having a timer which switches off the supply after a period not exceeding 1 h).

NOTE 3 – The words "at high setting" are not required on **pads** without temperature adjustment.

The **flexible part** of **blankets** and **detachable covers** shall be marked with the appropriate laundering symbols specified in ISO 3758.

Detachable control units shall be marked with a reference number or by other means of identification.

Parts of **class III construction** shall not be marked with the **rated voltage** of the appliance.

7.12 Addition:

The instructions for use shall contain the following:

Important instructions
Retain for future use

The instructions for use shall contain the substance of the instructions required in 7.1. If symbols are used, they shall be explained.