



IEC 62680-1-3

Edition 6.0 2024-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Universal serial bus interfaces for data and power –
Part 1-3: Common components – USB Type-C® cable and connector
specification (<https://standards.iteh.ai>)

Interfaces de bus universel en série pour les données et l'alimentation
électrique –
Partie 1-3: Composants communs – Spécification des câbles et des connecteurs

<https://standards.iteh.ai/catalog/standards/iec/bba0aac7-7744-44d2-b97f-c9dae8fbc5d2/iec-62680-1-3-2024>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 62680-1-3

Edition 6.0 2024-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Universal serial bus interfaces for data and power –
Part 1-3: Common components – USB Type-C® cable and connector
specification** (<https://standards.iec.ch>)

Document Preview
**Interfaces de bus universel en série pour les données et l'alimentation
électrique –**
Partie 1-3: Composants communs – Spécification des câbles et des connecteurs
<https://standards.iec.ch/catalog/standards/iec/bba0aac7-7744-44d2-b97f-c9dae8fbc5d2/iec-62680-1-3-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.20, 33.120.30, 35.200

ISBN 978-2-8327-0006-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIVERSAL SERIAL BUS INTERFACES FOR DATA AND POWER –

Part 1-3: Common components – USB Type-C® cable and connector specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.

<https://standards.iec.ch/IEC/62680-1-3:2024>

- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62680-1-2 has been prepared by technical area 18: Multimedia home systems and applications for end-user networks, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

The text of this standard was prepared by the USB Implementers Forum (USB-IF). The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/4139/CDV	100/4177/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62680 series, published under the general title *Universal serial bus interfaces for data and power*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

(<https://standards.iteh.ai>)

Document Preview

[IEC 62680-1-3:2024](#)

<https://standards.iteh.ai/catalog/standards/iec/bba0aac7-7744-44d2-b97f-c9dae8fbc5d2/iec-62680-1-3-2024>

Universal Serial Bus

Type-C Cable and Connector

Specification

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

Release 2.3
October 2023

[IEC 62680-1-3:2024](#)
<https://standards.iteh.ai/catalog/standards/iec/bba0aac7-7744-44d2-b97f-c9dae8fbc5d2/iec-62680-1-3-2024>

**Copyright © 2014-2023, USB3.0 Promoter Group:
Apple Inc., HP Inc., Intel Corporation, Microsoft Corporation,
Renesas, STMicroelectronics, and Texas Instruments**

All rights reserved.

NOTE: Adopters may only use the USB Type-C® cable and connector to implement USB or third-party functionality as expressly described in this Specification; all other uses are prohibited.

LIMITED COPYRIGHT LICENSE: The USB 3.0 Promoters grant a conditional copyright license under the copyrights embodied in the USB Type-C Cable and Connector Specification to use and reproduce the Specification for the sole purpose of, and solely to the extent necessary for, evaluating whether to implement the Specification in products that would comply with the specification. Without limiting the foregoing, use of the Specification for the purpose of filing or modifying any patent application to target the Specification or USB compliant products is not authorized. Except for this express copyright license, no other rights or licenses are granted, including without limitation any patent licenses. In order to obtain any additional intellectual property licenses or licensing commitments associated with the Specification a party must execute the USB 3.0 Adopters Agreement. NOTE: By using the Specification, you accept these license terms on your own behalf and, in the case where you are doing this as an employee, on behalf of your employer.

iTeh Standards (<https://standards.iteh.ai>)

INTELLECTUAL PROPERTY DISCLAIMER
~~THIS SPECIFICATION IS PROVIDED TO YOU "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE AUTHORS OF THIS SPECIFICATION DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION. THE PROVISION OF THIS SPECIFICATION TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.~~

All implementation examples and reference designs contained within this Specification are included as part of the limited patent license for those companies that execute the USB 3.0 Adopters Agreement.

~~https://www.usb.org/compliance~~ IEC 62680-1-3:2024
USB Type-C®, USB-C® and USB4® are trademarks of the Universal Serial Bus Implementers Forum (USB-IF). DisplayPort™ is a trademark of VESA. All product names are trademarks, registered trademarks, or service marks of their respective owners.

Thunderbolt™ is a trademark of Intel Corporation. You may only use the Thunderbolt™ trademark or logo in conjunction with products designed to this specification that complete proper certification and executing a Thunderbolt™ trademark license – see <https://www.usb.org/compliance> for further information.

Contents

FOREWORD.....	2
Specification Editor	21
Specification Work Group Contributors.....	21
Pre-Release Draft Industry Reviewing Companies That Provided Feedback.....	29
Revision History.....	29
1 Introduction	30
1.1 Purpose	30
1.2 Scope	30
1.3 Related Documents	30
1.4 Conventions.....	31
1.4.1 Precedence	31
1.4.2 Keywords	31
1.4.3 Numbering.....	32
1.5 Terms and Abbreviations	32
2 Overview	37
2.1 Introduction	37
2.2 USB Type-C Receptacles, Plugs and Cables	38
2.3 Configuration Process.....	39
2.3.1 Source-to-Sink Attach/Detach Detection.....	39
2.3.2 Plug Orientation/Cable Twist Detection.....	40
2.3.3 Initial Power (Source-to-Sink) Detection and Establishing the Data (Host-to-Device) Relationship	
https://standards.iteh.ai/catalog/standards/iec/bba0aac7-7744-44d2-b97f-c9dae8fbc5d2/iec-62680-1-3-2024	
2.3.4 USB Type-C VBUS Current Detection and Usage.....	41
2.3.5 <i>USB PD Communications</i>	41
2.3.6 Functional Extensions	42
2.4 VBUS.....	42
2.5 VCONN.....	42
2.6 Hubs.....	43
3 Mechanical.....	44
3.1 Overview.....	44
3.1.1 Compliant Connectors.....	44
3.1.2 Compliant Cable Assemblies	44
3.1.3 Compliant USB Type-C to Legacy Cable Assemblies	45
3.1.4 Compliant USB Type-C to Legacy Adapter Assemblies.....	46
3.2 USB Type-C Connector Mating Interfaces.....	46
3.2.1 Interface Definition.....	46

3.2.2	Reference Designs	67
3.2.3	Pin Assignments and Descriptions	74
3.3	Cable Construction and Wire Assignments	75
3.3.1	Cable Construction (<i>Informative</i>)	75
3.3.2	Wire Assignments	77
3.3.3	Wire Gauges and Cable Diameters (<i>Informative</i>)	78
3.4	Standard USB Type-C Cable Assemblies	80
3.4.1	USB Full-Featured Type-C Cable Assembly	80
3.4.2	USB 2.0 Type-C Cable Assembly	82
3.4.3	USB Type-C Captive Cable Assembly	82
3.4.4	USB Type-C Thumb Drive Assembly	83
3.5	Legacy Cable Assemblies	83
3.5.1	USB Type-C to USB 3.1 Standard-A Cable Assembly	84
3.5.2	USB Type-C to USB 2.0 Standard-A Cable Assembly	85
3.5.3	USB Type-C to USB 3.1 Standard-B Cable Assembly	86
3.5.4	USB Type-C to USB 2.0 Standard-B Cable Assembly	87
3.5.5	USB Type-C to USB 2.0 Mini-B Cable Assembly	88
3.5.6	USB Type-C to USB 3.1 Micro-B Cable Assembly	89
3.5.7	USB Type-C to USB 2.0 Micro-B Cable Assembly	90
3.6	Legacy Adapter Assemblies	90
3.6.1	USB Type-C to USB 3.1 Standard-A Receptacle Adapter Assembly	90
3.6.2	USB Type-C to USB 2.0 Micro-B Receptacle Adapter Assembly	92
3.7	Electrical Characteristics	92
3.7.1	Raw Cable (<i>Informative</i>)	93
3.7.2	USB Type-C to USB Type-C Passive Cable Assemblies	94
3.7.3	Mated Connector (<i>Informative – USB 3.2 Gen2 and USB4 Gen2</i>)	116
3.7.4	Receptacle Connector SI Requirements and Testing (<i>Normative – USB4 Gen3/Gen4</i>)	120
3.7.5	USB Type-C to USB Legacy Cable Assemblies (<i>Normative</i>)	122
3.7.6	USB Type-C to USB Legacy Adapter Assemblies (<i>Normative</i>)	126
3.7.7	Shielding Effectiveness Requirements (<i>Normative</i>)	129
3.7.8	DC Electrical Requirements (<i>Normative</i>)	131
3.8	Mechanical and Environmental Requirements (<i>Normative</i>)	133
3.8.1	Mechanical Requirements	134
3.8.2	Environmental Requirements	139
3.9	Docking Applications (<i>Informative</i>)	140
3.10	Implementation Notes and Design Guides	141
3.10.1	EMC Management (<i>Informative</i>)	141

3.10.2	Stacked and Side-by-Side Connector Physical Spacing (<i>Informative</i>)	144
3.10.3	Cable Mating Considerations (<i>Informative</i>)	144
3.11	Extended Power Range (EPR) Cables	145
3.11.1	Electrical Requirements.....	145
3.11.2	EPR Cable Identification Requirements.....	145
4	Functional	146
4.1	Signal Summary.....	146
4.2	Signal Pin Descriptions	146
4.2.1	<i>USB 3.2/USB4</i> Pins	146
4.2.2	<i>USB 2.0</i> Pins.....	147
4.2.3	Auxiliary Signal Pins	147
4.2.4	Power and Ground Pins	147
4.2.5	Configuration Pins	147
4.3	Sideband Use (SBU)	147
4.4	Power and Ground.....	147
4.4.1	IR Drop	147
4.4.2	V _{BUS}	148
4.4.3	V _{CONN}	150
4.5	Configuration Channel (CC)	154
4.5.1	Architectural Overview.....	154
4.5.2	CC Functional and Behavioral Requirements	166
4.5.3	USB Port Interoperability Behavior	202
4.6	Power	219
4.6.1	Power Requirements during USB Suspend.....	220
4.6.2	V _{BUS} Power Provided Over a USB Type-C Cable	221
4.7	USB Hubs	226
4.8	Power Sourcing and Charging.....	227
4.8.1	DFP as a Power Source.....	227
4.8.2	Non-USB Charging Methods	229
4.8.3	Sinking Host.....	230
4.8.4	Sourcing Device.....	230
4.8.5	Charging a System with a Dead Battery	230
4.8.6	USB Type-C Multi-Port Chargers	230
4.9	Electronically Marked Cables	234
4.9.1	Parameter Values.....	235
4.9.2	Active Cables.....	235
4.10	V _{CONN} -Powered Accessories (VPAs) and V _{CONN} -Powered USB Devices (VPDs).....	236

4.10.1	VCONN-Powered Accessories (VPAs).....	236
4.10.2	VCONN-Powered Devices (VPDs).....	236
4.11	Parameter Values	238
4.11.1	Termination Parameters	238
4.11.2	Timing Parameters.....	240
4.11.3	Voltage Parameters	243
5	USB4 Discovery and Entry	245
5.1	Overview of the Discovery and Entry Process.....	245
5.2	USB4 Functional Requirements.....	246
5.2.1	USB4 Host Functional Requirements.....	246
5.2.2	USB Device Functional Requirements.....	246
5.2.3	USB4 Alternate Mode Support.....	246
5.3	USB4 Power Requirements.....	247
5.3.1	Source Power Requirements	247
5.3.2	Sink Power Requirements	247
5.3.3	Device Power Management Requirements	247
5.4	USB4 Discovery and Entry Flow Requirements	248
5.4.1	USB Type-C Initial Connection	248
5.4.2	USB Power Delivery Contract.....	248
5.4.3	USB4 Discovery and Entry Flow	248
5.4.4	USB4 Post-Entry Operation.....	253
5.5	USB4 Hub Connection Requirements.....	254
5.5.1	USB4 Hub Port Initial Connection Requirements.....	254
5.5.2	USB4 Hub UFP and Host Capabilities Discovery.....	254
5.5.3	Hub DFP Connection Requirements	255
5.5.4	Hub Ports Connection Behavior Flow Examples	255
5.5.5	Connecting to Downstream USB4 Hubs	261
5.5.6	Fallback Functional Requirements for USB4 Hubs.....	261
5.6	USB4 Device Connection Requirements	261
5.6.1	Fallback Mapping of USB4 Peripheral Functions of USB Device Class Types	261
5.7	Parameter Values	263
5.7.1	Timing Parameters	263
6	Active Cables.....	264
6.1	General Specifications for All Active Cables.....	264
6.1.1	Discovering Active Cable Characteristics.....	264
6.1.2	Electrical Requirements	266
6.1.3	Mechanical Requirements	298

6.2	Additional Specifications for Copper and Hybrid-Optical Active Cables.....	299
6.2.1	Active Cable Block Diagram	300
6.2.2	USB4 Asymmetric Mode Support.....	300
6.2.3	Active Cable <i>USB PD</i> Requirements.....	300
6.2.4	Active Cable Behaviors in Response to <i>USB PD</i> Events.....	300
6.2.5	Active Cable Power Requirements.....	301
6.3	Additional Specifications for Optically Isolated Active Cables	301
6.3.1	OIAC Block Diagrams.....	302
6.3.2	OIAC Limitations and General Requirements	304
6.3.3	OIAC Cable Power Requirements	305
6.3.4	OIAC <i>USB PD</i> Requirements.....	305
6.3.5	OIAC Connection Flow and State Diagrams.....	315
6.3.6	Additional Electrical Requirements for OIAC	333
6.3.7	Additional Mechanical Requirements for OIAC	336
A	Liquid Corrosion Mitigation Mode.....	337
A.1	Overview.....	337
A.2	Detail	337
A.3	Liquid Detection Methods.....	339
A.3.1	Liquid Measurement Method	339
A.3.2	Pulsed Measurement Method	339
A.3.3	Impedance Measurement Method.....	340
A.4	Liquid Detection Pins in the Connector	343
B	Debug Accessory Mode	346
B.1	Overview.....	346
B.2	Functional	346
B.2.1	Signal Summary	346
B.2.2	Port Interoperability.....	347
B.2.3	Debug Accessory Mode Entry.....	347
B.2.4	Connection State Diagrams.....	347
B.2.5	DTS Port Interoperability Behaviors	356
B.2.6	Orientation Detection.....	365
B.3	Security/Privacy Requirements	365
C	USB Type-C Digital Audio.....	366
C.1	Overview.....	366
C.2	USB Type-C Digital Audio Specifications	366
D	Thermal Design Considerations for Active Cables.....	367
D.1	Introduction	367

D.2	Model.....	367
D.2.1	Assumptions.....	367
D.2.2	Model Architecture.....	368
D.2.3	Heat Sources.....	368
D.2.4	Heat Flow.....	369
D.3	<i>USB 3.2 Single-Lane Active Cable</i>	370
D.3.1	<i>USB 3.2 Single-Lane Active Cable Design Considerations</i>	370
D.4	Dual-Lane Active Cables.....	373
D.4.1	<i>USB 3.2 Dual-Lane Active Cable Design Considerations</i>	373
D.4.2	<i>USB 3.2 Dual-Lane Active Cable in a Multiple Port Configuration</i>	375
D.5	<i>USB 3.2 Host and Device Design Considerations</i>	376
D.5.1	Heat Spreading or Heat Sinking from Host or Device.....	376
D.5.2	Motherboard Temperature Control	377
D.5.3	Wider Port Spacing for Multi-Port Applications	377
D.5.4	Power Policies	377
E	Alternate Modes.....	378
E.1	Alternate Mode Architecture	378
E.2	Alternate Mode Requirements.....	378
E.2.1	Alternate Mode Pin Reassignment.....	379
E.2.2	Alternate Mode Electrical Requirements.....	379
E.3	Parameter Values	382
E.4	Example Alternate Mode – <i>USB DisplayPort™ Dock</i>	383
E.4.1	<i>USB DisplayPort™ Dock Example</i>	383
E.4.2	Functional Overview	383
E.4.3	Operational Summary	384
E.5	Example Alternate Mode Entry Flow with Cable Warnings.....	385
E.5.1	Operational Summary	386
F	Thunderbolt™ 3 Compatibility Discovery and Entry	387
F.1	<i>TBT3 Compatibility Mode Functional Requirements</i>	387
F.1.1	<i>TBT3-Compatible Power Requirements</i>	387
F.1.2	<i>TBT3-Compatible Host Requirements</i>	387
F.1.3	<i>TBT3-Compatible Device Upstream Requirements</i>	387
F.1.4	<i>TBT3-Compatible Device Downstream Requirements</i>	387
F.1.5	<i>TBT3-Compatible Self-Powered Device Without Predefined Upstream Port Rules</i>	388
F.1.6	<i>TBT3-Compatible Devices with a Captive Cable</i>	388
F.2	<i>TBT3 Discovery and Entry Flow</i>	388
F.2.1	<i>TBT3 Passive Cable Discover Identity Responses</i>	389

F.2.2	<i>TBT3</i> Active Cable Discover Identity Responses.....	392
F.2.3	<i>TBT3</i> Device Discover Identity Responses.....	395
F.2.4	<i>TBT3</i> Discover SVID Responses.....	396
F.2.5	<i>TBT3</i> Device Discover Mode Responses	397
F.2.6	<i>TBT3</i> Cable Discover Mode Responses	398
F.2.7	<i>TBT3</i> Cable Enter Mode Command.....	399
F.2.8	<i>TBT3</i> Device Enter Mode Command	400
F.2.9	<i>TBT3</i> Cable Functional Difference Summary	402
G	Extracting Pulse Response from Sampled Data and Calculating Non-Linearity Noise.....	403
H	<i>USB PD</i> High-Voltage Design Considerations	405
H.1	Potential for Arcing Damage During Cable Withdrawal.....	405
H.2	Arcing During <i>USB Type-C</i> Cable Withdrawal	405
H.3	Mitigating Arcing Damage During Cable Withdrawal Due to Sink Discharge	407
H.3.1	Limiting Sink Discharge Rate.....	408
H.3.2	Load Removal	409
H.3.3	Limiting Source Current Capability	412
I	<i>USB PD</i> Encoding Guidelines for <i>USB Type-C</i> Product Types	413
I.1	<i>USB Type-C</i> Product Type Definitions and <i>USB PD</i> Encodings.....	413
I.2	<i>USB PD</i> Encoding Guidelines Tables	414
I.3	Detailed Examples	421
I.3.1	<i>USB 3.2</i> Host – no DC – Power Consumer : DRP (Source or Sink) / Not DRD (DFP).....	421
I.3.2	<i>USB 3.2</i> Peripheral – Power Provider : DRP (Source or Sink) / Not DRD (UFP).....	421
I.3.3	<i>USB4</i> Host – Power Consumer : DRP (Source or Sink) / Not DRD (DFP)	422
I.3.4	<i>USB4</i> Host – <i>USB4</i> DC – Partial or no <i>USB</i> Equivalent : DRP (Source or Sink) / DRD.....	422
I.3.5	<i>USB4</i> Peripheral : UFP (Sink)	423
I.3.6	<i>USB4</i> Dock (Upstream) – Power Provider : DRP (Source or Sink) / Not DRD (UFP)	424
I.3.7	<i>USB4</i> Hub (Downstream) – DFP (Source)	424
J	Design Assumptions for the <i>USB4</i> Gen4 LRD Cable Specification	426

Figures

Figure 2-1	<i>USB Type-C</i> Receptacle Interface (Front View).....	37
Figure 2-2	<i>USB Full-Featured Type-C</i> Plug Interface (Front View).....	38
Figure 3-1	<i>USB Type-C</i> Receptacle Interface Dimensions.....	49
Figure 3-2	Reference Design <i>USB Type-C</i> Plug External EMC Spring Contact Zones.....	52
Figure 3-3	<i>USB Full-Featured Type-C</i> Plug Interface Dimensions.....	53
Figure 3-4	Reference Footprint for a <i>USB Type-C</i> Vertical Mount Receptacle (<i>Informative</i>)	56
Figure 3-5	Reference Footprint for a <i>USB Type-C</i> Dual-Row SMT Right-Angle Receptacle (<i>Informative</i>)	57
Figure 3-6	Reference Footprint for a <i>USB Type-C</i> Hybrid Right-Angle Receptacle (<i>Informative</i>)	58
Figure 3-7	Reference Footprint for a <i>USB Type-C</i> Mid-Mount Dual-Row SMT Receptacle (<i>Informative</i>)	59
Figure 3-8	Reference Footprint for a <i>USB Type-C</i> Mid-Mount Hybrid Receptacle (<i>Informative</i>)	60