INTERNATIONAL ORGANIZATION FOR STANDARDIZATION●MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО CTAHДАРТИЗАЦИИ●ORGANISATION INTERNATIONALE DE NORMALISATION

Double equal angle cutters with plain bore and key drive

Fraises isocèles à alésage lisse et entraînement par clavette

First edition – 1978-08-15 iTeh STANDARD PREVIEW (standards.iteh.ai)

> ISO 6108:1978 https://standards.iteh.ai/catalog/standards/sist/584d0474-6973-4080-8c46-76d19c018f16/iso-6108-1978

UDC 621,914.2

Descriptors: tools, cutting tools, milling cutters, key drives, dimensions.

Ref. No. ISO 6108-1978 (E)

SO 6108-1978 (E)

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 6108 was developed by Technical Committee ISO/TC 29, Small tools, and was circulated to the member bodies in July 1977.

It has been approved by the member bodies of the following countries:

Australia Austria

South Africa, Rep. of India

Belgium

Isratelps://standards.iteh.ai/cata\$painndards/sist/584d0474-6973-4080-8c46-76d1**Swelden** 6/iso-6108-1978

Italy Brazil Japan

Switzerland United Kingdom

Czechoslovakia France

Korea, Rep. of Mexico Netherlands

U.S.A. U.S.S.R.

Germany Hungary Romania

Yugoslavia

No member body expressed disapproval of the document.

Double equal angle cutters with plain bore and key drive

1 SCOPE AND FIELD OF APPLICATION

This International Standard lays down the dimensions of double equal angle cutters with plain bore and key drive of diameter range 50 to 100 mm.

The external diameters of these cutters are taken from ISO 523.

The keyway shall conform to ISO 240.


2 REFERENCES

ISO 240, Milling cutters - Interchangeability dimensions for cutter arbors or cutter mandrels - Metric series and

ISO 523, Milling cutters - Recommended range of outside diameters.

ISO 6108:19'

3 DIMENSIONS



Dimensions in millimetres

<i>D</i> j _s 16	<i>d</i> Н7	α°*	<i>е</i> ј _s 16
50	16	45	8
		60	10
		90	14
63	22	45	10
		60	14
		90	20
80	27	45	12
		60	18
		90	22
100	32	45	18
		60	25
		90	32

^{*} Tolerance on $\frac{\alpha}{2} = \pm 15'$.

iTeh STANDARD PREVIEW

Standards iteh ai This page intentionally left blank

ISO 6108:1978 https://standards.iteh.ai/catalog/standards/sist/584d0474-6973-4080-8c46-76d19c018f16/iso-6108-1978