

### SLOVENSKI STANDARD SIST EN 61966-3:2001

01-marec-2001

Multimedia system and equipment - Colour measurement and management - Part 3: Equipment using cathode ray tubes (IEC 61966-3:2000)

Multimedia systems and equipment - Colour measurement and management -- Part 3: Equipment using cathode ray tubes

Multimediasysteme und -geräte - Farbmessung und Farbmanagement -- Teil 3: Geräte mit Kathodenstrahlröhren STANDARD PREVIEW

Systèmes et appareils multimédia - Mesure et gestion de la couleur -- Partie 3: Appareils utilisant des tubes cathodiques SIST EN 61966-3:2001

https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-

Ta slovenski standard je istoveten z: EN 61966-3-2001

#### ICS:

17.180.20	Barve in merjenje svetlobe	Colours and measurement of light
33.160.60	Večpredstavni (multimedijski) sistemi in oprema za telekonference	Multimedia systems and teleconferencing equipment

SIST EN 61966-3:2001 en SIST EN 61966-3:2001

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61966-3:2001 https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61966-3

April 2000

ICS 33.160.60; 37.080

English version

Multimedia systems and equipment - Colour measurement and management Part 3: Equipment using cathode ray tubes
(IEC 61966-3:2000)

Systèmes et appareils multimédia Mesure et gestion de la couleur Partie 3: Equipement utilisant des tubes cathodiques (CEI 61966-3:2000) Multimediasysteme und -geräte -Farbmessungen und Farbmanagement Teil 3: Geräte mit Kathodenstrahlröhren (IEC 61966-3:2000)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61966-3:2001</u> https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

This European Standard was approved by CENELEC on 2000-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

### **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

<sup>© 2000</sup> CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Page 2 EN 61966-3:2000

#### Foreword

The text of document 100/118/FDIS, future edition 1 of IEC 61966-3, prepared by IEC TC 100, Audio, video and multimedia systems and equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61966-3 on 2000-04-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2001-01-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2003-04-01

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes A, B and ZA are normative and annexes C and D are informative.

Annex ZA has been added by CENELEC.

#### **Endorsement notice**

The text of the International Standard IEC 61966-3:2000 was approved by CENELEC as a European Standard without any modification. (Standard S.iteh.ai)

SIST EN 61966-3:2001 https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

#### Annex ZA (normative)

## Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	<u>Title</u>	EN/HD	Year
IEC 60050-845	1987	International Electrotechnical Vocabulary (IEV) Chapter 845: Lighting	-	-
ISO 5-4	1995 <b>i</b>	Photography - Density measurements Part 4: Geometric conditions for reflection density TANDARD PREVIE	<b>-</b> .:	-
ISO/CIE 10526	1991	CIE standard colorimetric illuminants	-	-
ISO/CIE 10527	1991	CIE standard colorimetric observers SIST EN 61966-3:2001	•	. <del>-</del>
CIE 15.2	1986 <sup>s</sup>	/standards/sist/cdb29384-464c-444 65f94b01bab2/sist-en-61966-3-2001	9- <u>9</u> eff-	-
CIE 63	1984	The spectroradiometric measurement of light sources	e est est pe	-
ISO 9241-8	1997	Ergonomic requirements for office work with visual display terminals (VDTs) Part 8: Requirements for displayed colours	EN ISO 9241-8	1997

SIST EN 61966-3:2001

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61966-3:2001 https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

## NORME INTERNATIONALE INTERNATIONAL STANDARD

CEI IEC 61966-3

> Première édition First edition 2000-03

Systèmes et appareils multimédia – Mesure et gestion de la couleur –

Partie 3:

Appareils utilisant des tubes cathodiques

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Multimedia systems and equipment – Colour measurement and management –

65f94b01bab2/sist-en-61966-3-2001

Part 3:

Equipment using cathode ray tubes

© IEC 2000 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, Telefax: +41 22 919 0300 e-mail: inmail@iec.ch

3, rue de Varembé Geneva, Switzerland



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия

CODE PRIX
PRICE CODE

IEC web site http://www.iec.ch

V

Pour prix, voir catalogue en vigueur For price, see current catalogue

### CONTENTS

		Page
FO	REWORD	7
		•
Clau	ıse	
1	Scope	11
2	Normative references	
3	Terms and definitions	
4	Letters and symbols	•
5	Conditions	
5		
	5.1 Environmental conditions	
	5.3 Input digital data	
6	Measurement equipment	
Ü	6.1 Spectroradiometer	•
	6.2 Colorimeter	
7	Spectral characteristics and intensity of the primaries and white stimuli	
′	· · · · · · · · · · · · · · · · · · ·	
	<ul> <li>7.1 Characteristics to be measured</li></ul>	23
	7.3 Method of measurement standards iteh.ai)	23
	7.4 Presentation of results	23
8	Basic colorimetric characteristics <u>SIST.EN.61966-3:2001</u>	
Ŭ	8.1 Characteristics to be measured.	25
	<ul> <li>8.1 Characteristics to be measured</li> <li>8.2 Method of measurement</li> </ul>	25
	8.3 Presentation of results	
9	Tone characteristics	
	9.1 Characteristics to be measured	
	9.2 Measurement conditions	
	9.3 Method of measurement	
	9.4 Presentation of results	
10	Inter-channel dependency	
10	10.1 Characteristics to be measured	
	10.2 Measurement conditions	
	10.3 Method of measurement	
	10.4 Presentation of results	
11		
•	11.1 Characteristics to be measured	•
	11.2 Measurement conditions	
	11.3 Method of measurement	
	11.4 Presentation of results	
12	Temporal stability	
	12.1 Short-term stability	
	12.1.2 Measurement conditions	
	12.1.3 Method of measurement	
•	10.1.4. Proportation of requite	

	12.2	Mid-term stability	51
		12.2.1 Characteristics to be measured	51
		12.2.2 Measurement conditions	51
		12.2.3 Method of measurement	53
		12.2.4 Presentation of results	53
13	Surfa	ce reflection	55
	13.1	Characteristics to be measured	55
	13.2	Measurement conditions	55
		Method of measurement	
	13.4	Presentation of the result	57
14	Interr	nal flare5	59
	14.1	Characteristics to be measured	59
	14.2	Measurement conditions	59
	14.3	Method of measurement	59
	14.4	Presentation of results	59
Anr	ex A	(normative) Required colorimetric instruments	61
Ann	ex B	(normative) Alternative method of measurement of surface reflection	63
Ann	ex C	(informative) Evaluation of effect of external light source	65
Ann	ex D	(informative) Evaluation of internal and external flare	67
Bibl	ioarar	(informative) Evaluation of internal and external flare	39
ال.	.59.41	(standards.iteh.ai)	

<u>SIST EN 61966-3:2001</u> https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### MULTIMEDIA SYSTEMS AND EQUIPMENT – COLOUR MEASUREMENT AND MANAGEMENT –

#### Part 3: Equipment using cathode ray tubes

#### **FOREWORD**

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.

  SIST EN 61966-3:2001
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards 6-3-2001
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61966-3 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/118/FDIS	100/131/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

IEC 61966 consists of the following parts, under the general title: Multimedia systems and equipment – Colour measurement and management:

Part 1: General (under consideration)

Part 2-1: Colour management - Default RGB colour space - sRGB (in preparation)

- Part 3: Equipment using cathode ray tubes (in preparation)
- Part 4: Equipment using liquid crystal display panels (to be published)
- Part 5: Equipment using plasma display panels (in preparation)
- Part 6: Equipment for use on digital data projections (under consideration)
- Part 7: Colour printers (in preparation)
- Part 8: Multimedia colour scanners (in preparation)
- Part 9: Digital cameras (in preparation)
- Part 10: Colour image in network systems (under consideration)
- Part 11: Impaired video in network systems (under consideration)

Annexes A and B form integral parts of this standard.

Annexes C and D are for information only.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- · reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61966-3:2001</u> https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

## MULTIMEDIA SYSTEMS AND EQUIPMENT -COLOUR MEASUREMENT AND MANAGEMENT --

#### Part 3: Equipment using cathode ray tubes

#### 1 Scope

This part of IEC 61966 deals with equipment using cathode ray tubes (CRT) to display colour images for use in multimedia applications.

A series of methods and parameters for colour measurements and management for use in multimedia systems and equipment is applicable to the assessment of colour reproduction. The methods of measurement standardized in this part are designed to make possible the objective performance assessment and characterization of colour reproduction of CRT displays which accept red – green – blue analogue or digital signals from electrical input terminals and output colour images on CRT display screens. For CRT displays to which analogue signals are applicable, corresponding digital signals shall be taken into account in applying this part of IEC 61966. The measured results are intended to be used for the purpose of colour management in multimedia systems.

This part of IEC 61966 defines input test signals, measurement conditions and methods of measurement, so as to make possible the colour management and comprehensive comparison of the results of measurements.

(standards.iteh.ai)

Colour control within equipment is outside the scope of this part of IEC 61966. It does not specify limiting values for various parameters, 61966-3:2001

https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9eff-65f94b01bab2/sist-en-61966-3-2001

#### 2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61966. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 61966 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

IEC 60050(845):1987, International Electrotechnical Vocabulary (IEV) - Chapter 845: Lighting 1)

ISO 5-4:1995, Photography – Density measurements – Part 4: Geometric conditions for reflection density

ISO/CIE 10526:1991, CIE standard colorimetric illuminants

ISO/CIE 10527:1991, CIE standard colorimetric observers

CIE 15.2:1986, *Colorimetry* 

CIE 63:1984, The spectroradiometric measurement of light sources

ISO 9241-8:1997, Ergonomic requirements for office work with visual display terminals (VDTs) – Part 8: Requirements for displayed colours

<sup>1)</sup> This is also CIE Publication 17-4:1987, International Lighting Vocabulary.

#### Terms and definitions

For the purposes of this part of IEC 61966, the definitions in IEC 60050(845) and the following definitions apply.

#### 3.1

#### background

image on a screen of the CRT display other than test area

#### 3.2

#### colour patch, test area

square colour image on a screen of the CRT display to be measured, in which the input data for the red, green and blue channels are kept constant within the image area

#### 3.3

#### **CRT** display

any multimedia equipment using a cathode ray tube to present colour images for viewing by people

#### 3.4

#### effective screen height

vertical dimension of the area where a picture can be produced

#### 3.5

#### effective screen width

horizontal dimension of the area where a picture can be produced

#### 3.6

#### SIST EN 61966-3:2001

normalised (image) https://standards.iteh.ai/catalog/standards/sist/cdb29384-464c-4449-9effinput signal divided by its full scale value (see also 5.3) 966-3-2001

#### 3.7

#### uncertainty (of measurement)

parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement (see also [9]\*)

#### Letters and symbols

The notations consistently adopted in this part of IEC 61966 are summarised below.

Ν The number of bits in digital data for each channel.

Maximum integer for non-negative N-bit system;  $M = 2^N - 1$ . M

 $D_{\mathsf{R}}$ ,  $D_{\mathsf{G}}$ ,  $D_{\mathsf{B}}$ Digital data applied, respectively, to red, green and blue channels.

R, G, BNormalised input level to red, green and blue channels, respectively.

X, Y, ZMeasured raw data using spectroradiometers and colorimeters corresponding to

tristimulus values. Y is in candela per square metre.

R', G', B'Linearised data for red, green and blue channels taking into account respective

tone characteristics.

<sup>\*</sup> Figures in square brackets refer to the bibliography.