



SLOVENSKI STANDARD SIST EN 60950:2001

01-december-2001

BUXca Yý U

SIST EN 60950:1996/A1:1996

SIST EN 60950:1996/A11:1999

Safety of information technology equipment

Safety of information technology equipment

Sicherheit von Einrichtungen der Informationstechnik

Sécurité des matériels de traitement de l'information

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60950:2001](https://standards.iteh.ai/catalog/standards/sist/en-60950-2001/c4b6670dbc07/sist-en-60950-2001)

Ta slovenski standard je istoveten z: **EN 60950:2000**

<https://standards.iteh.ai/catalog/standards/sist/en-60950-2001/c4b6670dbc07/sist-en-60950-2001>

ICS:

35.020	Informacijska tehnika in tehnologija na splošno	Information technology (IT) in general
35.260	Pisarniški stroji	Office machines

SIST EN 60950:2001

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60950:2001

<https://standards.iteh.ai/catalog/standards/sist/7021544b-6b2e-4025-8f79-c4b6670dbc07/sist-en-60950-2001>

EUROPEAN STANDARD

EN 60950

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2000

ICS 35.020; 35.260.10

Supersedes EN 60950:1992 + A1:1993 + A2:1993 + A3:1995 + A4:1997 + A11:1997

English version

Safety of information technology equipment
(IEC 60950:1999 + corr. February 2000, modified)

Sécurité des matériels de traitement de
l'information
(CEI 60950:1999 + corr. février 2000,
modifiée)

Sicherheit von Einrichtungen der
Informationstechnik
(IEC 60950:1999 + corr. February 2000,
modifiziert)

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2000-01-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 74/498/FDIS, future 3rd edition of IEC 60950:1999, prepared by IEC TC 74, Safety and energy efficiency of IT equipment, was submitted to the IEC-CENELEC parallel vote.

In March 1999 a new draft including common modifications, special national conditions and A-deviations from EN 60950:1992, prepared by the Technical Committee CENELEC TC 74, was submitted to the formal vote together with four draft common modification amendments prAA, prAB, prAC and prAD. In view of the comments received on the draft amendments, the CENELEC Technical Board decided to organize a BT enquiry on a revised draft European Standard including those parts of the amendment documents which had received support to become special national conditions.

This revised draft was ratified by CENELEC as EN 60950 on 2000-01-01.

This European Standard replaces EN 60950:1992 and its amendments A1, A2, A3, A4, and A11.

The following dates were fixed;

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2001-01-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2005-01-01

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given for information only. In this standard, annexes A, B, C, D, E, F, G, H, J, K, L, M, N, P, U, V, ZA and ZB are normative; annexes Q, R, S, T, W, X and ZC are informative. Annexes ZA, ZB and ZC have been added by CENELEC.

SIST EN 60950:2001

<https://standards.iteh.org/standards/sist/60950-2001/544b-6b2e-4025-8f79-c4b6670dbc07/sist-en-60950-2001>

Endorsement notice

The text of International Standard IEC 60950:1999 was approved by CENELEC as a European Standard, with agreed common modifications as given below:

CONTENTS

	Page
INTRODUCTION.....	17
Clause	
0 Principles of safety.....	17
0.1 General principles of safety	17
0.2 Hazards.....	18
0.2.1 Electric shock	18
0.2.2 Energy related hazards	20
0.2.3 Fire.....	21
0.2.4 Heat related hazards.....	21
0.2.5 Mechanical hazards	21
0.2.6 Radiation	22
0.2.7 Chemical hazards	22
0.3 Materials and components	22
1 General.....	23
1.1 Scope.....	23
1.1.1 Equipment covered by this standard.....	23
1.1.2 Additional requirements.....	24
1.1.3 Exclusions	24
1.2 Definitions	25
1.2.1 Equipment electrical ratings	26
1.2.2 Operating conditions	27
1.2.3 Equipment mobility.....	27
1.2.4 Classes of equipment – Protection against electric shock	28
1.2.5 Connection to the supply.....	28
1.2.6 Enclosures.....	29
1.2.7 Accessibility.....	29
1.2.8 Circuits and circuit characteristics	30
1.2.9 Insulation.....	32
1.2.10 Clearances and creepage distances	32
1.2.11 Components.....	33
1.2.12 Flammability.....	33
1.2.13 Miscellaneous	34
1.3 General requirements	36
1.3.1 Application of requirements	36
1.3.2 Equipment design and construction	36
1.3.3 Supply voltage	36
1.3.4 Constructions not specifically covered	36
1.3.5 Equivalent materials.....	36
1.3.6 Orientation during transport and use.....	37
1.3.7 Choice of criteria.....	37
1.3.8 Examples mentioned in the standard	37
1.3.9 Conductive liquids.....	37

Clause	Page
1.4	General conditions for tests 37
1.4.1	Application of tests 37
1.4.2	Type tests 37
1.4.3	Test samples 37
1.4.4	Operating parameters for tests 38
1.4.5	Supply voltage for tests 38
1.4.6	Supply frequency for tests 39
1.4.7	Electrical measuring instruments 39
1.4.8	Normal operating voltages 39
1.4.9	Measurement of voltage to earth 39
1.4.10	Loading configuration of the EUT 40
1.4.11	Power from a telecommunication network 40
1.4.12	Temperature measurement conditions 40
1.4.13	Temperature measurement methods 41
1.4.14	Simulated faults and abnormal conditions 41
1.5	Components 41
1.5.1	General 41
1.5.2	Evaluation and testing of components 42
1.5.3	Thermal controls 42
1.5.4	Transformers 42
1.5.5	Interconnecting cables 42
1.5.6	Capacitors in primary circuits 42
1.5.7	Double or reinforced insulation bridged by components 43
1.5.7.1	Bridging capacitors 43
1.5.7.2	Bridging resistors 43
1.5.7.3	Accessible parts 43
1.5.8	Components in equipment for IT power systems 43
1.6	Power interface 43
1.6.1	AC power distribution systems 43
1.6.2	Input current 44
1.6.3	Voltage limit of hand-held equipment 44
1.6.4	Neutral conductor 44
1.7	Markings and instructions 44
1.7.1	Power rating 45
1.7.2	Safety instructions 46
1.7.3	Short duty cycles 47
1.7.4	Supply voltage adjustment 47
1.7.5	Power outlets on the equipment 47
1.7.6	Fuse identification 48
1.7.7	Wiring terminals 48
1.7.7.1	Protective earthing and bonding terminals 48
1.7.7.2	Terminals for a.c. mains supply conductors 48
1.7.8	Controls and indicators 49
1.7.8.1	Identification, location and marking 49
1.7.8.2	Colours 49
1.7.8.3	Symbols 49
1.7.8.4	Markings using figures 49

Clause	Page
1.7.9 Isolation of multiple power sources	50
1.7.10 IT power systems	50
1.7.11 Thermostats and other regulating devices	50
1.7.12 Language	50
1.7.13 Durability	50
1.7.14 Removable parts	50
1.7.15 Replaceable batteries	51
1.7.16 Operator access with a tool	51
1.7.17 Equipment for restricted access locations	51
2 Protection from hazards	52
2.1 Protection from electric shock and energy hazards	52
2.1.1 Protection in operator access areas	52
2.1.1.1 Access to energised parts	52
2.1.1.2 Battery compartments	55
2.1.1.3 Access to ELV wiring	56
2.1.1.4 Access to hazardous voltage circuit wiring	56
2.1.1.5 Energy hazards	56
2.1.1.6 Manual controls	57
2.1.1.7 Discharge of capacitors in the primary circuit	57
2.1.2 Protection in service access areas	57
2.1.3 Protection in restricted access locations	58
2.2 SELV circuits	58
2.2.1 General requirements	58
2.2.2 Voltages under normal conditions	58
2.2.3 Voltages under fault conditions	59
2.2.3.1 Separation by double or reinforced insulation (method 1)	59
2.2.3.2 Separation by earthed screen (method 2)	59
2.2.3.3 Protection by earthing of the SELV circuit (method 3)	59
2.2.4 Connection of SELV circuits to other circuits	60
2.3 TNV circuits	60
2.3.1 Limits	60
2.3.2 Separation from other circuits and from accessible parts	62
2.3.3 Separation from hazardous voltages	63
2.3.4 Connection of TNV circuits to other circuits	63
2.3.5 Test for operating voltages generated externally	63
2.4 Limited current circuits	64
2.4.1 General requirements	64
2.4.2 Limit values	64
2.4.3 Connection of limited current circuits to other circuits	65
2.5 Limited power sources	65
2.6 Provisions for earthing and bonding	67
2.6.1 Protective earthing	67
2.6.2 Functional earthing	68
2.6.3 Protective earthing and protective bonding conductors	68
2.6.3.1 Size of protective earthing conductors	69
2.6.3.2 Size of protective bonding conductors	69
2.6.3.3 Resistance of earthing conductors and their terminations	70
2.6.3.4 Colour of insulation	71

Clause		Page
2.6.4	Terminals.....	72
2.6.4.1	Protective earthing and bonding terminals.....	72
2.6.4.2	Separation of the protective earthing conductor from protective bonding conductors.....	72
2.6.5	Integrity of protective earthing.....	73
2.6.5.1	Interconnection of equipment.....	73
2.6.5.2	Components in protective earthing conductors and protective bonding conductors.....	73
2.6.5.3	Disconnection of protective earth.....	73
2.6.5.4	Parts that can be removed by an operator.....	74
2.6.5.5	Parts removed during servicing.....	74
2.6.5.6	Corrosion resistance.....	74
2.6.5.7	Screws for protective bonding.....	74
2.6.5.8	Reliance on telecommunication network.....	75
2.7	Overcurrent and earth fault protection in primary circuits.....	75
2.7.1	Basic requirements.....	75
2.7.2	Faults not covered in 5.3.....	75
2.7.3	Short-circuit backup protection.....	75
2.7.4	Number and location of protective devices.....	75
2.7.5	Protection by several devices.....	77
2.7.6	Warning to service personnel.....	77
2.8	Safety interlocks.....	77
2.8.1	General principles.....	77
2.8.2	Protection requirements.....	77
2.8.3	Inadvertent reactivation.....	78
2.8.4	Fail-safe operation.....	78
2.8.5	Interlocks with moving parts.....	79
2.8.6	Overriding an interlock.....	79
2.8.7	Switches and relays in interlock systems.....	79
2.8.7.1	Contact gaps.....	79
2.8.7.2	Overload test.....	80
2.8.7.3	Endurance test.....	80
2.8.7.4	Electric strength test.....	80
2.8.8	Mechanical actuators.....	80
2.9	Electrical insulation.....	80
2.9.1	Properties of insulating materials.....	80
2.9.2	Humidity conditioning.....	81
2.9.3	Requirements for insulation.....	81
2.9.4	Insulation parameters.....	81
2.9.5	Categories of insulation.....	81
2.10	Clearances, creepage distances and distances through insulation.....	84
2.10.1	General.....	84
2.10.2	Determination of working voltage.....	85
2.10.3	Clearances.....	86
2.10.3.1	General.....	86
2.10.3.2	Clearances in primary circuits.....	87
2.10.3.3	Clearances in secondary circuits.....	90
2.10.3.4	Measurement of transient levels.....	93

Clause	Page
2.10.4 Creepage distances	94
2.10.5 Solid insulation	95
2.10.5.1 Minimum distance through insulation	96
2.10.5.2 Thin sheet material	96
2.10.5.3 Printed boards	97
2.10.5.4 Wound components	97
2.10.6 Coated printed boards	98
2.10.6.1 General	98
2.10.6.2 Sample preparation and preliminary inspection	99
2.10.6.3 Thermal cycling	100
2.10.6.4 Thermal ageing	100
2.10.6.5 Electric strength test	101
2.10.6.6 Abrasion resistance test	101
2.10.7 Enclosed and sealed parts	102
2.10.8 Spacings filled by insulating compound	102
2.10.9 Component external terminations	103
2.10.10 Insulation with varying dimensions	103
3 Wiring, connections and supply	104
3.1 General	104
3.1.1 Current rating and overcurrent protection	104
3.1.2 Protection against mechanical damage	104
3.1.3 Securing of internal wiring	104
3.1.4 Insulation of conductors	105
3.1.5 Beads and ceramic insulators	105
3.1.6 Screws for electrical contact pressure	105
3.1.7 Non-metallic materials in electrical connections	106
3.1.8 Self-tapping and spaced thread screws	106
3.1.9 Termination of conductors	106
3.1.10 Sleeving on wiring	107
3.2 Connection to a.c. mains supplies	107
3.2.1 Means of connection	107
3.2.2 Multiple supply connections	108
3.2.3 Permanently connected equipment	108
3.2.4 Appliance inlets	109
3.2.5 Power supply cords	109
3.2.6 Cord anchorages and strain relief	111
3.2.7 Protection against mechanical damage	112
3.2.8 Cord guards	112
3.2.9 Supply wiring space	113
3.3 Wiring terminals for connection of external conductors	113
3.3.1 Wiring terminals	113
3.3.2 Connection of non-detachable power supply cords	114
3.3.3 Screw terminals	114
3.3.4 Conductor sizes to be connected	114
3.3.5 Wiring terminal sizes	115
3.3.6 Wiring terminal design	115
3.3.7 Grouping of wiring terminals	115
3.3.8 Stranded wire	116

Clause	Page
3.4 Disconnection from the a.c. mains supply	116
3.4.1 General requirement	116
3.4.2 Disconnect devices	116
3.4.3 Permanently connected equipment	117
3.4.4 Parts which remain energised	117
3.4.5 Switches in flexible cords	117
3.4.6 Single-phase equipment	117
3.4.7 Three-phase equipment	118
3.4.8 Switches as disconnect devices	118
3.4.9 Plugs as disconnect devices	118
3.4.10 Interconnected equipment	118
3.4.11 Multiple power sources	119
3.5 Interconnection of equipment	119
3.5.1 General requirements	119
3.5.2 Types of interconnection circuits	119
3.5.3 ELV circuits as interconnection circuits	119
4 Physical requirements	120
4.1 Stability	120
4.2 Mechanical strength	121
4.2.1 General	121
4.2.2 Steady force test, 10 N	121
4.2.3 Steady force test, 30 N	122
4.2.4 Steady force test, 250 N	122
4.2.5 Impact test	122
4.2.6 Drop test	123
4.2.7 Stress relief	124
4.2.8 Cathode ray tubes	124
4.2.9 High pressure lamps	124
4.2.10 Wall or ceiling mounted equipment	124
4.3 Design and construction	124
4.3.1 Edges and corners	124
4.3.2 Handles and manual controls	125
4.3.3 Adjustable controls	125
4.3.4 Securing of parts	125
4.3.5 Connection of plugs and sockets	126
4.3.6 Direct plug-in equipment	126
4.3.7 Heating elements in earthed equipment	126
4.3.8 Batteries	127
4.3.9 Oil and grease	128
4.3.10 Dust, powders, liquids and gases	128
4.3.11 Containers for liquids or gases	129
4.3.12 Flammable liquids	129
4.3.13 Radiation	130
4.4 Protection against hazardous moving parts	130
4.4.1 General	130
4.4.2 Protection in operator access areas	130
4.4.3 Protection in restricted access locations	131
4.4.4 Protection in service access areas	131

Clause	Page
4.5 Thermal requirements	131
4.5.1 Temperature rises	132
4.5.2 Resistance to abnormal heat	134
4.6 Openings in enclosures	134
4.6.1 Top and side openings	134
4.6.2 Bottoms of fire enclosures	137
4.6.3 Doors or covers in fire enclosures	139
4.6.4 Openings in transportable equipment	139
4.6.5 Adhesives for constructional purposes	140
4.7 Resistance to fire	140
4.7.1 Reducing the risk of ignition and spread of flame	141
4.7.2 Conditions for a fire enclosure	141
4.7.2.1 Parts requiring a fire enclosure	141
4.7.2.2 Parts not requiring a fire enclosure	142
4.7.3 Materials	142
4.7.3.1 General	142
4.7.3.2 Materials for fire enclosures	143
4.7.3.3 Materials for components and other parts outside fire enclosures	143
4.7.3.4 Materials for components and other parts inside fire enclosures	145
4.7.3.5 Materials for air filter assemblies	146
4.7.3.6 Materials used in high-voltage components	146
5 Electrical requirements and simulated abnormal conditions	148
5.1 Touch current and protective conductor current	148
5.1.1 General	148
5.1.2 Equipment under test (EUT)	148
5.1.3 Test circuit	148
5.1.4 Application of measuring instrument	150
5.1.5 Test procedure	151
5.1.6 Test measurements	151
5.1.7 Equipment with touch current exceeding 3,5 mA	152
5.1.8 Touch currents to and from telecommunication networks	153
5.1.8.1 Limitation of the touch current to a telecommunication network	153
5.1.8.2 Summation of touch currents from telecommunication networks	153
5.2 Electric strength	155
5.2.1 General	155
5.2.2 Test procedure	155
5.3 Abnormal operating and fault conditions	159
5.3.1 Protection against overload and abnormal operation	159
5.3.2 Motors	159
5.3.3 Transformers	159
5.3.4 Functional insulation	160
5.3.5 Electromechanical components	160
5.3.6 Simulation of faults	160

Clause	Page
5.3.7 Unattended equipment	161
5.3.8 Compliance criteria for abnormal operating and fault conditions	162
5.3.8.1 During the tests	162
5.3.8.2 After the tests	162
6 Connection to telecommunication networks	163
6.1 Protection of telecommunication network service personnel, and users of other equipment connected to the network, from hazards in the equipment.....	163
6.1.1 Protection from hazardous voltages.....	163
6.1.2 Separation of the telecommunication network from earth	163
6.1.2.1 Requirements	163
6.1.2.2 Exclusions	164
6.2 Protection of equipment users from overvoltages on telecommunication networks.....	165
6.2.1 Separation requirements	165
6.2.2 Electric strength test procedure.....	166
6.2.2.1 Impulse test.....	167
6.2.2.2 Steady-state test.....	167
6.2.2.3 Compliance criteria	167
6.3 Protection of the telecommunication wiring system from overheating	168
Annex A (normative) Tests for resistance to heat and fire	169
A.1 Flammability test for fire enclosures of movable equipment having a total mass exceeding 18 kg, and of stationary equipment (see 4.7.3.2).....	169
A.1.1 Samples	169
A.1.2 Conditioning of samples.....	169
A.1.3 Mounting of samples	169
A.1.4 Test flame	169
A.1.5 Test procedure	170
A.1.6 Compliance criteria	170
A.2 Flammability test for fire enclosures of movable equipment having a total mass not exceeding 18 kg, and for material and components located inside fire enclosures (see 4.7.3.2 and 4.7.3.4)	170
A.2.1 Samples	170
A.2.2 Conditioning of samples.....	170
A.2.3 Mounting of samples	170
A.2.4 Test flame	171
A.2.5 Test procedure	171
A.2.6 Compliance criteria	171
A.2.7 Alternative test.....	171
A.3 High current arcing ignition test (see 4.7.3.2)	171
A.3.1 Samples	171
A.3.2 Test circuit.....	172
A.3.3 Test electrodes	172
A.3.4 Test procedure	172
A.3.5 Compliance criteria	172

	Page
A.4 Hot wire ignition test (see 4.7.3.2).....	173
A.4.1 Samples	173
A.4.2 Test circuit	173
A.4.3 Mounting of samples	173
A.4.4 Test procedure	173
A.4.5 Compliance criterion	174
A.5 Hot flaming oil test (see 4.6.2).....	174
A.5.1 Mounting of samples	174
A.5.2 Test procedure	174
A.5.3 Compliance criteria	174
A.6 Flammability tests for classifying materials V-0, V-1 or V-2.....	174
A.6.1 Samples	174
A.6.2 Conditioning of samples	175
A.6.3 Mounting of samples	175
A.6.4 Test procedure	175
A.6.5 Compliance criteria	175
A.6.6 Permitted retest	176
A.7 Flammability test for classifying foamed materials HF-1, HF-2 or HBF.....	176
A.7.1 Samples	176
A.7.2 Conditioning of samples	176
A.7.3 Test procedure	176
A.7.4 Compliance criteria	177
A.7.5 Compliance criteria, HF-2	177
A.7.6 Compliance criteria, HF-1	177
A.7.7 Compliance criteria, HBF	177
A.7.8 Permitted retest, HF-1 or HF-2	177
A.7.9 Permitted retest, HBF	178
A.8 Flammability test for classifying materials HB	178
A.8.1 Samples	178
A.8.2 Conditioning of samples	178
A.8.3 Mounting of samples	178
A.8.4 Test procedure	179
A.8.5 Compliance criteria	179
A.8.6 Permitted retest	180
A.9 Flammability test for classifying materials 5V.....	180
A.9.1 Samples	180
A.9.2 Conditioning of samples	180
A.9.3 Test flame	180
A.9.4 Test procedure, test bars	180
A.9.5 Test procedure, test plaques	181
A.9.6 Compliance criteria	182
A.9.7 Permitted retest	182
A.10 Stress relief conditioning (see 4.2.7)	183
Annex B (normative) Motor tests under abnormal conditions (see 4.7.2.2 and 5.3.2)	184
B.1 General requirements	184
B.2 Test conditions	184

	Page
B.3 Maximum temperatures	185
B.4 Running overload test	186
B.5 Locked-rotor overload test.....	186
B.6 Running overload test for d.c. motors in secondary circuits.....	187
B.7 Locked-rotor overload test for d.c. motors in secondary circuits	188
B.7.1 Test procedure	188
B.7.2 Alternative test procedure	188
B.7.3 Electric strength test.....	188
B.8 Test for motors with capacitors.....	188
B.9 Test for three-phase motors	188
B.10 Test for series motors	189
Annex C (normative) Transformers (see 1.5.4 and 5.3.3).....	190
C.1 Overload test	190
C.2 Insulation.....	191
Annex D (normative) Measuring instruments for touch-current tests (see 5.1.4)	193
D.1 Measuring instrument.....	193
D.2 Alternative measuring instrument	194
Annex E (normative) Temperature rise of a winding (see 1.4.13 and 4.5.1).....	195
Annex F (normative) Measurement of clearances and creepage distances (see 2.10)	196
Annex G (normative) Alternative method for determining minimum clearances	203
G.1 Summary of the procedure for determining minimum clearances.....	203
G.2 Determination of mains transient voltage.....	203
G.3 Determination of telecommunication network transient voltage	204
G.4 Determination of required withstand voltage	205
G.5 Measurement of transient levels	206
G.6 Determination of minimum clearances	206
Annex H (normative) Ionizing radiation (see 4.3.13)	210
Annex J (normative) Table of electrochemical potentials (see 2.6.5.6)	211
Annex K (normative) Thermal controls (see 1.5.3 and 5.3.7).....	212
K.1 Making and breaking capacity	212
K.2 Thermostat reliability.....	212
K.3 Thermostat endurance test.....	212
K.4 Temperature limiter endurance.....	213
K.5 Thermal cutout reliability	213
K.6 Stability of operation	213

	Page	
Annex L (normative)		Normal load conditions for some types of electrical business equipment (see 1.2.2.1 and 4.5.1)
	214	
L.1		Typewriters
	214	
L.2		Adding machines and cash registers
	214	
L.3		Erasers
	214	
L.4		Pencil sharpeners
	214	
L.5		Duplicators and copy machines
	215	
L.6		Motor-operated files
	215	
L.7		Other business equipment
	215	
Annex M (normative)		Criteria for telephone ringing signals (see 2.3.1)
	216	
M.1		Introduction
	216	
M.2		Method A
	216	
M.3		Method B
	219	
M.3.1		Ringing signal
	219	
M.3.1.1		Frequency
	219	
M.3.1.2		Voltage
	219	
M.3.1.3		Cadence
	219	
M.3.1.4		Single fault current
	219	
M.3.2		Tripping device and monitoring voltage
	219	
M.3.2.1		Conditions for use of a tripping device or a monitoring voltage
	219	
M.3.2.2		Tripping device
	220	
M.3.2.3		Monitoring voltage
	220	
Annex N (normative)		Impulse test generators (see 2.10.3.4, 6.2.2.1 and G.5)
	221	
Annex P (normative)		Normative references
	222	
Annex Q (informative)		Bibliography
	223	
Annex R (informative)		Examples of requirements for quality control programmes
	224	
R.1		Minimum separation distances for unpopulated coated printed boards (see 2.10.6)
	224	
R.2		Reduced clearances (see 2.10.3)
	225	
Annex S (informative)		Procedure for impulse testing (see 6.2.2.3)
	227	
S.1		Test equipment
	227	
S.2		Test procedure
	227	
S.3		Examples of waveforms during impulse testing
	227	
Annex T (informative)		Guidance on protection against ingress of water (see 1.1.2)
	229	
Annex U (normative)		Insulated winding wires for use without interleaved insulation (see 2.10.5.4)
	231	
U.1		Wire construction
	231	
U.2		Type tests
	231	
U.2.1		Electric strength
	231	
U.2.2		Flexibility and adherence
	231	
U.2.3		Heat shock
	232	
U.2.4		Retention of electric strength after bending
	232	