



# SLOVENSKI STANDARD

## SIST EN 302 296 V1.1.1:2005

01-maj-2005

9`Y\_ifca U[ bYfbUnXfi y`1j cgh]b`nUXYj Y`j `nj Yn]`n`fUX]`g\_ ]a `gdY\_ifca `fØFAŁ!  
CXXU`b]ý\_UcdfYa UnUdf]nYa bc`X][ ]Hbc`fhY`Yj ]n]`g\_cŁj ]XYcfUX]cX]Z n]`g\_c  
glcf]Hj] `fB J6 !HL!`<Ufa cb]n]fUb]`9B`j `g\_`UXi `g` `Ybca ``"&X]fY\_hj YF/ HH9

Electromagnetic compatibility and Radio spectrum Matters (ERM); Transmitting equipment for the digital television broadcast service, Terrestrial (DVB-T); Harmonized EN under article 3.2 of the R&TTE Directive

**PRELIMINARY STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 302 296 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7aec852522e/sist-en-302-296-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7aec852522e/sist-en-302-296-v1-1-1-2005>

**Ta slovenski standard je istoveten z: EN 302 296 Version 1.1.1**

### **ICS:**

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general
33.170	Televizijska in radijska difuzija	Television and radio broadcasting

**SIST EN 302 296 V1.1.1:2005**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 302 296 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7aec852522e/sist-en-302-296-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7aec852522e/sist-en-302-296-v1-1-1-2005>

# ETSI EN 302 296 V1.1.1 (2005-01)

---

*Candidate Harmonized European Standard (Telecommunications series)*

**Electromagnetic compatibility  
and Radio spectrum Matters (ERM);  
Transmitting equipment for  
the digital television broadcast service,  
Terrestrial (DVB-T);  
Harmonized EN under article 3.2  
of the R&TTE Directive**

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 302 296 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7aec852522e/sist-en-302-296-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7aec852522e/sist-en-302-296-v1-1-1-2005>



---

Reference

DEN/ERM-TG17-003

---

Keywords

broadcasting, digital, radio, regulation, terrestrial,  
transmitter, TV, video

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 302 296 V1.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/dafc6628-9048-4ea1-b052-e7a6c8525527/SIST-EN-302-296-v1-1-1-2005>

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaicor/ETSI\\_support.asp](http://portal.etsi.org/chaicor/ETSI_support.asp)

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2005.  
All rights reserved.

**DECT™**, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Contents

Intellectual Property Rights .....	4
Foreword.....	4
Introduction .....	5
1 Scope .....	7
2 References .....	7
3 Definitions, symbols and abbreviations .....	8
3.1 Definitions .....	8
3.2 Symbols.....	9
3.3 Abbreviations .....	9
4 Technical requirements specifications .....	9
4.1 Environmental profile.....	9
4.2 Antenna port measurements .....	10
4.2.1 Spurious emissions .....	10
4.2.1.1 Definition .....	10
4.2.1.2 Method of measurement (essential test suite) .....	10
4.2.1.2.1 Initial conditions.....	10
4.2.1.2.2 Procedure.....	10
4.2.1.2.3 Test requirements .....	10
4.2.1.3 Limit.....	10
4.2.2 Out-of-band emissions.....	12
4.2.2.1 Definition .....	12
4.2.2.2 Method of measurement (essential test suite) .....	12
4.2.2.2.1 Initial conditions.....	12
4.2.2.2.2 Procedure.....	13
4.2.2.2.3 Test requirements .....	13
4.2.2.3 Limit.....	13
4.3 Enclosure port measurements (radiated emissions).....	17
4.3.1 Cabinet radiation.....	17
4.3.1.1 Definition .....	17
4.3.1.2 Method of test (essential test suite) .....	17
4.3.1.2.1 Initial conditions.....	17
4.3.1.2.2 Procedure.....	17
4.3.1.2.3 Test requirements .....	17
4.3.1.3 Limits .....	17
4.4 Measurement uncertainties .....	18
<b>Annex A (normative): General measuring arrangements .....</b>	<b>19</b>
A.1 Testing arrangements for antenna port measurements .....	19
A.1.1 Spurious emissions .....	19
A.1.2 Out-of-band emissions .....	20
A.1.3 Test frequency range .....	20
A.1.4 Test modulating signal .....	21
A.2 Testing arrangements for enclosure port (radiated emissions) measurements .....	21
<b>Annex B (informative): Bibliography.....</b>	<b>22</b>
<b>Annex C (informative): The EN title in the official languages .....</b>	<b>23</b>
History .....	24

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC [1] (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [2] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

(standards.iteh.ai)

### National transposition dates

Date of adoption of this EN:	21 January 2005
Date of latest announcement of this EN (doa):	30 April 2005
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 October 2005
Date of withdrawal of any conflicting National Standard (dow):	31 October 2006

## Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [2]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive [2]

The left hand edge of the figure 1 shows the different clauses of article 3 of the R&TTE Directive [2].

For article 3.3 various horizontal boxes are shown. Dotted lines indicate that at the time of publication of the present document essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum by radio equipment. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1b the diagram shows EN 301 489, the multi-part product EMC standard for radio used under the EMC Directive [3].

For article 3.1a the diagram shows the existing safety standards currently used under the LV Directive [4] and new standards covering human exposure to electromagnetic fields. New standards covering acoustic safety may also be required.

The bottom of the figure shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. A radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement under the R&TTE Directive [2] is adopted by the Commission and if the equipment in question is covered by the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the R&TTE Directive [2] may be covered in a set of standards.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards to be added:
  - under article 3.2 when new frequency bands are agreed; or
  - under article 3.3 should the Commission take the necessary decisions
 without requiring alteration of standards that are already published;
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

Other document directly associated with the present document:

- EN 301 489-14 [5].



---

## 1 Scope

The present document applies to transmitting equipment for the terrestrial digital television broadcasting service.

The types of equipment covered by the present document are as follows:

- Transmitting equipment for digital television broadcasting service, with 7 MHz and 8 MHz RF channel bandwidths, operating in the CEPT frequency bands. These frequencies are currently within the television Bands III, IV and V.

The present document is intended to cover the provisions of article 3.2 of Directive 1999/5/EC [2] (R&TTE Directive), which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [2] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

- [1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [3] Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to electromagnetic compatibility (EMC Directive).
- [4] Council Directive 73/23/EEC of 19 February 1973 on the harmonization of the laws of the Member States relating to electrical equipment designed for use within certain voltage limits (LV Directive).
- [5] ETSI EN 301 489-14 (V1.2.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 14: Specific conditions for analogue and digital terrestrial TV broadcasting service transmitters".
- [6] ETSI EN 300 744 (V1.4.1): "Digital Video Broadcasting (DVB); Framing structure, channel coding and modulation for digital terrestrial television".
- [7] CENELEC EN 55022 (1998): "Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement".

- [8] CENELEC EN 55011 (1998): "Industrial, scientific and medical (ISM) radio-frequency equipment - Radio disturbance characteristics - Limits and methods of measurement".
- [9] IEC 60489-1 + Am1 (1996) + Am2 (1999): "Methods of measurement for radio equipment used in the mobile services. Part 1: General definitions and standard conditions of measurement".
- [10] ETSI TR 100 028 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".

---

## 3 Definitions, symbols and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

**antenna port:** port of an apparatus which is designed, in normal operation, to be connected to an antenna using coaxial cable

**broadcasting service:** radiocommunication service in which the transmissions are intended for direct reception by the general public

NOTE: This service may include sound transmissions, television transmissions or other types of transmission.

**cabinet radiation:** radiation from an enclosure containing, equipment, excluding radiation from connected antennas or cables

**carrier power:** average power supplied to the antenna port by a transmitter during one radio frequency cycle taken under the condition of no modulation

**class of emission:** set of characteristics of an emission, designated by standard symbols, e.g. type of modulation of the main carrier, modulating signal, type of information to be transmitted, and also, if appropriate, any additional signal characteristics

**dBc:** decibels relative to the unmodulated carrier power of the emission

NOTE: In the cases which do not have a carrier, for example in some digital modulation schemes where the carrier is not accessible for measurement, the reference level equivalent to dBc is decibels relative to the *mean power P*.

**digital signal:** discretely timed signal in which information is represented by a finite number of well defined discrete values that its characteristic quantities may take in time

**digital television:** television in which all information is represented by a digital signal

**enclosure port:** physical boundary of the apparatus through which electromagnetic fields may radiate or impinge

NOTE: In the case of integral antenna equipment, this port is inseparable from the antenna port.

**environmental profile:** range of environmental conditions under which equipment within the scope of EN 302 296 is required to comply with the provisions EN 302 296

**effective radiated power:** product of the power supplied to the antenna and its gain relative to a half wave dipole in a given direction

**exclusion band:** band of radio frequencies where no measurements are made

**harmonic:** component of order greater than 1 of the Fourier series of a periodic quantity

**harmonic number:** integral number given by the ratio of the frequency of a harmonic to the fundamental frequency (2<sup>nd</sup> harmonic = 2 × fundamental frequency)

**intermodulation products:** unwanted frequencies resulting from intermodulation between carriers or harmonics of emission, or between any oscillations generated to produce the carrier

**mean power:** average power supplied to the antenna port by a transmitter during an interval of time sufficiently long compared with the lowest frequency encountered in the modulation taken under normal operating conditions

**necessary bandwidth:** for a given class of emission, the width of the frequency band which is sufficient to ensure the transmission of information at the rate and with the quality required under specified conditions

**out-of-band emissions:** emission on a frequency or frequencies immediately outside the *necessary bandwidth* which results from the modulation process, but excluding *spurious emissions*

**rated output power:** power that the transmitter or transposer shall deliver at its output under specified conditions of operation

**reference bandwidth:** bandwidth in which the emission level is specified

**spurious emissions:** emission on a frequency or frequencies which are outside the *necessary bandwidth* and the level of which may be reduced without affecting the corresponding transmission of information

NOTE: Spurious emissions include harmonic emissions, parasitic emissions, intermodulation products and frequency conversion products but exclude *out-of-band emissions*.

**unwanted emissions:** consist of *spurious emissions* and *out-of-band emissions*

## 3.2 Symbols

For the purposes of the present document, the following symbols apply:

$\mu$  Micro

iTeh STANDARD PREVIEW

## 3.3 Abbreviations (standards.iteh.ai)

For the purposes of the present document, the following abbreviations apply:

dB	logarithmic ratio (tenths of a "Bel")
dBm	dB relative to one milliwatt
DVB-T	Digital Video Broadcasting - Terrestrial
EMC	ElectroMagnetic Compatibility
EUT	Equipment Under Test
GHz	Giga Hertz
kHz	kilo Hertz
LV	Low Voltage
m	metres
MHz	Mega Hertz
QAM	Quadrature Amplitude Modulation
R&TTE	Radio and Telecommunications Terminal Equipment
RF	Radio Frequency
TV	TeleVision
W	Watt

---

## 4 Technical requirements specifications

### 4.1 Environmental profile

The environmental profile for operation of the equipment shall be declared by the supplier. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the required operational environmental profile.