

SLOVENSKI STANDARD

SIST EN 301 908-2:2002

01-november-2002

9`Y_fca U[bYfbUnXfi y`^j cghfØ A7Ł]b`nUXYj Yj`nj Ynj`n`fUX]`g_ ja `gdY_fca `fØFAŁ!
6 UnbY`dchgU`Y`f6 GŁ]b`i dcfUVb]y`_UcdfYa Ufl 9Ł`nUW`] bc`ca fYj`Y`=AH!&\$\$\$`fYhY
[YbYfUW`Y`!`&`XY.`<Ufa cb]n]fUb]9B`nU`=AH!&\$\$\$ž78A5`í8]fYWiGdfYUXÎ`fK]fY`fbU
fUndfýYbcgŁłfl HF5`:`88Łłfl 9Łž`_]nU`Ya UV]ghj YbY`nU hYj Y` `YbU` "&X]fY`hjj Y
F/ HH9

Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 2: Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive
(standards.iteh.ai)

[SIST EN 301 908-2:2002](https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002)

<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002>

Ta slovenski standard je istoveten z: EN 301 908-2 Version 1.1.1

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 908-2:2002

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 908-2:2002

<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002>

ETSI EN 301 908-2 V1.1.1 (2002-01)

Candidate Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Base Stations (BS) and User Equipment (UE) for
IMT-2000 Third-Generation cellular networks;
Part 2: Harmonized EN for IMT-2000,
CDMA Direct Spread (UTRA FDD) (UE)
covering essential requirements
of article 3.2 of the R&TTE Directive**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 301 908-2:2002](https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002)

<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002>



Reference

DEN/ERM-TFES-001-2

Keywords3G, 3GPP, cellular, digital, IMT-2000, mobile,
radio, regulation, UMTS, WCDMA**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 908-2:2002

<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:

editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2002.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	8
1 Scope	10
2 References	10
3 Definitions and abbreviations.....	11
3.1 Definitions	11
3.2 Abbreviations	11
4 Technical requirements specifications	12
4.1 Environmental profile.....	12
4.2 Conformance requirements	12
4.2.1 Introduction.....	12
4.2.2 Transmitter maximum output power.....	12
4.2.2.1 Definition	12
4.2.2.2 Limits	13
4.2.2.3 Conformance.....	13
4.2.3 Transmitter spectrum emission mask.....	13
4.2.3.1 Definition	13
4.2.3.2 Limits	13
4.2.3.3 Conformance.....	13
4.2.4 Transmitter spurious emissions.....	13
4.2.4.1 Definition	13
4.2.4.2 Limits	14
4.2.4.3 Conformance.....	14
4.2.5 Transmitter minimum output power.....	14
4.2.5.1 Definition	14
4.2.5.2 Limits	14
4.2.5.3 Conformance.....	14
4.2.6 Receiver adjacent channel selectivity	14
4.2.6.1 Definition	14
4.2.6.2 Limits	15
4.2.6.3 Conformance.....	15
4.2.7 Receiver blocking characteristics	15
4.2.7.1 Definition	15
4.2.7.2 Limits	15
4.2.7.3 Conformance.....	16
4.2.8 Receiver spurious response.....	16
4.2.8.1 Definition	16
4.2.8.2 Limits	16
4.2.8.3 Conformance.....	16
4.2.9 Receiver Intermodulation Characteristics	16
4.2.9.1 Definition	16
4.2.9.2 Limits	17
4.2.9.3 Conformance.....	17
4.2.10 Receiver spurious emissions	17
4.2.10.1 Definition	17
4.2.10.2 Limits	17
4.2.10.3 Conformance.....	17
4.2.11 Out-of-synchronization handling of output power.....	18
4.2.11.1 Definition	18
4.2.11.2 Limits	18
4.2.11.3 Conformance.....	19
5 Testing for compliance with technical requirements.....	19

5.1	Environmental conditions for testing	19
5.2	Interpretation of the measurement results	19
5.3	Essential radio test suites.....	21
5.3.1	Transmitter maximum output power.....	21
5.3.1.1	Method of test	21
5.3.1.1.1	Initial conditions.....	21
5.3.1.1.2	Procedure.....	21
5.3.1.2	Test requirements.....	21
5.3.2	Transmitter spectrum emission mask.....	21
5.3.2.1	Method of test	21
5.3.2.1.1	Initial conditions.....	21
5.3.2.1.2	Procedure.....	21
5.3.2.2	Test requirements.....	22
5.3.3	Transmitter spurious emissions.....	22
5.3.3.1	Method of test	22
5.3.3.1.1	Initial conditions.....	22
5.3.3.1.2	Procedure.....	22
5.3.3.2	Test requirements.....	22
5.3.4	Transmitter minimum output power	22
5.3.4.1	Method of test	22
5.3.4.1.1	Initial conditions.....	22
5.3.4.1.2	Procedure.....	22
5.3.4.2	Test requirements.....	23
5.3.5	Receiver adjacent channel selectivity (ACS).....	23
5.3.5.1	Method of test	23
5.3.5.1.1	Initial conditions.....	23
5.3.5.1.2	Procedure.....	23
5.3.5.2	Test requirements.....	23
5.3.6	Receiver blocking characteristics	23
5.3.6.1	Method of test	23
5.3.6.1.1	Initial requirements.....	23
5.3.6.1.2	Procedure.....	23
5.3.6.2	Test requirements.....	24
5.3.7	Receiver spurious response.....	24
5.3.7.1	Method of test	24
5.3.7.1.1	Initial conditions.....	24
5.3.7.1.2	Procedure.....	24
5.3.7.2	Test requirements.....	24
5.3.8	Receiver Intermodulation characteristics.....	24
5.3.8.1	Method of test	24
5.3.8.1.1	Initial conditions.....	24
5.3.8.1.2	Procedure.....	24
5.3.8.2	Test requirements.....	25
5.3.9	Receiver spurious emissions	25
5.3.9.1	Method of test	25
5.3.9.1.1	Initial conditions.....	25
5.3.9.1.2	Procedure.....	25
5.3.9.2	Test requirements.....	25
5.3.10	Out-of-synchronization handling of output power.....	25
5.3.10.1	Method of test	25
5.3.10.1.1	Initial conditions.....	25
5.3.10.1.2	Procedure.....	26
5.3.10.2	Test requirements.....	26
Annex A (normative):	The EN Requirements Table (EN-RT)	27
Annex B (informative):	Environmental profile	29
B.1	General	29
B.1.1	Introduction	29
B.1.2	Temperature	29
B.1.3	Voltage	29

B.1.4	Test environment.....	29
Annex C (informative):	The EN title in the official languages	30
Annex D (informative):	Bibliography.....	31
History		32

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 908-2:2002](https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002)

<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The present document is part 2 of a multi-part deliverable covering the Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks, as identified below:

- SIST EN 301 908-2:2002
<https://standards.iteh.ai/catalog/standards/sist/301-908-2-2002>
 00019227c8e/sist-en-301-908-2-2002
- Part 1: "Harmonized EN for IMT-2000, introduction and common requirements, covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 2: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";**
- Part 3: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 4: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 5: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 6: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 7: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 10: "Harmonized EN for IMT-2000 FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive".

Technical specifications relevant to Directive 1999/5/EC [1] are given in annex A.

National transposition dates	
Date of adoption of this EN:	4 January 2002
Date of latest announcement of this EN (doa):	30 April 2002
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 October 2002
Date of withdrawal of any conflicting National Standard (dow):	31 October 2003

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 908-2:2002](https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002)

<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9f3227c8e/sist-en-301-908-2-2002>

Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [1]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive

The left hand edge of figure 1 shows the different clauses of article 3 of the R&TTE Directive [1].

For article 3.3 various horizontal boxes are shown. Dotted lines indicate that at the time of publication of the present document essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum by radio equipment. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1b figure 1 shows EN 301 489 [9], the multi-part product EMC standard for radio under the EMC Directive [2].

For article 3.1a figure 1 shows the existing safety standards currently used under the LV Directive [3] and new standards covering human exposure to electromagnetic fields. New standards covering acoustic safety may also be required.

The bottom of figure 1 shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. A radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement under the R&TTE Directive [1] is adopted by the Commission and if the equipment in question is covered by the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the R&TTE Directive [1] may be covered in a set of standards.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards to be added:
 - under article 3.2 when new frequency bands are agreed; or
 - under article 3.3 should the Commission take the necessary decisions without requiring alteration of standards that are already published;
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

The product specifications upon which all parts of EN 301 908 is based, differ in presentation; and this is reflected in the present document

1 Scope

The present document applies to the following radio equipment type:

- User Equipment for IMT-2000 CDMA Direct Spread (UTRA FDD).

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1.

Table 1: CDMA Direct Spread service frequency bands

Direction of transmission	CDMA Direct Spread service frequency bands
Transmit	1 920 MHz to 1 980 MHz
Receive	2 110 MHz to 2 170 MHz

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive) article 3.2, which states that "radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] will apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org/>.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- SIST EN 301 908-2:2002
<https://standards.iteh.ai/catalog/standards/sist/da887b7f-b0de-407a-b069-6cc9b3227c8c/sist-en-301-908-2-2002>
- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
 - For a specific reference, subsequent revisions do not apply.
 - For a non-specific reference, the latest version applies.
- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity.
- [2] Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to electromagnetic compatibility.
- [3] Council Directive 73/23/EEC of 19 February 1973 on the harmonization of the laws of Member States relating to electrical equipment designed for use within certain voltage limits.
- [4] ETSI TR 100 028-1 (V1.3.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".
- [5] ETSI TS 125 101 (V3.8.0) (2001): "Universal Mobile Telecommunications System (UMTS); UE Radio Transmission and Reception (FDD) (3GPP TS 25.101 version 3.8.0 Release 1999)".
- [6] ETSI TS 134 121 (V3.6.0) (2001): "Universal Mobile Telecommunications System (UMTS); Terminal Conformance Specification; Radio Transmission and Reception (FDD) (3GPP TS 34.121 version 3.6.0 Release 1999)".
- [7] ETSI TS 134 108 (V3.5.0) (2001): "Universal Mobile Telecommunications System (UMTS); Common Test Environments for User Equipment (UE) Conformance Testing (3GPP TS 34.108 version 3.5.0 Release 1999)".