

### SLOVENSKI STANDARD SIST EN 301 908-5:2002

01-november-2002

9`Y\_lfca U[bYlbUnXfi ÿ`']j cghf9A7L']b`nUXYj Y`j`nj Yn]`n`fUX]'g\_]a `gdY\_lfca `f9FAL'! 6 UnbY`dcghU'Y`f6 GL']b`i dcfUVb]ý\_UcdfYa U`fl 9L'nUW'`] bc`ca fYÿ'Y`=AH!&\$\$\$'lfYhY [YbYfUW]'Y`!') "XY`. '< Ufa cb]n]fUb]'9B`nU=AH!&\$\$\$278A5`ÍAi`h]! 7 Uff]YfÎ `f78A5&\$\$\$L'f6GL'Z\_]`nUYa U`V]ghj YbY`nU\ hYj Y``YbU' "&'X]fY\_h]j Y`F/HH9

Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 5: Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (BS) covering essential requirements of article 3.2 of the R&TTE Directive PREVIEW

(standards.iteh.ai)

SIST EN 301 908-5:2002 https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-595797757d0e/sist-en-301-908-5-2002

Ta slovenski standard je istoveten z: EN 301 908-5 Version 1.1.1

#### ICS:

33.060.99 Druga oprema za radijske Other equipment for

komunikacije radiocommunications

33.100.01 Elektromagnetna združljivost Electromagnetic compatibility

na splošno in general

SIST EN 301 908-5:2002 en

SIST EN 301 908-5:2002

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 908-5:2002

https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-595797757d0e/sist-en-301-908-5-2002

## ETSI EN 301 908-5 V1.1.1 (2002-01)

Candidate Harmonized European Standard (Telecommunications series)

Electromagnetic compatibility and Radio spectrum Matters (ERM); Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks; Part 5: Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (BS) covering essential requirements of article 3.2 of the R&TTE Directive

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 908-5:2002

https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-595797757d0e/sist-en-301-908-5-2002



#### Reference

#### DEN/ERM-TFES-001-5

#### Keywords

3G, 3GPP2, cdma2000, cellular, digital, IMT-2000, mobile, radio, regulation, UMTS

#### **ETSI**

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

<u>SIST EN 301 908-5:2002</u> https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-595797757d0e/sist-en-301-908-5-2002

### Important notice

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<a href="http://portal.etsi.org/tb/status/status.asp">http://portal.etsi.org/tb/status/status.asp</a></a>

If you find errors in the present document, send your comment to: editor@etsi.fr

#### Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2002. All rights reserved.

### Contents

Intelle	ectual Property Rights	5
Forev	vord	5
Introd	luction	
1	Scope	
2	References	
3	Definitions, symbols and abbreviations	
3.1	Definitions	
3.2	Symbols	
3.3	Abbreviations	
4		
4 4.1	Technical requirements specifications	20
4.1 4.2	Environmental profile	
	Conformance requirements	
4.2.1	Introduction	
4.2.2	Transmitter conducted spurious emissions	
4.2.2.1		
4.2.2.2		
4.2.2.3		
4.2.3	Maximum output power.  Definition .i.T.c.hS.T.A.N.D.A.R.DP.R.E.V.I.E.W.	21
4.2.3.1	Definition	21
4.2.3.2	2 Limits	21
4.2.3.3		21
4.2.4	Inter-base station transmitter intermodulation	
4.2.4.1	1 Definition	22
4.2.4.2	Limits	22
4.2.4.3	Definition SIST EN 301 908-5:2002 Limits Conformance Conformance Receiver conducted spurious emissions  Definition SIST EN 301 908-5:2002  Limits Conformance Conf	22
4.2.5	Receiver conducted spurious emissions	22
4.2.5.1	1 Definition	22
4.2.5.2		
4.2.5.3		
4.2.6	Receiver blocking characteristics	
4.2.6.1	1 Definition	22
4.2.6.2		23
4.2.6.3	3 Conformance	23
4.2.7	Intermodulation spurious response attenuation	23
4.2.7.1	1 Definition	23
4.2.7.2		
4.2.7.3	3 Conformance	23
4.2.8	Adjacent channel selectivity	23
4.2.8.1	1 Definition	23
4.2.8.2	2 Limits	23
4.2.8.3		
5	Testing for compliance with technical requirements	24
5.1	Conditions for testing	
5.1.1	Introduction	
5.1.2	Standard equipment under test	
5.1.2.1		
5.1.2.2	1 1	
5.1.2.2 5.2	Interpretation of the measurement results	
5.2 5.3	Essential radio test suites	
5.3.1	Transmitter conducted spurious emissions	
5.3.2	Maximum output power	25
5.3.3	Inter-base station transmitter intermodulation	
5.3.4	Receiver conducted spurious emissions	26

#### ETSI EN 301 908-5 V1.1.1 (2002-01)

5.3.5 Receiver block	king characteristics	26
5.3.6 Intermodulation	on spurious response attenuation	27
5.3.7 Adjacent chan	nel selectivity	28
Annex A (normative):	The EN Requirements Table (EN-RT)	29
Annex B (informative):	Environmental profile and standard test conditions	30
B.1 Introduction		30
B.2 CDMA environmen	ntal requirements	30
	power supply voltage	
B.2.1.2 Method of me	asurement	30
B.2.1.3 Minimum star	ndard	31
B.2.2 High humidity		31
	asurement	
B.2.2.3 Minimum star	ndard	31
B.3 Standard test condi	tions	31
B.3.1 Standard environi	mental test conditions	31
B.3.2 Standard conditio	ns for the primary power supply	32
B.3.2.1 General		32
B.3.2.2 Standard DC t	est voltage from accumulator batteries	32
B.3.2.3 Standard AC v	voltage and frequency	32
Annex C (informative):	The EN title in the official languages	33
Annex D (informative):	iTeh STANDARD PREVIEW Bibliography	34
History	(standards.iteh.ai)	25

SIST EN 301 908-5:2002

https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-595797757d0e/sist-en-301-908-5-2002

### Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### **Foreword**

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

The present document is part 5 of a multi-part deliverable covering the Base Stations (BS) and User Equipment (UE) for IMT-2000 Third-Generation cellular networks, as identified below:

- Part 1: "Harmonized EN/for IMT-2000, introduction and common) requirements, covering essential requirements of article 3.2 of the R&TTE Directive (loc/sist-en-301-908-5-2002)
- Part 2: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 3: "Harmonized EN for IMT-2000, CDMA Direct Spread (UTRA FDD) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 4: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 5: "Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 6: "Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 7: "Harmonized standard for IMT-2000, CDMA TDD (UTRA TDD) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 8: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (UE) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 9: "Harmonized EN for IMT-2000, TDMA Single-Carrier (UWC 136) (BS) covering essential requirements of article 3.2 of the R&TTE Directive";
- Part 10: "Harmonized EN for IMT-2000 FDMA/TDMA (DECT) covering essential requirements of article 3.2 of the R&TTE Directive".

ETSI EN 301 908-5 V1.1.1 (2002-01)

6

Technical specifications relevant to Directive 1999/5/EC are given in annex A.

National transposition dates		
Date of adoption of this EN:	4 January 2002	
Date of latest announcement of this EN (doa):	30 April 2002	
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 October 2002	
Date of withdrawal of any conflicting National Standard (dow):	31 October 2003	

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 908-5:2002</u> https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-595797757d0e/sist-en-301-908-5-2002

### Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [1]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive

8

The left hand edge of the figure 1 shows the different clauses of article 3 of the R&TTE Directive.

For article 3.3 various horizontal boxes are shown. Dotted lines indicate that at the time of publication of the present document essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum by radio equipment. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1b figure 1 shows EN 301 489 [10], the multi-part product EMC standard for radio used under the EMC Directive [2].

For article 3.1a figure 1 shows the existing safety standards currently used under the LV Directive [3] and new standards covering human exposure to electromagnetic fields. New standards covering acoustic safety may also be required.

The bottom of figure 1 shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. A radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement under the R&TTE Directive is adopted by the Commission and if the equipment in question is covered by the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the R&TTE Directive [1] may be covered in a set of standards.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;

  (standards.iteh.ai)
- it provides scope for standards to be added:
  - under article 3.2 when new frequency bands are agreed; or 02 https://standards.iteh.ai/catalog/standards/sist/a884a081-0421-4533-8597-
  - under article 3.3 should the Commission take the necessary decisions without requiring alteration of standards that are already published;
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

The product specifications upon which this present multi-part deliverable is based differ in presentation, and this is reflected in the present document.

### 1 Scope

The present document applies to the following radio equipment types:

• Base stations for IMT-2000 CDMA Multi-Carrier (cdma2000).

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1.

Table 1: CDMA Multi-Carrier base station service frequency bands

Direction of transmission	CDMA Multi-Carrier base station service frequency bands
Transmit	2 110 MHz to 2 170 MHz
Receive	1 920 MHz to 1 980 MHz

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive) article 3.2, which states that "..... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] will apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <a href="http://www.newapproach.org/">http://www.newapproach.org/</a>.

## 2 References (standards.iteh.ai)

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

SIST EN 301 908-5:2002

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] Council Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to electromagnetic compatibility (EMC Directive).
- [3] Council Directive 73/23/EEC of 19 February 1973 on the harmonization of the laws of Member States relating to electrical equipment designed for use within certain voltage limits (LV Directive).
- [4] ANSI/TIA/EIA-97-D-2001: "Recommended Minimum Performance Standards for Base Stations Supporting Dual Mode Spread Spectrum Systems".
- [5] ANSI/TIA/EIA/IS-2000.2-A-1-2000: "Physical Layer Standard for cdma2000 Spread Spectrum Systems".
- [6] ANSI/TIA/EIA-98-D-2001: "Recommended Minimum Performance Standards for cdma2000 Spread Spectrum Mobile Stations".
- [7] ANSI/TIA/EIA126-D-2001: "Loopback Service Options (LSO) for cdma2000 Spread Spectrum Systems".

10

[8]	ANSI/TIA/EIA/IS-870-April 2001: "Test Data Service Option (TDSO) for cdma2000 Spread Spectrum Systems".
[9]	TIA/EIA/IS-871-April 2001: "Markov Service Option (MSO) for cdma2000 Spread Spectrum Systems".
[10]	ETSI EN 301 489 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services".

### 3 Definitions, symbols and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [1], and the following apply.

**access attempt:** sequence of one or more access probe sequences on the Access Channel or Enhanced Access Channel containing the same message

NOTE: See also Access Probe, Access Probe Sequence, and Enhanced Access Probe.

access channel: reverse CDMA Channel used by mobile stations for communicating to the base station

NOTE: The Access Channel is used for short signalling message exchanges, such as call originations, responses to pages, and registrations. The Access Channel is a slotted random access channel.

access channel preamble: preamble of an access probe consisting of a sequence of all-zero frames that is sent at the 4 800 bps rate (standards.iteh.ai)

access probe: one Access Channel transmission consisting of a preamble and a message SIST EN 301 908-5:2002

NOTE: The transmission/is an integer number of frames in length; and transmits one Access Channel message. See also Access Probe Sequence and Access Attempt 908-5-2002

access probe sequence: sequence of one or more access probes on the Access Channel or Enhanced Access Channel

NOTE: The same Access Channel or Enhanced Access Channel message is transmitted in every access probe of an access attempt. See also Access Probe, Enhanced Access Probe, and Access Attempt.

active frame: frame that contains data and therefore is enabled in terms of traffic power

**additional preamble:** preamble sent after the last fractional preamble on the Reverse Pilot Channel, prior to transmitting on the Enhanced Access Channel or on the Reverse Common Control Channel

adjacent channel leakage ratio: ratio of the on-channel transmit power to the power measured in one of the adjacent channels

**bad frame:** frame classified with insufficient frame quality or for Radio Configuration 19 600 bps primary traffic only, with bit errors

NOTE: See also Good Frame.

band class: set of frequency channels and a numbering scheme for these channels

NOTE: Band classes are defined in ANSI/TIA/EIA-97-D [4], clause 3.1, and ANSI/TIA/EIA-98-D [6], clause 3.1.

band class 6: frequencies as identified in table 1 of the EN 301 908-5

base station: fixed station used for communicating with mobile stations

NOTE: Depending upon the context, the term base station may refer to a cell, a sector within a cell, an MSC, or other part of the wireless system. See also MSC.