

Edition 1.0 2010-01

INTERNATIONAL STANDARD





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

■ Catalogue of IEC publications: <u>www.iec.ch/searchpub</u>

The IEC on-line Catalogue enables you to search by a variety of criteria reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications,

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details wice a month all new publications released. Available on-line and also by email.

Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.


■ Customer Service Centre: www.iec.ch/webstore/custserv
If you wish to give us your feedback on this publication of need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00



Edition 1.0 2010-01

INTERNATIONAL STANDARD



Audio/video, information and communication technology equipment – Part 1: Safety requirements



INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE X

ICS 33.160.01; 35.020 ISBN 978-2-88910-684-4

CONTENTS

FO	REWO	DRD	13
IN٦	rodu	JCTION	15
0	Princ	iples of this product safety standard	15
	0.1	Objective	15
	0.2	Persons	
		0.2.1 General	15
		0.2.2 Ordinary person	15
		0.2.3 Instructed person	15
		0.2.4 Skilled person	15
	0.3	Model for pain and injury	15
	0.4	Model for pain and injury	16
	0.5		17
			17
		0.5.1 General	18
		0.5.3 Installation safeguard	18
		0.5.4 Instructional safeguard	18
		0.5.5 Personal safeguard	19
		0.5.6 Safeguards during ordinary or instructed person service conditions	19
		0.5.7 Equipment safeguards during skilled person service conditions	
		0.5.9 Propoutionary and august	10
		0.5.6 Precautionary safeguard	19
		0.5.10 Examples of safeguard characteristics	20
	0.6	Electrically-caused pain or injury (electric shock)	
		0.6.1 General 22-a826-48c1-9(0a-05dd74cdc068/s	
		0.6.2 Models for electrically-caused pain or injury	
		0.6.3 Models for protection against electrically-caused pain or injury	
	0.7	Electrically caused fire	
		0.7.1 General	
		0.72 Models for electrically-caused fire	
		0.7.3 Models for protection against electrically-caused fire	
	0.8	Chemically caused injury	
	0.9	Meshanically-caused injury	
		Thermally-caused injury (skin burn)	
		0.10.1 General	
		0.10.2 Models for thermally-caused injury	
		0.10.3 Models for protection against thermally-caused pain or injury	
	0 11	Radiation-caused injury	
1		e	
2	•	native references	
3		s, definitions and abbreviations	
	3.1	General	
	3.2	Terms and abbreviations	
		3.2.1 Terms in alphabetical order	
		3.2.2 Abbreviations in alphabetical order	
	3.3	Terms and definitions	
		3.3.1 Circuit terms	38

		3.3.2	Enclosure terms	38
		3.3.3	Equipment terms	39
		3.3.4	Flammability terms	40
		3.3.5	Insulation	41
		3.3.6	Miscellaneous	42
		3.3.7	Operating and fault conditions	43
		3.3.8	Persons	44
		3.3.9	Potential ignition sources	44
		3.3.10	Ratings	45
		3.3.11	Safeguards	45
		3.3.12	Spacings	47
		3.3.13	Temperatures and controls	47
		3.3.14	Voltages and currents	48
		3.3.15	Classes of equipment with respect to protection from electric shock	49
		3.3.16	Chemical terms	49
4	Gene	eral requ	rirements	
	4.1	Genera		50
		4.1.1	Application of requirements and acceptance of materials,	
			components and subassemblies	
		4.1.2	Use of components	50
		4.1.3		51
		4.1.4	Equipment installation	
		4.1.5	Constructions not specifically covered	
		4.1.6	Orientation during transport and use	
		4.1.7	Choice of criteria	51
		4.1.8	Conductive liquids	51
		4.1.9	Electrical measuring instruments	
			Temperature measurements	
			Šteady state conditions	
			Hierarchy of safeguards	
		/ /	Examples mentioned in the standard	
		\wedge	Tests on parts or samples separate from the end-product	
	<	\ \\	Markings and instructions	
	4.2		source dassifications	
			Class 1 energy source	
		4.2.2	Class 2 energy source	
		4.2.3	Class 3 energy source	
		4.2.4	Energy source classification by declaration	
	4.3		tion against energy sources	
		4.3.1	General	
		4.3.2	Safeguards for protection of an ordinary person	
		4.3.3	Protection of an instructed person	
		4.3.4	Protection of a skilled person	
		4.3.5	Safeguards in a restricted access area	
	4.4	•	ards	
		4.4.1	General	
		4.4.2	Equivalent materials or components	
		4.4.3	Composition of a safeguard	
		4.4.4	Accessible parts of a safeguard	57

		4.4.5	Safeguard robustness	59
		4.4.6	Air comprising a safeguard	59
	4.5	Explos	sion	59
		4.5.1	General	59
		4.5.2	Requirements	59
		4.5.3	Compliance	59
5	Elec	trically-c	caused injury	60
	5.1	Genera	al	60
	5.2	Classif	fication and limits of electrical energy sources	60
		5.2.1	Electrical energy source classifications	
		5.2.2	ES1, ES2 and ES3 limits	60
	5.3	Protec	tion against electrical energy sources	66
		5.3.1	tion against electrical energy sources	66
		5.3.2	Protection of an ordinary person	66
		5.3.3	Protection of an instructed person	67
		5.3.4	Protection of a skilled person	67
		5.3.5	Safeguards between energy sources	67
		5.3.6	Accessibility to electrical energy sources and safeguards	68
	5.4	Insulat	tion materials and requirements	
			General	
		5.4.2		
		5.4.3	Creepage distances	
		5.4.4	Solid insulation	
		5.4.5	Antenna terminal insulation	100
		5.4.6	Insulation of internal wire as a part of a supplementary safeguard	
			Thermal cycling test procedure	
		5.4.8		
		<	compound	102
		5.4.9	Tests for semiconductor components and for cemented joints	103
		5.4.10	Humidity conditioning	103
		5.4.11	Electric strength test	103
		5.4 12	Protection of ordinary and instructed persons against transient	
	<	$\wedge \setminus$	voltages from external circuits	107
		5.4.13	Separation between external circuits and earth	107
	5.5	Compo	onents as safeguards	109
		5.5.1	General	109
		5.5.2	Components as basic safeguard and supplementary safeguard	
		5.5.3	Components as a reinforced safeguard	112
		5.5.4	Insulation between the mains and an external circuit consisting of a coaxial cable	113
		5.5.5	Components and parts that may bridge insulation	113
	5.6	Protec	tive conductor	114
		5.6.1	General requirements	114
		5.6.2	Corrosion	114
		5.6.3	Colour of insulation	114
		5.6.4	Test for low current carrying protective conductors	115
		5.6.5	Protective conductors used as basic a safeguard between ES1 and ES2	
		5.6.6	Protective conductors used as a supplementary safeguard	

		5.6.7 Protective earthing conductors serving as a double or reinforced safeguard	120
		5.6.8 Reliable earthing	
	5.7	Prospective touch voltage, touch current and protective conductor current	
	0	5.7.1 General	
		5.7.2 Measuring devices and networks	
		5.7.3 Equipment set-up, supply connections and earth connections	
		5.7.4 Unearthed conductive accessible parts	
		5.7.5 Earthed accessible conductive parts	
		5.7.6 Protective conductor current	
		5.7.7 Prospective touch voltage and touch current due to external circuits	
		5.7.8 Summation of touch currents from external circuits	
6	Elect	rically-caused fire	
	6.1	General	
	6.2	Classification of power sources (PS) and potential ignition sources (RIS)	
	0.2	6.2.1 General	
		6.2.2 Power source circuit classifications	
		6.2.3 Classification of potential ignition sources	
	6.3	Safeguards against fire under normal operating conditions and abnormal	
		operating conditions 6.3.1 Requirements	. 130
		6.3.1 Requirements	. 130
		6.3.2 Compliance	
	6.4	Safeguards against fire under single fault conditions	
		6.4.1 General	. 131
		6.4.2 Reduction of the likelihood of ignition under single fault conditions in PS1 sircuits	. 131
		6.4.3 Reduction of the likelihood of ignition under single fault conditions in PS2 circuits and PS3 circuits)- 121
		6.4.4 Control of fire spread in PS1 circuits	
		6.4.5 Control of five spread in PS2 circuits	
		6.4.6 Control of fire spread in a PS3 circuit	
		6.4.7 Separation of combustible materials from a PIS	
		6.4.8 Fire enclosures and fire barriers	
	6.5	Internal and external wiring	
	0.0	6.5.1 General	
		6.5.2 Reguirements	
		6.5.3 Compliance	
		6.5.4 Requirements for interconnection to building wiring.	
		6.5.5 Compliance	
	6.6	Likelihood of fire due to entry of foreign objects	
	6.7	Safeguards against fire due to the connection of secondary equipment	
7	Cher	nically-caused injury	
	7.1	General	. 144
	7.2	Reduction of exposure to hazardous chemicals	
	7.3	Ozone exposure	
	7.4	Use of PPE	
	7.5	Use of instructional safeguards and instructions	
	7.6	Batteries	
Ω	Mack	anically caused injury	115

8.1	Genera	ıl	145
8.2	Mecha	nical energy source classifications	145
	8.2.1	General classification	145
	8.2.2	MS1	146
	8.2.3	MS2	146
	8.2.4	MS3	146
8.3	Protect	ion against mechanical energy sources	146
	8.3.1	General	
	8.3.2	Protection of ordinary persons	147
	8.3.3	Protection of instructed person	147
	8.3.4	Protection of skilled persons	147
8.4	Safegu	ards against parts with sharp edges and corners	147
	8.4.1	Requirements	147
	8.4.2	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	148
	8.4.3	Compliance	148
8.5	Safegu	ards against moving parts	
	8.5.1	Requirements	
	8.5.2	MS2 or MS3 part required to be accessible for the function of the equipment	149
	8.5.3	Compliance	_
	8.5.4	Special categories of equipment comprising moving parts	
	8.5.5	Protection of persons against loosening, exploding or imploding parts	
8.6		y of equipment	
	8.6.1	Requirements	
	8.6.2	Static stability for floor standing equipment	
	8.6.3	Non-floor standing equipment having controls that are accessed	
	standard	during normal use or having displays with moving images	^{≥C} -157
8.7	Equip	nent mounted to a wall or ceiling	
	8.7.1	General	157
	8.7.2	Test method	
	8.7.3	Compliance	
8.8	Handle	strength test method	158
	8.8.1	General	
<	8.8.2	Compliance and test method	
8.9		s or casters attachment requirements	
	8.9.1	General	
	8.9.2	Test method	
8.10	Carts,	stands, and similar carriers	
		General	
	8.10.2	Marking and instructions	159
		Cart, stand or carrier loading test and compliance	
		Cart, stand or carrier impact test	
		Mechanical stability	
		Thermoplastic temperature stability	
8.11		ng means for rack mounted equipment	
		Requirements	
		Mechanical strength test, variable N	
		Mechanical strength test, 250 N, including end stops	
		Compliance	
		p	

	8.12	Telescopi	ing or rod antennas	162
9	Therr	nal burn in	njury	163
	9.1	General		163
	9.2	Thermal e	energy source classifications	163
		9.2.1 G	eneral	163
		9.2.2 TS	S1	163
		9.2.3 TS	S2	163
			S3	
		9.2.5 To	ouch temperature levels	164
	9.3	Protection	n against thermal energy sources	164
		9.3.1 G	eneral	164
		9.3.2 Pr	rotection of an ordinary person	
			rotection of an instructed person	
		9.3.4 Pr	rotection of a skilled person	165
	9.4	Requirem	nents for safeguards	165
			quipment safeguard	
			structional safeguard	
10				
	10.2		energy source classifications	166
			S1	
			S2	
			55	
	10.3	•	nents for electromagnetic radiation	
			rotection of persons from non-ionising radiation	
			on-ionizing radiation from radio frequencies in the range 0 Hz to	
			rotection of persons from ionizing radiation (X-radiation)	
			rotection of materials from lamps that produce UV radiation	
	10.4	/ \	nagainst acoustic energy sources	
		\	eneral	
		10.4.2 R	equirements	172
			rotection of ordinary persons	
Ann	ex A		(e) Examples of equipment within the scope of this standard	
			Normal operating condition tests, abnormal operating condition	
			ult condition tests	175
Ann	ex C	normative	e) UV radiation	184
Ann	ex D	normative	e) Test generators	186
		•	e) Test conditions for equipment containing audio amplifiers	
			e) Equipment markings, instructions, and instructional safeguards	
			e) Components	
		•	e) Criteria for telephone ringing signals	
			e) Overvoltage categories (see IEC 60364-4-44)	
) Insulated winding wires for use without interleaved insulation	
			e) Safety interlocks	
Ann	ex L (normative	e) Disconnect devices	251
Ann	ex M	(normative	e) Batteries and fuel cells	253

Annex N (normative) Electrochemical potentials	263
Annex O (normative) Measurement of creepage distances and clearances	264
Annex P (normative) Safeguards against entry of foreign objects, foreign liquids, and spillage of internal liquids	272
Annex Q (normative) Interconnection with building wiring	277
Annex R (normative) Limited short-circuit test	279
Annex S (normative) Tests for resistance to heat and fire	281
Annex T (normative) Mechanical strength tests	286
Annex U (normative) Mechanical strength of CRTs and protection against the effects of implosion	291
Annex V (normative) Determination of accessible parts	293
Annex W (informative) Comparison of terms introduced in this standard	299
Bibliography	310
Figure 1 – Three block model for pain and injury	16
Figure 2 – Three block model for safety	17
Figure 3 – Schematic and model for electrically-caused pain or injury	21
Figure 4 – Model for protection against electrically-caused pain or injury	22
Figure 5 – Model for electrically-caused fire	23
Figure 6 – Models for protection against fire	23
Figure 7 – Schematic and model for thermally-caused injury	26
Figure 8 – Model for protection against thermally-caused injury	26
Figure 9 - Model for protection of an ordinary person against a class 1 energy source	54
Figure 10 - Model for protection of an ordinary person against a class 2 energy source	iec- 54
Figure 11 – Model for protection of an ordinary person against a class 2 energy source during ordinary person servicing conditions	55
Figure 12 - Model for protection of an ordinary person against a class 3 energy source	55
Figure 13 – Model for protection of an instructed person against a class 1 energy source	55
Figure 14 Model for protection of an instructed person against a class 2 energy source	
Figure 15 – Model for protection of an instructed person against a class 3 energy source	
Figure 16 – Model for protection of a skilled person against a class 1 energy source	56
Figure 17 – Model for protection of a skilled person against a class 2 energy source	56
Figure 18 – Model for protection of a skilled person against a class 3 energy source	56
Figure 19 – Model for protection of a skilled person against class 3 energy sources during equipment servicing conditions	57
Figure 20 – Illustration of accessible and inaccessible parts of a basic safeguard	58
Figure 21 – Illustration of accessible and inaccessible parts of a supplementary safeguard	58
Figure 22 – Illustration of accessible and inaccessible parts of a reinforced safeguard	58
Figure 23 – Illustration that shows that ES limits depend on both voltage and current	61
Figure 24 – Maximum values for combined a.c. current and d.c. current	62
Figure 25 – Maximum values for combined a.c. voltage and d.c. voltage	63
Figure 26 – Model for protection of ES1 against ES2	68

Figure 27 – Model for protection of ES1 against ES3	68
Figure 28 – Model for protection of ES1 against ES3	68
Figure 29 – Model for protection of ES2 against ES3	68
Figure 30 – Model for protection of ES2 against ES3	68
Figure 31 – Contact requirements to bare internal conductive parts	69
Figure 32 – Mandrel	96
Figure 33 – Initial position of mandrel	97
Figure 34 – Final position of mandrel	97
Figure 35 – Position of metal foil on insulating material	97
Figure 36 – Example of electric strength test instrument for solid insulation	106
Figure 37 – Test for separation between a telecommunication network and earth	109
Figure 38 – Power measurement for worst-case load fault	127
Figure 39 – Power measurement for worst-case power source fault	128
Figure 40 – Illustration of power source classification	129
Figure 41 – Minimum separation requirements from an arcing PIS	135
Figure 42 – Extended separation requirements from a PIS	136
Figure 43 – Rotated separation requirements due to forced air flow	136
Figure 44 - Deflected separation requirements from a PIS when a fire barrier is used	137
Figure 45 – Top openings	139
Figure 46 – Bottom openings	140
Figure 47 – Illustration showing MS limits for moving fan blades	146
Figure 48 – Example for determining opening X without a deflector	153
Figure 49 - Example for determining opening 'X' with a deflector	153
Figure D.1 – 1,2/50 μs and 10/700 μs voltage surge generator	187
Figure D.2 – Antenna interface test generator circuit	187
Figure D.3 – Example of an electronic pulse generator	188
Figure E.1 – Band-pass filter for wide-band noise measurement	190
Figure F.1 – Example of an instructional safeguard	199
Figure 6.1 - Determination of arithmetic average temperature	207
Figure G.2 - Thermal ageing time	233
Figure G.3 – Abrasion resistance test for coating layers	234
Figure H.1 – Definition of ringing period and cadence cycle	239
Figure H.2 – I_{TS1} limit curve for cadenced ringing signal	240
Figure H.3 – Peak and peak-to-peak currents	240
Figure H.4 – Ringing voltage trip criteria	242
Figure M.1 – Distance d as a function of the rated capacity for various charge currents <i>I</i> (mA/Ah)	261
Figure O.1 – Narrow groove	264
Figure O.2 – Wide groove	264
Figure O.3 – V-shaped groove	265
Figure O.4 – Intervening unconnected conductive part	265
Figure O.5 – Rib	265
Figure O 6 – Uncemented joint with narrow groove	265

Figure O.7 – Uncemented joint with wide groove	266
Figure O.8 – Uncemented joint with narrow and wide grooves	266
Figure O.9 – Narrow recess	266
Figure O.10 – Wide recess	267
Figure O.11 – Coating around terminals	267
Figure O.12 – Coating over printed wiring	268
Figure O.13 – Example of measurements in an enclosure of insulating material	268
Figure O.14 – Cemented joints in multi-layer printed boards	269
Figure O.15 – Device filled with insulating compound	269
Figure O.16 – Partitioned bobbin	269
Figure O.17 – Materials with different CTI values	270
Figure O.18 – Materials with different CTI values having an air gap of less than X mm	270
Figure O.19 – Materials with different CTI values having an air groove of less than X mm	271
Figure O.20 – Materials with different CTI values having an air grouve not smaller than X mm	271
Figure P.1 – Examples of cross-sections of designs of openings preventing vertical access	273
Figure P.2 – Examples of louvre design	273
Figure P.3 – Enclosure openings	274
Figure T.1 – Impact test using sphere	287
Figure V.1 – Jointed test probe for equipment likely to be accessible to children	294
Figure V.2 – Jointed test probe for equipment not likely to be accessible to children	295
Figure V.3 – Blunt probe	296
Figure V.4 – Wedge probe	297
Figure V.5 – Terminal probe	298
Table 1 – Response to energy class	16
Table 2 – Examples of body response or property damage related to energy sources	
Table 3 Examples of safeguard characteristics	
Table 4 – Electrical energy source limits for d.c. and low frequency a.c. currents	
Table 5 – Electrical energy source limits for d.c. and low frequency a.c. voltages	
Table 6 – Electrical energy source limits for medium and high frequency voltage and current	
Table 7 – Electrical energy source limits for a charged capacitor	
Table 8 – Voltage limits for single pulses	
Table 9 – Current limits for single pulses	
Table 10 – Electrical energy source limits for repetitive pulses	
Table 11 – Overview on safeguard requirements (persons)	
Table 12 – Overview of required number of equipment safeguards	
Table 13 – Minimum airgap distance	
Table 14 – Temperature limits for materials, components and systems	
Table 15 – Mains transient voltages	79
Table 16 – External circuit transient voltages	80

distribution (when transients from mains or external circuits are present)	84
Table 18 – Minimum clearances up to 2 000 m above sea level, inhomogeneous field distribution (for steady-state voltages, temporary overvoltages, and recurring peak	
voltages)	85
Table 19 – Minimum clearances up to 2 000 m above sea level, inhomogeneous field distribution (for steady-state voltages, temporary overvoltages and recurring peak voltages for frequencies above 30 kHz)	86
Table 20 – Minimum clearances based on electric strength test	
Table 21 – Test voltages for verifying clearances up to 2 000 m above sea level	
Table 22 – Multiplication factors for clearances and test voltages	88
Table 23 – Minimum creepage distances for basic insulation and supplementary insulation in mm	91
Table 24 – Minimum values of creepage distances for frequencies higher than 30 kHz	92
Table 25 – Tests for insulation in non-separable layers	95
Table 26 – Electric field strength Ep for some commonly used materials	99
Table 27 – Reduction factors for the value of breakdown electric field strength E_{P} at higher frequencies	100
Table 28 – Breakdown electric field strength reduction values at a c. frequency for thin foils	100
Table 29 – Values for insulation resistance	101
Table 30 – Distance through insulation of internal wiring	102
Table 31 – Test voltages for electric strength tests based on transient voltages	104
Table 32 – Test voltages for electric strength tests based on peak working voltages	105
Table 33 – Test voltages for electric strength tests based on temporary overvoltages	105
Table 34 – Sizes of conductors	ес- 116
Table 35 – Minimum protective bonding conductor size of copper conductors	118
Table 36 – Sizes of terminals for protective conductors	119
Table 37 - Test duration, mains connected equipment	120
Table 38 – Protective earthing conductor sizes for reinforced safeguards for permanently connected equipment	121
Table 39 - Size and spacing of holes in metal bottoms of fire enclosures	141
Table 40 – Classification for various categories of mechanical energy sources	145
Table 41 – Summary of required safeguards	147
Table 42 – Touch temperature limits	164
Table C.1 – Minimum property retention limits after UV exposure	184
Table D.1 – Component values for Figure D.1 and Figure D.2	187
Table E.1 – Audio signal electrical energy source classes and safeguards	190
Table F.1 – Instructional safeguard element description and examples	198
Table F.2 – Examples of markings, instructions, and instructional safeguards	199
Table G.1 – Peak surge current	201
Table G.2 – Temperature limits for transformer windings and for motor windings (except for the motor running overload test)	206
Table G.3 – Temperature limits for running overload tests	210
Table G.4 – Sizes of conductors in mains supply cords	212
Table G. 5. Strain relief test force	213

Table G.6 – Test temperature and testing time (days) per cycle	221
Table G.7 – Capacitor ratings according to IEC 60384-14	225
Table G.8 – Informative examples of the application of Y capacitors based on required withstand voltage	226
Table G.9 – Informative examples of the application of Y capacitors based on peak working voltage	227
Table G 10 – Informative examples of the application of Y capacitors based on temporary overvoltages	227
Table G.11 – Informative examples of the application of X capacitors, line to line or line to neutral	228
Table G.12 – Minimum separation distances for coated printed boards	231
Table G.13 – Insulation in printed boards	232
Table I.1 – Overvoltage categories	243
Table J.1 – Mandrel diameter	244
Table J.2 – Oven temperature	245
Table M.1 – Values of f_{g} and f_{S}	259
Table N.1 – Electrochemical potentials (V)	263
Table O.1 – Value of X	264
Table Q.1 – Limits for inherently limited power sources	277
Table Q.2 – Limits for power sources not inherently limited (overcurrent protective device required)	278
Table S.1 – Foamed materials	283
Table S.2 – Rigid materials	284
Table S.3 – Very thin materials	284
Table T.1 – Impact on glass part	ec_ 289
Table T.2 – Torque values for end-piece test	290
Table W.1 – Comparison of terms	299
^/ / ~ ~ ~	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

AUDIO/VIDEO, INFORMATION AND COMMUNICATION TECHNOLOGY EQUIPMENT –

Part 1: Safety requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62368-1 has been prepared by TC 108: Safety of electronic equipment within the field of audio/video, information technology and communication technology.

The text of this standard is based on the following documents:

FDIS	Report on voting
108/325/FDIS	108/355/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.