



IEC 61883-6

Edition 2.0 2005-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Consumer audio/video equipment – Digital interface –
Part 6: Audio and music data transmission protocol

Matériel audio/vidéo grand public – Interface numérique –
Partie 6: Protocole de transmission de données audio et musicales

<https://standards.iteh.ai> IEC 61883-6:2005



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2005 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électriques et électroniques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Consumer audio/video equipment – Digital Interface –
Part 6: Audio and music data transmission protocol

Matériel audio/vidéo grand public – Interface numérique –
Partie 6: Protocole de transmission de données audio et musicales

<https://standards.iteh.ai> IEC 61883-6:2005



INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX
XC

ICS 33.160.01; 35.200

ISBN 978-2-83220-243-2

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	6
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
4 Reference model for data transmission	10
4.1 Application layer	11
4.2 Adaptation layer	11
4.3 Packetization layer	12
5 Transport requirements	13
5.1 Arbitrated short bus reset	13
5.2 Bit, byte, and quadlet ordering	13
6 Packet header for audio and music data	13
6.1 Isochronous packet header format	13
6.2 CIP header format	13
7 Packetization	14
7.1 Packet transmission method	14
7.2 Transmission of timing information	14
7.3 Time stamp processing	15
7.4 Transmission control	16
8 Event types	17
8.1 General	17
8.2 AM824 data	20
8.3 32-bit floating-point data	IEC 61883-6:2005
8.4 24-bit * 4 audio pack	28
8.5 32-bit generic data	29
9 FDF definition	29
9.1 Introduction	29
9.2 Basic format	30
9.3 Special format	31
10 FDF definition for AM824 data	32
10.1 Definition of N-flag	32
10.2 Supplementary SFC definition	32
10.3 Clock-based rate control mode (FDF = 0000 0xxx ₂)	33
10.4 Command-based rate control mode (FDF = 00001xxx ₂)	34
11 AM824 adaptation process	35
11.1 Introduction	35
11.2 Basic sequence conversion	35
11.3 Sequence multiplexing	35
11.4 Compound data block structure	36
12 AM824 sequence adaptation layers	40
12.1 General	40
12.2 DVD-Audio	56
12.3 SACD definition	59

Annex A (informative) Blocking transmission method	64
Annex B (informative) Synchronization issues.....	66
Annex C (informative) Catching up in non-blocking transmission method	68
Annex D (informative) Transport characteristics	69
 Bibliography.....	77
 Figure 1 – Reference model for audio and music data transmission	10
Figure 2 – Reference model for AM824 data transmission	11
Figure 3 – Implementation example of receiver	12
Figure 4 – Isochronous packet header	13
Figure 5 – Common isochronous packet (CIP) format	14
Figure 6 – Non-blocking transmission method.....	16
Figure 7 – Transmission parameters	17
Figure 8 – Cluster events.....	18
Figure 9 – Pack and cluster events	19
Figure 10 – Pack event with 24-bit event sequence.....	19
Figure 11 – Generic AM824 format	20
Figure 12 – AM824 data with SUB LABEL.....	20
Figure 13 – AM824 LABEL allocation map (informative).....	21
Figure 14 – IEC 60958-conformant data format.....	22
Figure 15 – MBLA data	22
Figure 16 – Raw audio data.....	23
Figure 17 – Alignment of 20-bit data in 24-bit field	23
Figure 18 – MIDI conformant data format.....	24
Figure 19 – No-data format	24
Figure 20 – High-precision multi-bit linear audio data.....	25
Figure 21 – Generic high-precision quadlet sequence	25
Figure 22 – Generic ancillary data	26
Figure 23 – Ancillary no data	26
Figure 24 – General format for ASID	27
Figure 25 – General format for application-specific ancillary data	28
Figure 26 – 32-bit floating-point data format.....	28
Figure 27 – 24-bit * 4 audio pack format	29
Figure 28 – 32-bit generic data format	29
Figure 29 – Generic FDF definition	30
Figure 30 – FDF code for NO-DATA packet	31
Figure 31 – Structure of FDF for AM824 data type	32
Figure 32 – SFC interpretation	32
Figure 33 – FDF for AM824 and AM824 LABEL space (informative).....	33
Figure 34 – Adaptation to AM824 sequence	35
Figure 35 – Asynchronous sequence multiplexing	36
Figure 36 – Example of compound data block	37

Figure 37 – Condition of AM824 rule	37
Figure 38 – Generic compound data block structure	38
Figure 39 – Example of unspecified region structure	39
Figure 40 – Generic one-bit audio quadlet	47
Figure 41 – Generic one-bit audio quadlet sequence	48
Figure 42 – One-bit audio DST encoded quadlet	48
Figure 43 – Multiplexing of MIDI data streams	49
Figure 44 – High-precision first ancillary data	50
Figure 45 – IEC 60958-conformant data with high-precision data	51
Figure 46 – Common and application-specific ancillary data with high-precision data	52
Figure 47 – High-precision channel assignment ancillary data	52
Figure 48 – Example of high-precision data	53
Figure 49 – Example of double-precision data	54
Figure 50 – Example of double-precision compound data	55
Figure 51 – Data transmitted at data starting-point	56
Figure 52 – Data transmitted at every data block	57
Figure 53 – Ancillary data for CCI	57
Figure 54 – Ancillary data for ISRC	58
Figure 55 – Basic data block of DVD-Audio stream	58
Figure 56 – Example of DVD-Audio data	59
Figure 57 – SACD ancillary data	60
Figure 58 – SACD supplementary data	61
Figure 59 – SACD Track_Mode&Flags data	61
Figure 60 – SACD Track_Copy_Management data	61
Figure 61 – Example of SACD stream in the case of six channels	62
Figure 62 – Example of SACD stream in the case of five channels	63
Figure A.1 – Blocking transmission method	64
Figure D.1 – Two-node bus	72
Figure D.2 – Three-node bus	73
Figure D.3 – Thirty-five-node bus	74
Figure D.4 – Sample-clock recovery jitter attenuation template	75
Figure D.5 – Sample clock jitter measurement filter characteristic	76
Table 1 – Isochronous packet header fields	13
Table 2 – CIP fields	14
Table 3 – LABEL definition	21
Table 4 – SB and SF definitions	22
Table 5 – ASI1 definition	23
Table 6 – VBL (valid bit length code) definition	23
Table 7 – LABEL definition for one-bit audio (plain)	23
Table 8 – LABEL definition for one-bit audio (encoded)	24
Table 9 – C (counter) definition	24
Table 10 – Num. (slot number) definition	25

Table 11 – LABEL definition for ancillary data type	26
Table 12 – LABEL definition for common ancillary data.....	26
Table 13 – CONTEXT definition	27
Table 14 – SUB LABEL definition for ASID	27
Table 15 – LABEL definition for application specific ancillary data	28
Table 16 – Subformat and FDF allocations	29
Table 17 – DBS for AM824 and 32-bit floating-point data.....	30
Table 18 – DBS for 24-bit * 4 audio pack	30
Table 19 – Event type (EVT) code definition	30
Table 20 – Default SFC table	30
Table 21 – TRANSFER_DELAY for blocking transmission	31
Table 22 – Default SFC table for FDF = 0000 0xxx ₂	33
Table 23 – TRANSFER_DELAY for blocking transmission	34
Table 24 – Default SFC table for FDF = 0000 1xxx ₂	34
Table 25 – Sampling frequency in IEC 60958-3:1999	40
Table 26 – Sampling frequency in IEC 60958-3:2002.....	41
Table 27 – Original sampling frequency	41
Table 28 – Up or down sampling ratio of 32 kHz line.....	42
Table 29 – Up or down sampling ratio of 44.1 kHz line.....	42
Table 30 – Up or down sampling ratio of 48 kHz line.....	42
Table 31 – Clock accuracy in IEC 60958-3.....	42
Table 32 – Cases.....	43
Table 33 – Examples	44
Table 34 – Relation of values in IEC 60958-3 and A/M protocol	46
Table 35 – Sampling frequency definition of one-bit audio	47
Table 36 – TRANSFER_DELAY for blocking transmission in the case of the one-bit audio...	47
Table 37 – SFC definition of one-bit audio for high-speed AM824 data transfer	49
Table 38 – Channel definition	50
Table 39 – Accuracy definition	50
Table 40 – Recommended rules.....	51
Table 41 – Channel assignment definition	52
Table 42 – ASI2 definition for DVD-Audio	56
Table 43 – DVD-Audio specific ancillary data.....	56
Table 44 – Data transmitted at starting-point	57
Table 45 – Data transmitted at every data block	57
Table 46 – data information (informative).....	60
Table 47 – Validity flag definition	60
Table A.1 – TRANSFER_DELAY for differing values of STF	65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONSUMER AUDIO/VIDEO EQUIPMENT –
DIGITAL INTERFACE –****Part 6: Audio and music data transmission protocol****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61883-6 has been prepared by Technical Area 4: Digital system interfaces, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition of IEC 61883-6 cancels and replaces the first edition published in 2002. This edition contains the following significant technical changes with respect to the previous edition.

- a) It extends the AM824 data format transmission and specifies more details in order to reduce the ambiguities of the first edition.
- b) It introduces new Clauses 4, 10, 11 and 12 as well as Annex D and, in 8.2, specifies new data types for SMPTE time code, sample count, high-precision multi-bit linear audio and ancillary data.
- c) It changes the terminology "raw audio data" to "multi-bit linear audio (MBLA)".
- d) It defines, in Clause 11, sequence multiplexing and MIDI data required to the AM824 adaptation process.

- e) It describes, in Clause 12, application-specific data transmission such as DVD-audio and SACD.
- f) It specifies, in Clause 20, the N-flag that indicates command-based rate control and defines new sampling frequency code (SFC) definition and interpretation.

This bilingual version (2012-08) corresponds to the monolingual English version, published in 2005-10.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/1001/FDIS	100/1024/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61883 consists of the following parts under the general title *Consumer audio/video equipment – Digital interface*:

- Part 1: General
- Part 2: SD-DVCR data transmission
- Part 3: HD-DVCR data transmission
- Part 4: MPEG2-TS data transmission
- Part 5: SDL-DVCR data transmission
- Part 6: Audio and music data transmission protocol
- Part 7: Transmission of ITU-R BO.1294 System B

<https://standards.iteh.ai> b8-40ae-9b44-499ea07d5551/iec-61883-6-2005

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

CONSUMER AUDIO/VIDEO EQUIPMENT – DIGITAL INTERFACE –

Part 6: Audio and music data transmission protocol

1 Scope

This part of IEC 61883 describes a protocol for the transmission of audio and music data employing IEEE 1394 and specifies essential requirements for the application of the protocol.

This protocol can be applied to all modules or devices that have any kind of audio and/or music data processing, generation and conversion function blocks. This document deals only with the transmission of audio and music data; the control, status and machine-readable description of these modules or devices should be defined outside of this document according to each application area.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), *Digital audio interface*

IEC 61883-1:2003, *Consumer audio/video equipment – Digital interface – Part 1: General*

IEC 61883-6:2002, *Consumer audio/video equipment – Digital interface – Part 6: Audio and music data transmission protocol*
<https://standards.iteh.ai>

IEEE 754:1985, *Standard for Binary Floating-Point Arithmetic*

IEEE 1394: *Standard for a High Performance Serial Bus*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61883-1, as well as the following, apply.

3.1

32-bit floating-point data

data type which is defined in IEEE 754:985

3.2

AM824 Data

32-bit data consisting of an 8-bit label and 24-bit data

3.3

A/M protocol

protocol for the transmission of audio and music data over IEEE 1394

3.4**ASID**

Audio Software Information Delivery (see <http://riaj.japan-music.or.jp/tech/asid/e.html>)

3.5**AV/C**

Audio Video Control

3.6**DVD****3.7 Digital Versatile Discs (see <http://www.dvdforum.org/index.htm>)****MIDI**

Musical Instrument Digital Interface

NOTE The complete MIDI 1.0 detailed specification, Version 96.1, March 1996, is a specification for the interconnection of digital music processing devices (for example, keyboards and signal processors) and computers.

3.8**music data**

data generally used for controlling a tone generator.

NOTE The data defined in the MIDI specification, which may be called MIDI data, are an example of music data.

3.9**reserved**

keyword used to describe objects – bit, byte, quadlet, octet, and field – or the code values assigned to these objects, the object or the code value being set aside for future standardization by the IEC

3.10 SACD

SACD Super Audio CD (see <http://www.licensing.philips.com/>).

3.11**stream**

uni-directional data transmission

3.12**time stamp**

quantized timing in which an event occurs based on a reference clock

NOTE The reference clock is CYCLE_TIME unless otherwise specified in this standard.

4 Reference model for data transmission

This clause describes a reference model for data transmission.




Figure 1 – Reference model for audio and music data transmission




Figure 2 – Reference model for AM824 data transmission

Figure 1 gives an outline for audio data transmission from a transmitter to a receiver. It has four major layers denoted as CIP (common isochronous packet) layer, packetization layer, adaptation layer and application layer.

4.1 Application layer

Each application defines its own application sequence and the interface to the adaptation layer. The application sequence in Figure 1 is data in a format such as an audio signal format. The Nominal_Sampling_Frequency is the ideal sampling frequency for the application sequence. The range of Sampling_Frequency should be defined by the application. The audio signal at Nominal_Sampling_Frequency can be reproduced at the actual rate of Sampling_Frequency in operation. This means that the value of Sampling_Frequency may have some deviation and/or may vary in time in contrast with Nominal_Sampling_Frequency.

Additional information in Figure 1 is any information other than events of a sequence (audio samples) being transmitted at a given rate.

4.2 Adaptation layer

The adaptation layer defines a process to convert an application sequence to an event sequence and vice versa. The conversion process may not be required if an application sequence and an event sequence have the same structure. If an event sequence consists of events of 24-bit payload, such as AM824 data defined in 8.2, and if the bit length of an audio sample of the application sequence is not 24-bit, some conversion between Sampling_Frequency and Transfer_Frequency may be required (see Figure 2 and Clause 11). The Transfer_Frequency represents the frequency of occurrence of a data block, which is equivalent to a cluster event. The Transfer_Frequency is used for describing a conceptual transmission model.

The transfer rate of an event sequence is $24 * \text{Transfer_Frequency}$ [bit/sec] in the case of AM824.

Generally, the adaptation layer is designed in such a way that both the application sequence at Sampling_Frequency and its Nominal_Sampling_Frequency are carried. In this specification, Nominal_Sampling_Frequency, which would usually be one of the ancillary data items, is carried by the SFC (sampling frequency code) which is defined in Clause 10. The information in Nominal_Sampling_Frequency is necessary for using command-based rate control or making a copy. On the other hand, Sampling_Frequency is necessary for clock-based rate control. Although Sampling_Frequency is not explicitly transmitted, it can be estimated from SYT_INTERVAL and time stamps by the algorithm specified for the AM824 data type.

An application specification defines the process (shown in the grey shaded area of Figure 1) to convert the signal of the application (application sequence) to an event sequence. This standard assumes that the application specification is an external document using the definition of an event sequence for the adaptation process. For several generic data types, this standard also defines the adaptation layer.

The adaptation to an event sequence is the point at which the packetization process interfaces to the application. The packetization process can be described as IEEE 1394 adaptation from the point of view that the data stream utilizes IEEE 1394 as its transport.

More details of this layer are described in Clause 12.

4.3 Packetization layer

The AM824 sequence is directly packetized to CIP or depacketized from CIP in the packetization layer.

The Transfer_Frequency can be implicitly expressed by the output of a locked PLL circuit, as shown in Figure 3, instead of being explicitly denoted in the packetization layer.




Figure 3 – Implementation example of receiver