INTERNATIONAL STANDARD

IEC 61082-1

Second edition 2006-04

Preparation of documents used in electrotechnology –

Part 1: Rules

iTeldinado

nttps://sca.co.\co.\iteh.ai

iteh.al/ 1000/standerds/ec/276ed5f5-d177-4280-911a-d8c813ac11f9/iec-61082-1-2006

This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (<u>www.iec.ch</u>)

Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchsub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

• IEC Just Published

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:


Email: <u>custserv@iec.ch</u>
Tel: +41 22 919 02 11

Fax: \+41 22 919 03 00

INTERNATIONAL STANDARD

IEC 61082-1

Second edition 2006-04



© IEC 2006 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE



CONTENTS

F	OREWO	ORD	13
IN	ITRODI	JCTION	17
1	Scon	ne	19
2		native references	
3		is and definitions	
3			
	3.1	Basic terms	_
	3.2	Terms related to the forms of presentation of information	
	3.3	Terms related to basic document kinds.	27
1	3.4		
4			
	4.1	General considerations	
	4.2	Structure of documentation.	
	4.3	Presentation of information.	
_	4.4	Document identification and designation	
5	Rule	s for presentation of information	
	5.1	Legibility(()	33
	5.2		
	5.3	Colours, shading and patterns	
	5.4	Paper page sizes	37
	5.5	Paper page reproduction	
	5.6	Page identification	-
	5.7	Page layout	
	5.8	Cross-references	
	5.9	Hyperlinks	
	5.10	Line widths	
	5.11	Text fonts	
	5.12		-
		Scales	55
		Pictorial presentation	55
		Quantities, units, values and colour codes	
		Presentation of ranges and set of elements	
		Dimension lines	
		Leader lines and reference lines	
		Explanatory notes and markings	
		Reference designations	
	5.21	•	
		Signal designations	
6	Docu	ıment kinds	65
7	Diag	rams	67
	7.1	General	67
	7.2	Overview diagrams	99
	7.3	Function diagrams	107
	7.4	Circuit diagrams	109
	7.5	Connection diagrams	131

8	Drawings	141
	8.1 General	141
	8.2 Requirements on base documents	141
	8.3 Arrangement drawings	147
9	Tables	155
	9.1 General	155
	9.2 Presentation of reference designations	
	9.3 Connection tables	
10	Charts, graphs	159
	10.1 General	159
	10.2 Function charts	161
	10.3 Sequence charts and time sequence charts	161
11	Structured documentation	163
	11.1 General	
	11.2 Presentation of occurrences of an object type in diagrams	163
	11.3 Referencing	169
10	11.4 Document metadata	173
12	CAX comormance requirements	175
۸		
SVN	nex A (normative) Construction of a symbol for an object which does not have a	177
Anı	nex B (informative) Document management information and title blocks	193
	nex C (informative) Document kind designations and content of information	
/\III	eview	100
Dih	oliography	200
טוט		209
	andards.iteh.a (2) /stancyrds/ec/76ed5f5-d177-4280-911a-d8c813ac11f9/iec-61	
	ure 1 – Documents generated from information stored in a database	
	ure 2 – Documents prepared and stored in a database	
	ure 3 – Viewing directions of a document	
	ure 4 Examples of a documents with document and page identifications	
	ure 5 – Example of documents with multiple document identifiers	
	ure 6 – Examples of pages with defined identification areas	41
	ure 7 – Example of a reference grid (Page A3 landscape, module size 2,5 mm, erence grid 16 M)	45
	ure 8 – Examples of the application of cross references	
_	ure 9 – Example of the use of symbols for fibre optics	
_	· · · · · · · · · · · · · · · · · · ·	
•	ure 10 – Example of replacing a symbol with a general symbol	
	ure 11 – Example of enlarging a symbol	
_	ure 12 – Turning and/or mirroring of symbol S00055 of IEC 60617	
_	ure 13 – Terminators of dimension lines (from ISO 129)	
Fig	ure 14 – Examples of leader lines (from ISO 128-22)	59

Figure 15 – Example of the use of leader lines to connecting lines	59
Figure 16 – Example of an explanatory note	61
Figure 17 – Presentation of reference designations of a reference designation set	63
Figure 18 – The common initial portion of reference designations	63
Figure 19 – Examples of cable core designations	65
Figure 20 – Example of functional grouping and signal flow directions; a control system	67
Figure 21 – Example of symbols and different location of connections	69
Figure 22 – Simplified presentation	69
Figure 23 – Simplified presentation of parallel connected identical objects	71
Figure 24 – Simplified presentation of serial connected identical objects	71
Figure 25 – Example for technical data associated with a symbol	73
Figure 26 – Example of technical data shown inside a symbol	73
Figure 27 – Symbols representing joining of connecting lines	73
Figure 28 – Symbol representing the interconnection of crossing connecting lines	73
Figure 29 – Examples of the joining of connecting lines	75
Figure 30 – Example of the joining of connecting lines with indication of where the physical wire goes	75
Figure 31 – Example of the joining of connecting lines where the connecting lines represent bundles of wires	75
Figure 32 – Example of presentations of mechanical links	77
Figure 33 – Example for avoiding bends and cross-overs	77
Figure 34 – Spacing of lines	79
Figure 35 – Examples for technical data associated with connecting lines	79
Figure 36 – Presentation of bundles	81
Figure 37 – Indication of sequence within bundles	
Figure 38 – Illustration of the terms "states" and "levels"	83
Figure 39 – Detait of a circuit diagram using positive logic convention	85
Figure 40 – Detail of a circuit diagram using direct logic polarity convention	85
Figure 41 - Boundary frame with a reference to another document	87
Figure 42 - Location of reference designations at a symbol	87
Figure 43 – Examples of reference designations associated with connecting lines	89
Figure 44 – Presentation of reference designations at a boundary frame	89
Figure 45 – Presentation of reference designations including different aspect	91
Figure 46 – Presentation of reference designation sets at a boundary frame	91
Figure 47 – Presentation of reference designation	93
Figure 48 – Presentation of reference designations excluded from concatenation	93
Figure 49 – Examples for the presentation of terminal designations	95
Figure 50 – Examples of signal designations associated with connecting lines	95

F	igure 51 – Examples of reference and signal designations ass. with connecting lines	97
F	igure 52 – Presentation of signal designations	97
F	igure 53 – Example for a multi-phase circuit	99
	igure 54 – Overview diagram for a material handling plant (Example taken from EC 61346-1)	101
	igure 55 – Overview diagram for one conveyer belt function (Example taken from EC 61346-1)	103
	igure 56 – Overview diagram process plant	
	igure 57 – Overview diagram of an electrical plant	
	igure 58 – Signal flow in a function diagram	
F	igure 59 – Example of an equivalent-circuit diagram	107
F	igure 60 – Minimized use of logic negations	109
F	igure 61 – Lining-up of symbols	. 111
F	igure 62 – Grouping of symbols for functionally related components	111
F	igure 63 – Attached presentation of symbols	
F	igure 64 – Detached presentation of symbols	. 115
F	igure 65 – Example of the use of inset tables	117
F	igure 66 – Example of presentation of internal connection	. 119
F	igure 67 – Repeated presentation of a symbol for a quadrupte multiplexer	. 119
F	igure 68 – Simplified repeated presentation of a symbol for a quadruple multiplexer	121
F	igure 69 – Symbol of a switch supplemented with a graph	123
F	igure 70 – Examples of pilot switch	123
F	igure 71 – Symbol of a pilot switch supplemented with a note	123
F	igure 72 – Orientation of contact symbols	125
https://	igure 73 – Representation of a.c. supply circuits	. 125
F	igure 74 – Representation of d.c. supply circuits	127
F	igure 75 – Examples of use of logic polarity indication	. 127
F	igure 76 – Examples of mismatched polarity indications	. 127
F	igure 77 – Example of a split presentation of a symbol	. 129
F	igure 78 – Example of a connection diagram	133
F	igure 79 – Example of presentation of termination of a multi-core cable	135
F	igure 80 – Example of cable connections	137
F	igure 81 – Example of connection diagram for a sub-rack	139
F	igure 82 – Example of simplified presentation of a connection diagram	. 141
F	igure 83 – Example of the use of a base document	145
F	igure 84 – Presentation of technical data	147
F	igure 85 – Examples of the use of symbols for indication mounting methods	. 149
F	igure 86 – An arrangement drawing the mounting panel of a cubicle	. 151
F	igure 87 – An arrangement drawing of an industrial plant	. 153
F	igure 88 – Example setting the common initial portion in the table header	. 155
_	igure 80 _ Evample omitting the common initial portion on successive lines	155

Fig	gure 90 – Example of a terminal-oriented connection table	. 157
Fig	gure 91 – Example of a connection table with remote end designations	. 159
Fig	gure 92 – Example of a connection-oriented connection table	. 159
Fig	gure 93 – Example of a time sequence chart	. 161
Fig	gure 94 – Example of an instance diagram of a motor starter	. 165
Fig	gure 95 – A symbol for a motor starter	. 165
	gure 96 – Example of a table describing the relations between external terminals of a otor starter to the internal terminals of its components	. 167
Fig	gure 97 – A symbol for the motor starter, for single-line presentations	. 167
Fiç mo	gure 98 – Example of a table describing the relations between external terminals of a otor starter to the internal terminals of its components	. 169
Fiç	otor starter to the internal terminals of its components	. 171
	gure 100 – Direct referencing	
Fig	gure A.1 – The general symbols for an object in IEC 60617 DB	. 177
Fig	gure A.2 – Miniature circuit-breaker shown with the symbol for a circuit-breaker	. 179
	gure A.3 – Miniature circuit-breaker shown with the general symbol for a switch ralified with the symbol for automatic tripping	. 179
qu	gure A.4 – Miniature circuit-breaker shown with the symbol for a circuit-breaker ralified with the symbol for automatic tripping	. 181
	gure A.5 – Miniature circuit-breaker shown with the general symbol for a switch alified with the symbols for thermal and electromagnetic effects	. 181
	gure A.6 – Miniature circuit-breaker shown with the symbol for a circuit-breaker lalified with the symbol for thermal and electromagnetic effects	. 181
	gure A.7 – Symbol for a miniature circuit breaker with an RCD, version 1	
Fig	gure A.8 – Symbol fo <mark>r a miniature circuit-breaker</mark> with an RCD, version 2	. 183
-	gure A.9 – Symbol for a miniature circuit-breaker with an RCD, version 3	
https://Fig	gure A.10 – Example of a symbol for an RCD	.185
	gure A.11 – Example of a symbol for an RCM	
	gure A.12 – Symbols for a PLC	
Fig	gure A.13 – A circuit diagram with a symbol of a PLC	. 191
Fig	gure B.1 – Example of the arrangement of information in a title block	. 195
	gure B.2 – Example of a filled-in title block	
Fiç	gure B.3 – Examples of locations of identification areas and possible title blocks	. 197
	able 1 – Possible distributed logic connections	
	able B.1 – Metadata element names	
	able C.1 – Recommended document kind designations	
Ta	able C.2 – Current document kind designations and replacements	. 205

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PREPARATION OF DOCUMENTS USED IN ELECTROTECHNOLOGY

Part 1: Rules

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for interpational use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC of its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61082-1 has been prepared by IEC technical committee 3: Information structures, documentation and graphical symbols.

FDIS	Report on voting
3/771/FDIS	3/798/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.


This second edition is a consolidated version of IEC 61082 Parts 1 to 4 and cancels and replaces the first editions of them published correspondingly in 1991, 1993, 1996. This second edition constitutes technical revisions.

Compared to the first editions, the following substantial changes have been made:

- the scope of IEC 61082 has been gradually shifted from the rules of preparation of documents to the rules of presentation of information in documents;
- the information is split in a way to establish general rules that are valid for the preparation of all document kinds, to more specific rules for specific document kinds;
- terminology has been improved in a way that terms related to document kinds are clearly differentiated from those related to forms of presentations;
- the publication is focusing on rules that support the legibility of a document and not on the process of developing the document;
- examples in the publication are shown only to that extent necessary for the understanding
 of the concepts described. The use of comprehensive examples and diagrams are limited
 as such examples do not illustrate rules more efficiently than small sketches.


This publication has been drafted in accordance with the ISO/IEC Directives, Part 2

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be



INTRODUCTION

IEC 61082 deals with the presentation of information in documents. Part of this information is described in other International Standards. The following illustration provides an overview on the interrelation between some of these standards.



Examples in this part are intended to illustrate a given rule and are not necessarily representative of complete documents.

PREPARATION OF DOCUMENTS USED IN ELECTROTECHNOLOGY

Part 1: Rules

1 Scope

This part of IEC 61082 provides general rules and guidelines for the presentation of information in documents, and specific rules for diagrams, drawings and tables used in electrotechnology

Excluded from this standard are rules and guidelines for all kind of audio or video presentations.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amenuments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60375:2003, Conventions concerning electric and magnetic circuits

IEC 60757:1983, Code for designation of solours

IEC 60617-DB: 2001, Graphical symbols for diagrams

https://IEC 60848:2002, GRAFCET specification language for sequential function charts/lec-61082-1-2006

IEC 61175:2005, Industrial systems, installations and equipment and industrial products-Designation of signals

IEC 61286:2001, Information technology – Coded graphic character set for use in the preparation of documents used in electrotechnology and for information interchange

IEC 61293:1994, Marking of electrical equipment with ratings related to electrical supply – Safety requirements

IEC 61346-1:1996, Industrial systems, installations and equipment and industrial products – Structuring principles and reference designations – Part 1: Basic rules

IEC 61355:1997, Classification and designation of documents for plants, systems and equipment

IEC 61666:1997, Industrial systems, installations and equipment and industrial products – Identification of terminals within a system

IEC 61804-1:2003, Function blocks (FB) for process and control – Part 1: Overview of system aspects

IEC 61804-2:2004, Function blocks (FB) for process and control – Part 2: Specification of FB concept and Electronic Device Description Language (EDDL)

IEC 62023:2000, Structuring of technical information and documentation

IEC 62027:2000, Preparation of parts lists

IEC 62079:2001, Preparation of instructions – Structuring, content and presentation

IEC 81714-2:1998, Design of graphical symbols for use in the technical documentation of products – Part 2: Specification for graphical symbols in a computer-sensible form including graphical symbols for a reference library, and requirements for their interchange

IEC 82045-1:2001, Document management – Part 1: Principles and methods

IEC 82045-2:2004, Document management – Part 2: Metadata elements and information reference model

ISO 31 (all parts), Quantities and units 1

ISO 128-22:1999, Technical drawings – General principles of presentation – Part 22: Basic conventions and applications for leader lines and reference lines

ISO 128-30:2001, Technical drawings – General principles of presentation – Part 30: Basic conventions for views

ISO 2594:1972, Building drawings - Projection methods

ISO 3098-5:1997, Technical product documentation - Lettering - Part 5: CAD- lettering of the Latin alphabet, numerals and marks

ISO 5807:1985, Information processing - Documentation symbols and conventions for data, program and system flowsharts, program network charts and system resources charts

ISO 5455:1979, Technical drawings - Scales

ISO 5456-2:1996, Technical drawings – Projection methods – Part 2: Orthographic representations

ISO 5457:1999, Technical product documentation – Sizes and layout of technical drawing sheets

ISO 10209-1:1992, Technical product ducumentation – Vocabulary – Part 1: Terms relating to technical drawings: general and types of drawings

ISO 10628:1997, Flow diagrams for process plants – General rules

ISO 14617 (all parts), Graphical symbols for diagrams

ISO 81714-1:1999, Design of graphical symbols for use in the technical documentation of products – Part 1: Basic rules

¹ Published as a compilation in ISO Standards Handbook, Quantities and units.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE 1 In the definitions, terms that are defined elsewhere within this clause are shown in italics.

NOTE 2 Annex C provides more information on different document kinds.

3.1 Basic terms

3.1.1

data medium

material on which data can be recorded and from which data can be retrieved

[ISO/IEC 2382-1, definition 01.01.51]

3.1.2

document

fixed and structured amount of information intended for human perception that can be managed and interchanged as a unit between users and systems

NOTE 1 The term document is not restricted to its meaning in a Jegal sense.

NOTE 2 A document can be designated in accordance with the type of information and the form of presentation, for example overview diagram, connection table, function chart.

[ISO/IEC 8613-1, definition 3.58 modified]

3.1.3

document kind

type of *document* defined with respect to its specified content of information and form of presentation.

[IEC 61355, definition 3.5]

3.1.4

documentation

collection of documents related to a given subject

[IEC 62023, definition 3.2.2]

NOTE This may include technical, commercial and/or other documents.

3.1.5

database

collection of data organized according to a conceptual structure describing the characteristics of the data and the relationships among their corresponding entities, supporting one or more application areas

[ISO/IEC 2382-1, definition 01.08.05]

3.1.6

hyperlink

active link from one place in a presentation to another place in the same presentation or in another presentation

NOTE 1 A hyperlink is only active when the presentation of the document is managed by a computer.

NOTE 2 The hyperlink implies that a user can activate the link in order to get to the other point.