

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-89: Particular requirements for commercial refrigerating appliances
with an incorporated or remote refrigerant unit or compressor**

IEC 60335-2-89:2010

<https://standards.iteh.ai/catalog/standards/iec/ead93bbd-ca01-40e5-aca6-fa0179277510/iec-60335-2-89-2010>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

<https://standards.iteh.ai/catalog/standards/iec/ea0936bd-ca01-40e5-aca6-fa0179277510/iec-60335-2-89-2010>

<https://standards.iteh.ai/catalog/standards/iec/ea0936bd-ca01-40e5-aca6-fa0179277510/iec-60335-2-89-2010>



IEC 60335-2-89

Edition 2.2 2015-05
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-89: Particular requirements for commercial refrigerating appliances
with an incorporated or remote refrigerant unit or compressor**

Document Preview

IEC 60335-2-89:2010

<https://standards.iteh.ai/catalog/standards/iec/ead93bbd-ca01-40e5-aca6-fa0179277510/iec-60335-2-89-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 97.130.20

ISBN 978-2-8322-2693-3

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



**Household and similar electrical appliances – Safety –
Part 2-89: Particular requirements for commercial refrigerating appliances
with an incorporated or remote refrigerant unit or compressor**

Document Preview

[IEC 60335-2-89:2010](#)

<https://standards.iteh.ai/catalog/standards/iec/ead93bbd-ca01-40e5-aca6-fa0179277510/iec-60335-2-89-2010>

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by subcommittee 61C: Safety of refrigeration appliances for household and commercial use, of technical committee 61: Safety of household and similar electrical appliances

The text of this interpretation sheet is based on the following documents:

ISH	Report on voting
61C/562/ISH	61C/571/RVISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

SC 61C interpretation sheet on: Pressure relief devices used in transcritical refrigeration systems

Introduction

Requirements for refrigeration systems that use transcritical refrigerants such as CO₂ (R 744) were introduced into the standard in 2010; however at the time few manufacturers saw transcritical refrigerants as a future progression. It is only recently that commercial refrigerating appliances using such systems are being developed and as a result some clarification of the standard is required due to practicalities of technology being applied.

There is a requirement in 22.103 that appliances employing a **transcritical refrigeration system** shall include a **pressure relief device** in the high pressure side of the refrigeration system. The intent of this device is to prevent the pressure of the system exceeding the **design pressure** should a malfunction occur, such as a failure of the gas cooler fan motor.

A pressure test is carried out on the system with the **pressure relief device** rendered inoperative to ensure that the high side of the system and components can withstand at least 3 times the **design pressure** or as a minimum the high side pressure specified in IEC 60335-2-34, which in the case of R 744 (CO₂) is 420 bar (42 MPa).

The **pressure relief device** is defined in 3.111 as a “pressure sensing device intended to reduce pressure automatically when pressures within the refrigeration system exceed the setting pressure of the device”.

As per the text of 22.103 the operating pressure of the pressure relief device shall be no higher than the **design pressure** of the high pressure side. The component test parameters for several different types of **pressure relief device** such as mechanical, electrical and those of the burst disc type are listed in the addition of 24.1.4.

Questions

On the basis that the **pressure relief device** can maintain the **design pressure** by either venting refrigerant from the refrigeration system or by automatically shutting down the pressure generating element (the compressor),

- 1) How to apply the second paragraph of 22.103 where the pressure is controlled by automatically shutting down the pressure generating element (the compressor).
- 2) Subclause 24.101 specifies requirements to ensure that the discharge capacity of the pressure relief device is adequate and which can be verified by calculation or by a test. In the case of an electrical pressure relief device that automatically shuts down the compressor instead of externally venting refrigerant is this clause relevant?

Relevant text from IEC 60335-2-89:

The second paragraph of 22.103 states in regard to the mounting of the pressure relief device: "*The **pressure relief device** shall be mounted so that the refrigerant released from the system cannot cause any harm to the user of the appliance. The aperture shall be located so that it is unlikely to be obstructed in normal use.*"

Subclause 24.101 states:

24.101 The discharge capacity of the **pressure relief device** shall be such that it is able to release an adequate amount of refrigerant so that the pressure during the release of the refrigerant does not increase beyond the pressure setting of the **pressure relief device**, even if the compressor is operating.

Compliance is checked by validation of the manufacturer's calculations or by an appropriate test.

ANSWERS

- 1) The second paragraph of 22.103 is not relevant where the pressure is controlled by automatically shutting down the pressure generating element (the compressor) since the pressure is not controlled by releasing refrigerant from the system.
- 2) Subclause 24.101 is not relevant to a pressure relief device that senses pressure and shuts down the compressor automatically if the system high side pressure exceeds the high side design pressure since such a device does not have a discharge capacity.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 General requirement.....	11
5 General conditions for the tests.....	11
6 Classification.....	12
7 Marking and instructions.....	13
8 Protection against access to live parts.....	16
9 Starting of motor-operated appliances.....	16
10 Power input and current.....	16
11 Heating.....	17
12 Void.....	19
13 Leakage current and electric strength at operating temperature.....	19
14 Transient overvoltages.....	19
15 Moisture resistance.....	19
16 Leakage current and electric strength.....	20
17 Overload protection of transformers and associated circuits.....	20
18 Endurance.....	20
19 Abnormal operation.....	20
20 Stability and mechanical hazards.....	22
21 Mechanical strength.....	23
22 Construction.....	23
23 Internal wiring.....	33
24 Components.....	33
25 Supply connection and external flexible cords.....	34
26 Terminals for external conductors.....	35
27 Provision for earthing.....	35
28 Screws and connections.....	35
29 Clearances, creepage distances and solid insulation.....	35
30 Resistance to heat and fire.....	36
31 Resistance to rusting.....	36
32 Radiation, toxicity and similar hazards.....	36
Annexes.....	39
Annex C (normative) Ageing test on motors.....	39
Annex D (normative) Thermal motor protectors.....	39
Annex P (informative) Guidance for the application of this standard to appliances used in warm damp equable climates.....	39
Annex AA (normative) Locked-rotor test of fan motors.....	40

Annex BB (normative) Non-sparking “n” electrical apparatus.....	42
Bibliography.....	44
Figure 101 – Apparatus for spillage test.....	37
Figure 102 – Scratching tool tip details	38
Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor	41
Table 101 – Maximum temperatures for motor-compressors	18
Table 102 – Refrigerant flammability parameters	31

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-89: Particular requirements for commercial refrigerating appliances
with an incorporated or remote refrigerant unit or compressor**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60335-2-89 edition 2.2 contains the second edition (2010-02) [documents 61C/208/FDIS and 61C/211/RVD], its amendment 1 (2012-07) [documents 61C/507/FDIS and 61C/510/RVD] and its amendment 2 (2015-05) [documents 61C/598/FDIS and 61C/604/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions and deletions are displayed in red, with deletions being struck through. A separate Final version with all changes accepted is available in this publication.

This part of International Standard IEC 60335 has been prepared by subcommittee 61C: Household appliances for refrigeration, of IEC technical committee 61: Safety of household and similar electrical appliances.

The principal changes in this edition as compared with the first edition of IEC 60335-2-89 are as follows (minor changes are not listed):

- aligns the text with IEC 60335-1, and its Amendments 1 and 2;
- introduces requirements for appliances using transcritical refrigerant systems (3.107, 3.108, 3.109, 3.110, 3.111, 7.1, 7.6, 7.12.1, 22.103, 24.1.4, 24.102)
- introduces an enhanced flexing test (23.3)

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard. Safety requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor.

Where a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. Where this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 22.101: E12 and E17 lamp holders are checked as specified for E14 and B15 lamp holders. E26 lamp holder is checked as specified for E27 and B22 lamp holders (Japan).
- 22.109: For unsealed glass tube heaters, the temperature requirements are different (Japan).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the interpretation sheet of July 2014 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 60335-2-89:2010

<https://standards.iteh.ai/catalog/standards/iec/ea393obd-ca01-40e5-aca6-fa0179277510/iec-60335-2-89-2010>

WITHDRAWN

INTRODUCTION

It has been assumed in the drafting of this International standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-89: Particular requirements for commercial refrigerating appliances with an incorporated or remote refrigerant unit or compressor

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard specifies safety requirements for electrically operated commercial refrigerating appliances that have an incorporated compressor or that are supplied in two units for assembly as a single appliance in accordance with the manufacturer's instructions (split system).

NOTE 101 Examples of appliances that are within the scope of this standard are

- refrigerated display and storage cabinets;
- refrigerated trolley cabinets;
- service counters and self-service counters;
- blast chillers and blast freezers.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

It does not cover those features of construction and operation of refrigerating appliances which are dealt with in ISO standards.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by national authorities.

NOTE 103 This standard does not apply to

- domestic refrigerating appliances (IEC 60335-2-24)
- industrial refrigerating systems;
- motor-compressors (IEC 60335-2-34);
- commercial dispensing appliances and vending machines (IEC 60335-2-75);
- commercial ice-cream appliances;
- commercial ice makers;
- cold temperature rooms;
- multiple refrigerated chambers with a remote compressor.

NOTE 104 Appliances with a charge of more than 150 g of **flammable refrigerant** in each separate refrigerant circuit are not covered by this standard. For appliances with a charge greater than 150 g of **flammable refrigerant** in each refrigerant circuit and for the installation, ISO 5149-1 may be applied. Consequently, such appliances cannot be assessed for safety using this part 2.

2 Normative references

This clause of Part 1 is applicable except as follows:

Addition: