

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**High-voltage switchgear and controlgear –  
Part 100: Alternating-current circuit-breakers**

**Appareillage à haute tension –  
Partie 100: Disjoncteurs à courant alternatif**

IEC 62271-100:2008

<https://standards.iteh.ai/Catalogue/standards/iec/iec3756a0-fa3b-464a-89f6-60076020cd1b/iec-62271-100-2008>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2012 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.  
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.  
Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### Useful links:

IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente. un corrigendum ou amendement peut avoir été publié.

#### Liens utiles:

Recherche de publications CEI - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**High-voltage switchgear and controlgear –  
Part 100: Alternating-current circuit-breakers**

**Appareillage à haute tension –  
Partie 100: Disjoncteurs à courant alternatif**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.130.10

ISBN 978-2-8322-0403-0

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



4.108	Inductive load switching .....	67
4.109	Rated time quantities .....	67
4.109.1	Rated break-time .....	68
4.110	Number of mechanical operations .....	70
4.111	Classification of circuit-breakers as a function of electrical endurance .....	70
5	Design and construction .....	70
5.1	Requirements for liquids in circuit-breakers .....	70
5.2	Requirements for gases in circuit-breakers .....	70
5.3	Earthing of circuit-breakers .....	70
5.4	Auxiliary equipment .....	70
5.5	Dependent power closing .....	71
5.6	Stored energy closing .....	71
5.7	Independent manual operation .....	71
5.8	Operation of releases .....	72
5.8.101	Over-current release .....	72
5.8.101.1	Operating current .....	72
5.8.101.2	Operating time .....	72
5.8.101.3	Resetting current .....	72
5.8.102	Multiple releases .....	72
5.8.103	Operation limits of releases .....	72
5.8.104	Power consumption of releases .....	72
5.8.105	Integrated relays for self-tripping circuit-breakers .....	73
5.9	Low- and high-pressure interlocking devices .....	73
5.10	Nameplates .....	73
5.11	Interlocking devices .....	75
5.12	Position indication .....	75
5.13	Degrees of protection by enclosures .....	75
5.14	Creepage distances .....	75
5.15	Gas and vacuum tightness .....	75
5.16	Liquid tightness .....	75
5.17	Fire hazard (flammability) .....	75
5.18	Electromagnetic compatibility .....	75
5.19	X-ray emission .....	76
5.20	Corrosion .....	76
5.101	Requirements for simultaneity of poles during single closing and single opening operations .....	76
5.102	General requirement for operation .....	76
5.103	Pressure limits of fluids for operation .....	76
5.104	Vent outlets .....	77
6	Type tests .....	77
6.1	General .....	79
6.1.1	Grouping of tests .....	79
6.1.2	Information for identification of specimens .....	79
6.1.3	Information to be included in type test reports .....	79
6.1.101	Invalid tests .....	79
6.2	Dielectric tests .....	80
6.2.1	Ambient air conditions during tests .....	80
6.2.2	Wet test procedure .....	80
6.2.3	Condition of circuit-breaker during dielectric tests .....	80

6.2.4	Criteria to pass the test.....	80
6.2.5	Application of test voltage and test conditions.....	80
6.2.6	Tests of circuit-breakers of $U_T \leq 245$ kV .....	81
6.2.7	Tests of circuit-breakers of $U_T > 245$ kV .....	81
6.2.8	Artificial pollution tests.....	82
6.2.9	Partial discharge tests .....	82
6.2.10	Tests on auxiliary and control circuits .....	82
6.2.11	Voltage test as a condition check.....	82
6.3	Radio interference voltage (r.i.v.) tests .....	85
6.4	Measurement of the resistance of the main circuit .....	85
6.5	Temperature-rise tests.....	85
6.5.1	Conditions of the circuit-breaker to be tested .....	85
6.5.2	Arrangement of the equipment.....	85
6.5.3	Measurement of the temperature and the temperature rise .....	85
6.5.4	Ambient air temperature .....	85
6.5.5	Temperature-rise tests of the auxiliary and control equipment.....	85
6.5.6	Interpretation of the temperature-rise tests .....	85
6.6	Short-time withstand current and peak withstand current tests.....	85
6.6.1	Arrangement of the circuit-breaker and of the test circuit .....	86
6.6.2	Test current and duration.....	86
6.6.3	Behaviour of the circuit-breaker during test.....	86
6.6.4	Conditions of the circuit-breaker after test .....	86
6.7	Verification of the degree of protection .....	86
6.7.1	Verification of the IP coding .....	86
6.7.2	Mechanical impact test .....	86
6.8	Tightness tests .....	86
6.9	Electromagnetic compatibility (EMC) tests .....	87
6.9.3.1	Ripple on d.c. input power port immunity test.....	87
6.9.3.2	Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests .....	87
6.10	Additional tests on auxiliary and control circuits.....	87
6.10.1	General .....	87
6.10.2	Functional tests .....	87
6.10.3	Electrical continuity of earthed metallic parts test .....	87
6.10.4	Verification of the operational characteristics of auxiliary contacts .....	87
6.10.5	Environmental tests .....	87
6.101	Mechanical and environmental tests .....	88
6.101.1	Miscellaneous provisions for mechanical and environmental tests .....	88
6.101.1.1	Mechanical characteristics.....	88
6.101.1.2	Component tests.....	88
6.101.1.3	Characteristics and settings of the circuit-breaker to be recorded before and after the tests .....	89
6.101.1.4	Condition of the circuit-breaker during and after the tests .....	89
6.101.1.5	Condition of the auxiliary and control equipment during and after the tests .....	90
6.101.2	Mechanical operation test at ambient air temperature .....	90
6.101.2.1	General .....	90
6.101.2.2	Condition of the circuit-breaker before the test.....	90
6.101.2.3	Description of the test on class M1 circuit-breakers .....	91

6.101.2.4	Extended mechanical endurance tests on class M2 circuit-breakers for special service requirements .....	91
6.101.2.5	Acceptance criteria for the mechanical operation tests.....	92
6.101.3	Low and high temperature tests .....	92
6.101.3.1	General .....	92
6.101.3.2	Measurement of ambient air temperature .....	93
6.101.3.3	Low temperature test .....	93
6.101.3.4	High-temperature test .....	95
6.101.4	Humidity test.....	96
6.101.4.1	General .....	96
6.101.4.2	Test procedure .....	96
6.101.5	Test to prove the operation under severe ice conditions .....	97
6.101.6	Static terminal load test .....	97
6.101.6.1	General .....	97
6.101.6.2	Tests .....	98
6.102	Miscellaneous provisions for making and breaking tests .....	99
6.102.1	General .....	99
6.102.2	Number of test specimens .....	100
6.102.3	Arrangement of circuit-breaker for tests .....	101
6.102.3.1	General .....	101
6.102.3.2	Common enclosure type .....	102
6.102.3.3	Multi-enclosure type .....	102
6.102.3.4	Self-tripping circuit-breakers .....	102
6.102.4	General considerations concerning testing methods .....	102
6.102.4.1	Single-phase testing of a single pole of a three-pole circuit-breaker .....	102
6.102.4.2	Unit testing .....	103
6.102.4.2.1	Identical nature of the units .....	105
6.102.4.2.2	Voltage distribution.....	105
6.102.4.2.3	Requirements for unit testing .....	106
6.102.4.3	Multi-part testing.....	106
6.102.5	Synthetic tests .....	106
6.102.6	No-load operations before tests .....	107
6.102.7	Alternative operating mechanisms .....	107
6.102.8	Behaviour of circuit-breaker during tests .....	108
6.102.9	Condition of circuit-breaker after tests .....	108
6.102.9.1	General .....	108
6.102.9.2	Condition after a short-circuit test-duty .....	109
6.102.9.3	Condition after a short-circuit test series.....	109
6.102.9.4	Condition after a capacitive current switching test series .....	110
6.102.9.5	Reconditioning after a short-circuit test-duty and other test series.....	111
6.102.10	Demonstration of arcing times .....	111
6.102.10.1	Three-phase tests .....	111
6.102.10.1.1	Test-duty T10, T30, T60, T100s, T100s(b), OP1 and OP2 .....	111
6.102.10.1.2	Test-duty T100a .....	112
6.102.10.2	Single-phase tests in substitution for three-phase conditions.....	113
6.102.10.2.1	Non-effectively earthed neutral systems .....	113
6.102.10.2.1.1	Test-duties T10, T30, T60, T100s and T100s(b), OP1 and OP2 .....	113
6.102.10.2.1.2	Test-duty T100a .....	114

6.102.10.2.2	Effectively earthed neutral systems including short-line fault tests .....	125
6.102.10.2.2.1	Test-duties T10, T30, T60, T100s and T100s(b), OP1 and OP2, L <sub>90</sub> , L <sub>75</sub> and L <sub>60</sub> .....	125
6.102.10.2.2.2	Test-duty T100a .....	125
6.102.10.2.3	Modified procedure in cases where the circuit-breaker failed to interrupt during a test with a medium arcing time .....	125
6.102.10.2.3.1	Breaking test with symmetrical current .....	125
6.102.10.2.3.2	Breaking test with asymmetrical current .....	126
6.102.10.2.4	Tests combining the conditions for effectively and non-effectively earthed neutral systems .....	126
6.102.10.2.5	Splitting of test-duties in test series taking into account the associated TRV for each pole-to-clear .....	126
6.103	Test circuits for short-circuit making and breaking tests .....	127
6.103.1	Power factor .....	127
6.103.2	Frequency .....	127
6.103.3	Earthing of test circuit .....	127
6.103.4	Connection of test circuit to circuit-breaker .....	129
6.104	Short-circuit test quantities .....	129
6.104.1	Applied voltage before short-circuit making tests .....	129
6.104.2	Short-circuit making current .....	129
6.104.2.1	General .....	129
6.104.2.2	Test procedure .....	130
6.104.2.2.1	Three-phase tests .....	130
6.104.2.2.2	Single-phase tests .....	130
6.104.3	Short-circuit breaking current .....	131
6.104.4	DC component of short-circuit breaking current .....	131
6.104.5	Transient recovery voltage (TRV) for short-circuit breaking tests .....	132
6.104.5.1	General .....	132
6.104.5.2	Test-duties T100s and T100a .....	137
6.104.5.3	Test duty T60 .....	138
6.104.5.4	Test duty T30 .....	138
6.104.5.5	Test duty T10 .....	138
6.104.5.6	Test-duties OP1 and OP2 .....	139
6.104.6	Measurement of transient recovery voltage during test .....	139
6.104.7	Power frequency recovery voltage .....	147
6.105	Short-circuit test procedure .....	147
6.105.1	Time interval between tests .....	147
6.105.2	Application of auxiliary power to the opening release – Breaking tests .....	148
6.105.3	Application of auxiliary power to the opening release – Make-break tests .....	148
6.105.4	Latching on short-circuit .....	148
6.106	Basic short-circuit test-duties .....	149
6.106.1	Test-duty T10 .....	149
6.106.2	Test-duty T30 .....	149
6.106.3	Test-duty T60 .....	149
6.106.4	Test-duty T100s .....	149
6.106.4.1	Time constant of the d.c. component of the test circuit equal to the specified value .....	150



6.106.4.2	Time constant of the d.c. component of the test circuit less than the specified value .....	150
6.106.4.3	Time constant of the d.c. component of the test circuit greater than the specified value .....	151
6.106.4.4	Significant decay of the a.c. component of the test circuit .....	151
6.106.5	Test-duty T100a .....	153
6.106.6	Asymmetry criteria .....	153
6.106.6.1	Three-phase tests .....	154
6.106.6.1.1	Test current amplitude and last current loop duration .....	154
6.106.6.1.2	Percentage of d.c. component at current zero .....	154
6.106.6.2	Single-phase tests .....	155
6.106.6.2.1	Test current amplitude and last current loop duration .....	155
6.106.6.2.2	Percentage of the d.c. component at current zero .....	155
6.106.6.3	Adjustment measures .....	155
6.107	Critical current tests .....	156
6.107.1	Applicability .....	156
6.107.2	Test current .....	156
6.107.3	Critical current test-duty .....	156
6.108	Single-phase and double-earth fault tests .....	156
6.108.1	Applicability .....	156
6.108.2	Test current and recovery voltage .....	157
6.108.3	Test-duty .....	157
6.109	Short-line fault tests .....	158
6.109.1	Applicability .....	158
6.109.2	Test current .....	158
6.109.3	Test circuit .....	159
6.109.4	Test-duties .....	161
6.109.5	Short-line fault tests with a test supply of limited power .....	162
6.110	Out-of-phase making and breaking tests .....	162
6.110.1	Test circuit .....	162
6.110.2	Test voltage .....	163
6.110.3	Test-duties .....	163
6.111	Capacitive current switching tests .....	164
6.111.1	Applicability .....	164
6.111.2	General .....	164
6.111.3	Characteristics of supply circuits .....	165
6.111.4	Earthing of the supply circuit .....	165
6.111.5	Characteristics of the capacitive circuit to be switched .....	166
6.111.5.1	Line-charging and cable-charging current switching tests .....	166
6.111.5.2	Capacitor bank current switching tests .....	167
6.111.6	Waveform of the current .....	167
6.111.7	Test voltage .....	167
6.111.8	Test current .....	168
6.111.9	Test-duties .....	168
6.111.9.1	Test conditions for class C2 circuit-breakers .....	169
6.111.9.1.1	Class C2 test-duties .....	169
6.111.9.1.2	Three-phase line-charging and cable-charging current switching tests .....	171
6.111.9.1.3	Single-phase line-charging and cable-charging current switching tests .....	172

6.111.9.1.4	Three-phase capacitor bank (single or back-to-back) current switching tests .....	172
6.111.9.1.5	Single-phase capacitor bank (single or back-to-back) current switching tests .....	173
6.111.9.2	Test conditions for class C1 circuit-breakers.....	173
6.111.9.2.1	Class C1 test-duties .....	173
6.111.9.2.2	Single-phase and three-phase capacitive current switching tests.....	175
6.111.9.3	Test conditions corresponding to breaking in the presence of earth faults .....	176
6.111.10	Tests with specified TRV .....	176
6.111.11	Criteria to pass the test.....	177
6.111.11.1	General.....	177
6.111.11.2	Class C2 circuit-breaker.....	177
6.111.11.3	Class C1 circuit-breaker.....	178
6.111.11.4	Criteria for reclassification of a circuit-breaker tested to the class C2 requirements as a class C1 circuit-breaker.....	178
6.112	Special requirements for making and breaking tests on class E2 circuit-breakers .....	178
6.112.1	Class E2 circuit-breakers intended for use without auto-reclosing duty.....	178
6.112.2	Class E2 circuit-breakers intended for auto-reclosing duty.....	179
7	Routine tests .....	180
7.1	Dielectric test on the main circuit .....	180
7.2	Tests on auxiliary and control circuits .....	180
7.3	Measurement of the resistance of the main circuit .....	180
7.4	Tightness test.....	180
7.5	Design and visual checks .....	180
7.101	Mechanical operating tests .....	181
8	Guidance to the selection of circuit-breakers for service .....	182
8.101	General .....	182
8.102	Selection of rated values for service conditions .....	184
8.102.1	Selection of rated voltage .....	184
8.102.2	Insulation coordination.....	184
8.102.3	Rated frequency .....	185
8.102.4	Selection of rated normal current.....	185
8.102.5	Local atmospheric and climatic conditions .....	185
8.102.6	Use at high altitudes .....	186
8.103	Selection of rated values for fault conditions.....	186
8.103.1	Selection of rated short-circuit breaking current.....	186
8.103.2	Selection of transient recovery voltage (TRV) for terminal faults, first-pole-to-clear factor and characteristics for short-line faults.....	188
8.103.3	Selection of out-of-phase characteristics .....	189
8.103.4	Selection of rated short-circuit making current .....	190
8.103.5	Operating sequence in service.....	190
8.103.6	Selection of rated duration of short-circuit.....	191
8.103.7	Faults in the presence of current limiting reactors .....	191
8.104	Selection for electrical endurance in networks of rated voltage above 1 kV and up to and including 52 kV.....	192
8.105	Selection for capacitive current switching .....	192
9	Information to be given with enquiries, tenders and orders .....	192

9.101	Information to be given with enquiries and orders .....	192
9.102	Information to be given with tenders .....	193
10	Rules for transport, storage, installation, operation and maintenance .....	195
10.1	Conditions during transport, storage and installation.....	195
10.2	Installation.....	195
10.2.101	Commissioning tests.....	195
10.2.102	Commissioning checks and test programme .....	196
10.2.102.1	Checks after installation .....	196
10.2.102.1.1	General checks .....	196
10.2.102.1.2	Checks of electrical circuits .....	196
10.2.102.1.3	Checks of the insulation and/or extinguishing fluid(s) .....	196
10.2.102.1.4	Checks on operating fluid(s), where filled or added to on site .....	197
10.2.102.1.5	Site operations .....	197
10.2.102.2	Mechanical tests and measurements .....	197
10.2.102.2.1	Measurements of the characteristic insulating and/or interrupting fluid pressures (where applicable) .....	197
10.2.102.2.1.1	General .....	197
10.2.102.2.1.2	Measurements to be taken.....	197
10.2.102.2.2	Measurements of characteristic operating fluid pressures (if applicable) .....	197
10.2.102.2.2.1	General .....	197
10.2.102.2.2.2	Measurements to be taken.....	198
10.2.102.2.3	Measurement of consumption during operations (if applicable).....	198
10.2.102.2.4	Verification of the rated operating sequence.....	198
10.2.102.2.5	Measurement of time quantities .....	199
10.2.102.2.5.1	Characteristic time quantities of the circuit-breaker.....	199
10.2.102.2.6	Record of mechanical travel characteristics .....	200
10.2.102.2.7	Checks of certain specific operations .....	200
10.2.102.2.7.1	Auto-reclosing at the minimum functional pressure for operation (if applicable).....	200
10.2.102.2.7.2	Closing at the minimum functional pressure for operation (if applicable) .....	200
10.2.102.2.7.3	Opening at the minimum functional pressure for operation (if applicable) .....	200
10.2.102.2.7.4	Simulation of fault-making operation and check of anti-pumping device .....	200
10.2.102.2.7.5	Behaviour of the circuit-breaker on a closing command while an opening command is already present.....	201
10.2.102.2.7.6	Application of an opening command on both releases simultaneously (if applicable) .....	201
10.2.102.3	Electrical tests and measurements .....	201
10.2.102.3.1	Dielectric tests.....	201
10.2.102.3.2	Measurement of the resistance of the main circuit .....	201
10.3	Operation .....	201
10.4	Maintenance .....	201
11	Safety.....	202
12	Influence of the product on the environment .....	202
Annex A (normative) Calculation of transient recovery voltages for short-line faults from rated characteristics .....		260

A.1 Basic approach.....	260
A.2 Transient voltage on line side.....	262
A.3 Transient voltage on source side.....	262
A.3.1 Rated voltages of 100 kV and above.....	262
A.3.2 Rated voltages equal and higher than 15 kV and below 100 kV.....	264
A.4 Examples of calculations.....	264
A.4.1 Source side and line side with time delay ( $L_{90}$ and $L_{75}$ for 245 kV, 50 kA, 50 Hz).....	265
A.4.2 Source side with ITRV, line side with time delay ( $L_{90}$ for 245 kV, 50 kA, 50 Hz).....	266
A.4.3 Source side with time delay, line side without time delay ( $L_{90}$ for 245 kV, 50 kA, 50 Hz) – Calculation carried out using a simplified method.....	266
Annex B (normative) Tolerances on test quantities during type tests.....	270
Annex C (normative) Records and reports of type tests.....	281
C.1 Information and results to be recorded.....	281
C.2 Information to be included in type test reports.....	281
C.2.1 General.....	281
C.2.2 Apparatus tested.....	281
C.2.3 Rated characteristics of circuit-breaker, including its operating devices and auxiliary equipment.....	281
C.2.4 Test conditions (for each series of tests).....	282
C.2.5 Short-circuit making and breaking tests.....	282
C.2.6 Short-time withstand current test.....	283
C.2.7 No-load operation.....	283
C.2.8 Out-of-phase making and breaking tests.....	283
C.2.9 Capacitive current switching tests.....	283
C.2.10 Oscillographic and other records.....	284
Annex D (normative) Determination of short-circuit power factor.....	285
D.1 Method I – Calculation from d.c. component.....	285
D.1.1 Equation for the d.c. component.....	285
D.1.2 Phase angle $\varphi$ .....	285
D.2 Method II – Determination with pilot generator.....	285
Annex E (normative) Method of drawing the envelope of the prospective transient recovery voltage of a circuit and determining the representative parameters.....	287
E.1 Introduction.....	287
E.2 Drawing the envelope.....	287
E.3 Determination of parameters.....	288
Annex F (normative) Methods of determining prospective transient recovery voltage waves.....	291
F.1 Introduction.....	291
F.2 General summary of the recommended methods.....	292
F.3 Detailed consideration of the recommended methods.....	293
F.3.1 Group 1 – Direct short-circuit breaking.....	293
F.3.2 Group 2 – Power-frequency current injection.....	294
F.3.3 Group 3 – Capacitor current injection.....	295
F.3.4 Groups 2 and 3 – Methods of calibration.....	295
F.3.5 Group 4 – Model networks.....	296
F.3.6 Group 5 – Calculation from circuit parameters.....	297

F.3.7	Group 6 – No-load switching of test circuits including transformers.....	297
F.3.8	Group 7 – Combination of different methods.....	297
F.4	Comparison of methods.....	297
Annex G (normative)	Rationale behind introduction of circuit-breakers class E2 .....	307
Annex H (informative)	Inrush currents of single and back-to-back capacitor banks.....	308
H.1	General .....	308
H.2	Example 1 – One capacitor to be switched in parallel (see Figure H.1) .....	309
H.2.1	Description of the capacitor banks to be switched.....	309
H.2.2	Calculation without any limitation device.....	309
H.2.3	Calculation of limitation devices.....	309
H.3	Example 2 – Two capacitors to be switched in parallel (see Figure H.2) .....	310
H.3.1	Description of the capacitor banks to be switched.....	310
H.3.2	Calculation without any limitation device.....	310
H.3.3	Calculation of limitation devices.....	311
Annex I (informative)	Explanatory notes.....	313
I.1	General .....	313
I.2	Explanatory note regarding the d.c. time constant of the rated short-circuit breaking current (4.101.2) – Advice for the choice of the appropriate time constant.....	313
I.2.1	Advice for the choice of the appropriate time constant .....	313
I.2.2	DC component during T100a testing .....	313
I.3	Explanatory note regarding capacitive current switching tests (6.111) .....	315
I.3.1	Restrike performance .....	315
I.3.2	Test programme .....	315
I.3.3	Referring to Table 9.....	315
I.3.4	Referring to 6.111.1.....	315
I.3.5	Referring to 6.111.3.....	315
I.3.6	Referring to 6.111.5.....	316
I.3.7	Referring to 6.111.9.1.1.....	316
I.3.8	Referring to 6.111.9.1.1 and 6.111.9.2.1.....	316
I.3.9	Referring to 6.111.9.1.2 and 6.111.9.1.3.....	316
I.3.10	Referring to 6.111.9.1.2 to 6.111.9.1.5 .....	316
I.3.11	Referring to 6.111.9.1.4 and 6.111.9.1.5.....	317
I.3.12	Referring to 6.111.9.2.....	317
Annex J (informative)	Test current and line length tolerances for short-line fault testing.....	318
Annex K (informative)	List of symbols and abbreviations used in this standard .....	320
Annex L (informative)	Explanatory notes on the revision of TRVs for circuit-breakers of rated voltages higher than 1 kV and less than 100 kV .....	327
L.1	General .....	327
L.2	Terminal fault .....	327
L.2.1	TRV for circuit-breakers in line systems.....	327
L.2.2	Time delay.....	328
L.2.3	Amplitude factor for T100s and T100a .....	328
L.2.4	Amplitude factor for T60, T30 and T10.....	328
L.3	Short-line fault.....	329
L.4	Out-of-phase .....	329
L.5	Series reactor fault .....	329
L.6	TRV for last clearing poles / Tests circuit topology .....	330

Annex M (normative) Requirements for breaking of transformer-limited faults by circuit-breakers with rated voltage higher than 1 kV <del>and less than 100 kV</del> .....	331
<b>M.1 General .....</b>	<b>331</b>
<b>M.2 Circuit-breakers with rated voltage less than 100 kV.....</b>	<b>332</b>
<b>M.3 Circuit-breakers with rated voltage from 100 kV to 800 kV .....</b>	<b>334</b>
<b>M.4 Circuit-breakers with rated voltage higher than 800 kV .....</b>	<b>334</b>
Annex N (normative) Use of mechanical characteristics and related requirements .....	336
Annex O (informative) Guidance for short-circuit and switching test procedures for metal-enclosed and dead tank circuit-breakers .....	338
O.1 Introduction .....	338
O.2 General .....	338
O.2.1 Special features of metal-enclosed circuit-breakers with respect to making and breaking tests .....	338
O.2.2 Reduced number of units for testing purposes .....	338
O.2.3 General description of special features and possible interactions .....	339
O.3 Tests for single pole in one enclosure .....	340
O.3.1 Short-circuit making and breaking tests .....	340
O.3.2 Short-line fault tests .....	342
O.3.3 Capacitive current switching tests.....	342
O.3.4 Out-of-phase switching .....	344
O.4 Tests for three poles in one enclosure.....	345
O.4.1 Terminal fault tests .....	345
O.4.2 Short-line fault tests .....	347
O.4.3 Capacitive current switching tests.....	347
O.4.4 Out-of-phase switching test .....	347
Annex P (normative) Calculation of the TRV parameters during asymmetrical fault condition (T100a).....	350
Annex Q (informative) Examples for the application of the asymmetry criteria during asymmetrical test duty T100a .....	355
Q.1 Three-phase testing of a circuit-breaker with a rated d.c. time constant of the rated short-circuit breaking current constant longer than the test circuit time constant.....	355
Q.2 Single phase testing of a circuit-breaker with a rated d.c. time constant of the rated short-circuit breaking current shorter than the test circuit time constant.....	357
Q.3 Single-phase testing of a circuit-breaker with a rated d.c. time constant of the rated short-circuit breaking current longer than the test circuit time constant .....	358
<b>Annex R (normative) Requirements for circuit-breakers with opening resistors .....</b>	<b>363</b>
<b>R.1 General .....</b>	<b>363</b>
<b>R.2 Switching performance to be verified .....</b>	<b>363</b>
<b>R.2.1 General .....</b>	<b>363</b>
<b>R.2.2 Tests of the main interrupter .....</b>	<b>364</b>
<b>R.2.3 Tests on the resistor interrupter .....</b>	<b>373</b>
<b>R.2.4 Tests of the resistor stack.....</b>	<b>375</b>
<b>R.3 Insertion time of the resistor .....</b>	<b>376</b>
<b>R.4 Current carrying performance .....</b>	<b>376</b>
<b>R.5 Dielectric performance.....</b>	<b>376</b>
<b>R.6 Mechanical performance.....</b>	<b>376</b>
<b>R.7 Requirements for the specification of opening resistors .....</b>	<b>376</b>