

SLOVENSKI STANDARD
SIST EN 60297-5-101:2002
01-september-2002

Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 5-101: Subracks and associated plug-in units - Injector/extractor handle (IEC 60297-5-101:2001)

Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series -- Part 5-101: Subracks and associated plug-in units - Injector/extractor handle

Bauweisen für elektronische Einrichtungen - Maße der 482,6-mm-(19-in-)Bauweise -- Teil 5-101: Baugruppenträger und zugehörige Baugruppen - Steck- und Ziehhebel

Structures mécaniques pour équipement électronique - Dimensions des structures mécaniques de la série de 482,6 mm (19 in) -- Partie 5-101: Bacs et blocs enfichables associés - Poignée d'injecteur/d'extracteur

Ta slovenski standard je istoveten z: EN 60297-5-101:2001

ICS:

31.240	Mehanske konstrukcije za elektronsko opremo	Mechanical structures for electronic equipment
--------	---	--

SIST EN 60297-5-101:2002 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60297-5-101:2002](#)

<https://standards.iteh.ai/catalog/standards/sist/1a0e8487-96d0-40c2-b1dc-a299b29fb822/sist-en-60297-5-101-2002>

EUROPEAN STANDARD

EN 60297-5-101

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2001

ICS 31.240

English version

**Mechanical structures for electronic equipment -
Dimensions of mechanical structures of the 482,6 mm (19 in) series -
Part 5-101: Subracks and associated plug-in units -
Injector/extractor handle
(IEC 60297-5-101:2001)**

Structures mécaniques pour équipement
électronique -
Dimensions des structures mécaniques
de la série de 482,6 mm (19 in)
Partie 5-101: Bacs et blocs enfichables
associés - Poignée d'injecteur/d'extracteur
(CEI 60297-5-101:2001)

Bauweisen für elektronische
Einrichtungen -
Maße der 482,6-mm-(19-in-)Bauweise
Teil 5-101: Baugruppenträger und
zugehörige Baugruppen -
Steck- und Ziehhebel
(IEC 60297-5-101:2001)

This European Standard was approved by CENELEC on 2001-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 48D/239/FDIS, future edition 1 of IEC 60297-5-101, prepared by SC 48D, Mechanical structures for electronic equipment, of IEC TC 48, Electromechanical components and mechanical structures for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60297-5-101 on 2001-03-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2001-12-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2004-03-01

Annexes designated "normative" are part of the body of the standard.
In this standard, annex ZA is normative.
Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60297-5-101:2001 was approved by CENELEC as a European Standard without any modification.

[SIST EN 60297-5-101:2002](https://standards.iteh.ai/catalog/standards/sist/1a0e8487-96d0-40c2-b1dc-a299b29fb822/sist-en-60297-5-101-2002)
<https://standards.iteh.ai/catalog/standards/sist/1a0e8487-96d0-40c2-b1dc-a299b29fb822/sist-en-60297-5-101-2002>

CONTENTS

	Page
INTRODUCTION	4
Clause	
1 Scope and object	5
2 Normative references	5
3 Definitions	6
4 Extended features added to IEC 60297-3 and IEC 60297-4	6
5 General equipment arrangement	7
6 Subrack and printed board type plug-in unit dimensions for an injector/extractor handle	8
6.1 Plug-in unit injector/extractor handle subrack dimensions	8
6.2 Plug-in unit injector/extractor handle subrack inspection dimensions	10
6.3 Plug-in unit injector/extractor handle board type plug-in unit dimensions	11
Figure 1 – General equipment arrangement – Typical 6U subrack front and/or rear mounted plug-in units featured with injector/extractor handles	7
Figure 2 – Subrack front and/or rear mounted plug-in unit injector / extractor subrack detail	8
Figure 3 – Detail X and detail Y of figure 2	9
Figure 4 – Plug-in unit injector/extractor handle subrack inspection dimensions	10
Figure 5 – Plug-in unit injector/extractor handle	11
Table 1 – Plug-in unit injector/extractor handle subrack inspection dimensions	10
Annex ZA (normative) Normative references to international publications with their corresponding European publications	12

INTRODUCTION

This part of IEC 60297 is based on IEC 60297-3 (1984), its Amendment 1 (1992), and IEC 60297-4 (1995). It contains detail dimensions which ensure dimensional interchangeability of subracks and plug-in units requiring plug-in unit injector/extractors.

This standard applies only to the mechanical structures for electronic equipment practices according to the IEC 60297 series.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60297-5-101:2002](https://standards.iteh.ai/catalog/standards/sist/1a0e8487-96d0-40c2-b1dc-a299b29fb822/sist-en-60297-5-101-2002)

<https://standards.iteh.ai/catalog/standards/sist/1a0e8487-96d0-40c2-b1dc-a299b29fb822/sist-en-60297-5-101-2002>

MECHANICAL STRUCTURES FOR ELECTRONIC EQUIPMENT – DIMENSIONS OF MECHANICAL STRUCTURES OF THE 482,6 mm (19 in) SERIES –

Part 5-101: Subracks and associated plug-in units – Injector/extractor handle

1 Scope and object

This part of IEC 60297 covers the extended features of a plug-in unit injector/extractor handle added to subracks and plug-in units with front panels according to IEC 60297-3, IEC 60297-4 and IEC 60297-5-107. By implementing this extended feature to the subrack and plug-in units, a new subrack and plug-in unit type (incompatible with IEC 60297-3 and IEC 60297-4) is created.

The purpose of this standard is to specify dimensions which will ensure dimensional interchangeability of subracks and associated plug-in units using the extended features of a plug-in unit injector/extractor handle added to IEC 60297-3, IEC 60297-4 and IEC 60297-5-107. For mechanical and climatic tests refer to IEC 61587-1.

2 Normative references

STANDARD PREVIEW
(standards.iteh.ai)

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 60297. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 60297 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60297-3, *Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3: Subracks and associated plug-in units*

IEC 60297-4, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 4: Subracks and associated plug-in units – Additional dimensions*¹

IEC 60297-5-100, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 5-100: Subracks and associated plug-in units – Design overview*

IEC 60297-5-107, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 5-107: Subracks and associated plug-in units – Rear mounted plug-in units*

IEC 60917-1, *Modular order for the development of mechanical structures for electronic equipment practices – Part 1: Generic standard*

IEC 61587-1, *Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 – Part 1: Climatic, mechanical tests and safety aspects for cabinets, racks, subracks and chassis*

¹ There is a consolidated edition 1.1 (1999) that includes IEC 60297-4 (1995) and its amendment 1 (1999).

3 Definitions

For the purpose of this part of IEC 60297, the definitions of IEC 60917-1 apply.


4 Extended features added to IEC 60297-3 and IEC 60297-4

This standard gives dimensions only where they differ from or supplement those to be found in IEC 60297-3 and 60297-4. The dimensions used in this standard shall take precedence over those of IEC publications 60297-3 and 60297-4 when conformance to this standard is claimed. Dimensions shown in brackets are for reference only and are found in the stated standards.

The drawings in this standard are not intended to indicate product design.


Extended feature	Basic standards	Extended standards	Environmental standard
Injector/extractor handle	IEC 60297-3 IEC 60297-4	IEC 60297-5-101 IEC 60297-5-107	IEC 61587-1

Injector/extractor handle for IEC 60297-3 and IEC 60297-4



5 General equipment arrangement

Generally these are subracks featuring front and/or rear subrack mounted plug-in units with injector/extractor handles.



IEC 2815/2000

**Figure 1 – General equipment arrangement –
Typical 6U subrack front and/or rear mounted plug-in units
featured with injector/extractor handles**