

SLOVENSKI STANDARD
SIST EN 60317-0-5:2001/A2:2001
01-september-2001

Proposal for a designation of particular types of winding wires

Specifications for particular types of winding wires -- Part 0-5: General requirements - Glass-fibre braided resin or varnish impregnated, bare or enamelled rectangular copper wire

Technische Lieferbedingungen für bestimmte Typen von Wickeldrähten -- Teil 0-5: Allgemeine Anforderungen - Flachdrähte aus Kupfer, blank oder lackisoliert, umspinnen mit Glasgewebe, imprägniert mit Harz oder Lack

Spécifications pour types particuliers de fils de bobinage -- Partie 0-5: Prescriptions générales - Fil de section rectangulaire en cuivre nu ou émaillé recouvert d'une tresse de fibres de verre imprégnées de résine ou de vernis

Ta slovenski standard je istoveten z: EN 60317-0-5:1994/A2:2000

ICS:

29.060.10 Žice Wires

SIST EN 60317-0-5:2001/A2:2001 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60317-0-5:2001/A2:2001

<https://standards.iteh.ai/catalog/standards/sist/d45d40d5-ad99-4844-969a-a3f505bf6efa/sist-en-60317-0-5-2001-a2-2001>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60317-0-5/A2

February 2000

ICS 29.060.10

English version

**Specifications for particular types of winding wires
Part 0-5: General requirements - Glass-fibre braided resin or
varnish impregnated, bare or enamelled rectangular copper wire
(IEC 60317-0-5:1992/A2:1999)**

Spécifications pour types particuliers
de fils de bobinage
Partie 0-5: Prescriptions générales
Fil de section rectangulaire en cuivre
nu ou émaillé recouvert d'une tresse
de fibres de verre imprégnées de
résine ou de vernis
(CEI 60317-0-5:1992/A2:1999)

Technische Lieferbedingungen für
bestimmte Typen von Wickeldrähten
Teil 0-5: Allgemeine Anforderungen
Flachdrähte aus Kupfer, blank oder
lackisoliert, umspinnen mit
Glasgewebe, imprägniert mit Harz
oder Lack
(IEC 60317-0-5:1992/A2:1999)

[SIST EN 60317-0-5:2001/A2:2001](https://standards.iteh.ai/catalog/standards/sist/d45d40d5-ad99-4844-969a-a3f505bf6ef4/sist-en-60317-0-5-2001-a2-2001)

<https://standards.iteh.ai/catalog/standards/sist/d45d40d5-ad99-4844-969a-a3f505bf6ef4/sist-en-60317-0-5-2001-a2-2001>

This amendment A2 modifies the European Standard EN 60317-0-5:1994; it was approved by CENELEC on 2000-01-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 55/692/FDIS, future amendment 2 to IEC 60317-0-5, prepared by IEC TC 55, Winding wires, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A2 to EN 60317-0-5:1998 on 2000-01-01.

The following dates were fixed:

- latest date by which the amendment has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2000-10-01
- latest date by which the national standards conflicting
with the amendment have to be withdrawn (dow) 2003-01-01

Endorsement notice

The text of amendment 2:1999 to the International Standard IEC 60317-0-5:1997 was approved by CENELEC as an amendment to the European Standard without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60317-0-5:2001/A2:2001
<https://standards.iteh.ai/catalog/standards/sist/d45d40d5-ad99-4844-969a-a3f505bf6efa/sist-en-60317-0-5-2001-a2-2001>

**NORME
INTERNATIONALE
INTERNATIONAL
STANDARD**

**CEI
IEC**

60317-0-5

1992

AMENDEMENT 2
AMENDMENT 2
1999-10

Amendement 2

**Spécifications pour types particuliers de fils
de bobinage –**

Partie 0-5:

Prescriptions générales –

Fil de section rectangulaire en cuivre

ou en cuivre émaillé, tressé de fibres de verre

[SIST EN 60317-0-5:2001/A2:2001](https://standards.sist-en-60317-0-5-2001-a2-2001)

<https://standards.sist-en-60317-0-5-2001-a2-2001>

Amendment 2

**Specifications for particular types of
winding wires –**

Part 0-5:

General requirements –

Glass-fibre braided, bare or

enamelled rectangular copper wire

© IEC 1999 Droits de reproduction réservés — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembeé Geneva, Switzerland
e-mail: inmail@iec.ch

IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

CODE PRIX
PRICE CODE

B

*Pour prix, voir catalogue en vigueur
For price, see current catalogue*

FOREWORD

This amendment has been prepared by IEC technical committee 55: Winding wires.

The text of this amendment is based on the following documents:

FDIS	Report on voting
55/692/FDIS	55/719/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

Page 9

1 Scope

Add, at the end of the scope, the following new paragraph:

When reference is made to a winding wire according to a standard of the IEC 60317 series mentioned under clause 2, the following information is given in the description:

- reference to IEC specification;
- nominal conductor dimensions in millimetres (width × thickness);
- grade of coating and glass covering.

EXAMPLE: IEC 60317-39 – 4,00 × 2,00 Grade 2G1