

**SLOVENSKI STANDARD  
SIST EN 301 929-2 V1.1.1:2004  
01-oktober-2004**

---

9`Y\_Hfca U[ bYhbUnXfi ý`lj cghifØ A7 Ł]b`nUXYj Yj `nj Yn]`n`fUX]g\_Ja `gdY\_Hfca `fØFAŁ!  
J]gc\_cZjY\_j Yb\_ b]`fU<: ŁcXXUb]\_]`]b`gdfY`Ya b]\_`]`chcVU`bYdcgħU`Y`nU[ `cVU`b]  
dca cfg\_]`bi `bcglb]`]b`j Urbcglb]`g]ghYa `fj A8 GGL]b`Xfi [ c`i dcfUVc`j`a cV]`b]  
dca cfg\_]`għcf]hj ]!`&"XY. <Ufa cb]n]fUb]`Yj fcdg\_]`għUbXU`X`fØBŁj`g\_`UXi`g\_`Ybca  
" "X]fY\_Hj`Yc`fUX]g\_]`]b`h`Y\_ca i b]\_UW]g\_]`h`fa ]bUg\_]`cdfYa`]`fF/ HH9Ł

Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF transmitters and receivers as Coast Stations for GMDSS and other applications in the maritime mobile service; Part 2: Harmonized EN under article 3.2 of the R&TTE Directive

**iTEH STANDARD PREVIEW**

**(standards.iteh.ai)**

[SIST EN 301 929-2 V1.1.1:2004](#)  
<https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>

**Ta slovenski standard je istoveten z: EN 301 929-2 Version 1.1.1**

---

**ICS:**

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

**SIST EN 301 929-2 V1.1.1:2004**

**en**

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 929-2 V1.1.1:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>

# ETSI EN 301 929-2 V1.1.1 (2002-01)

*Candidate Harmonized European Standard (Telecommunications series)*

**Electromagnetic compatibility  
and Radio spectrum Matters (ERM);  
VHF transmitters and receivers as Coast Stations for GMDSS  
and other applications in the maritime mobile service;  
Part 2: Harmonized EN under article 3.2  
of the R&TTE Directive**

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

SIST EN 301 929-2 V1.1.1:2004

<https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>



---

Reference

DEN/ERM-RP01-041-2

---

Keywords

maritime, VHF, radio, GMDSS, regulation

***ETSI***

650 Route des Lucioles  
 F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
 Association à but non lucratif enregistrée à la  
 Sous-Préfecture de Grasse 06 N° 7303/88

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 929-2 V1.1.1:2004](#)  
<https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>

---

***Important notice***

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
 Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:  
[editor@etsi.fr](mailto:editor@etsi.fr)

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
 The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2002.  
 All rights reserved.

---

## Contents

Intellectual Property Rights .....	6
Foreword.....	6
Introduction .....	7
1    Scope .....	9
2    References .....	9
3    Definitions and abbreviations.....	10
3.1    Definitions.....	10
3.2    Abbreviations .....	10
4    Technical requirements specifications .....	10
4.1    Environmental profile.....	10
4.2    Conformance requirements .....	10
4.2.1    Transmitter frequency error .....	10
4.2.1.1    Definition .....	10
4.2.1.2    Limits .....	11
4.2.1.3    Conformance.....	11
4.2.2    Transmitter carrier power .....	11
4.2.2.1    Definition .....	11
4.2.2.2    Limits .....	11
4.2.2.3    Conformance.....	11
4.2.3    Transmitter frequency deviation .....	11
4.2.3.1    Definition .....	11
4.2.3.2    Limits .....	11
4.2.3.3    Conformance .....	11
4.2.4    Transmitter adjacent channel power .....	11
4.2.4.1    Definition.....	11
4.2.4.2    Limits .....	11
4.2.4.3    Conformance .....	11
4.2.5    Transmitter conducted spurious emissions conveyed to the antenna.....	11
4.2.5.1    Definition .....	11
4.2.5.2    Limits .....	12
4.2.5.3    Conformance .....	12
4.2.6    Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna.....	12
4.2.6.1    Definition .....	12
4.2.6.2    Limits .....	12
4.2.6.3    Conformance .....	12
4.2.7    DSC transmitter modulation index .....	12
4.2.7.1    Definition .....	12
4.2.7.2    Limits .....	12
4.2.7.3    Conformance .....	12
4.2.8    Transient frequency behaviour of the transmitter .....	12
4.2.8.1    Definitions.....	12
4.2.8.2    Limits .....	12
4.2.8.3    Conformance .....	12
4.2.9    Intermodulation attenuation .....	13
4.2.9.1    Definitions.....	13
4.2.9.2    Limits .....	13
4.2.9.3    Conformance .....	13
4.2.10    Receiver maximum usable sensitivity .....	13
4.2.10.1    Definition .....	13
4.2.10.2    Limits .....	13
4.2.10.3    Conformance .....	13
4.2.11    Receiver co-channel rejection.....	13

4.2.11.1	Definition .....	13
4.2.11.2	Limits .....	13
4.2.11.3	Conformance .....	13
4.2.12	Receiver adjacent channel selectivity .....	13
4.2.12.1	Definition .....	13
4.2.12.2	Limit.....	13
4.2.12.3	Conformance .....	13
4.2.13	Receiver spurious response .....	14
4.2.13.1	Definition .....	14
4.2.13.2	Limit.....	14
4.2.13.3	Conformance .....	14
4.2.14	Receiver intermodulation response .....	14
4.2.14.1	Definition .....	14
4.2.14.2	Limit.....	14
4.2.14.3	Conformance .....	14
4.2.15	Receiver blocking or desensitization .....	14
4.2.15.1	Definition .....	14
4.2.15.2	Limit.....	14
4.2.15.3	Conformance .....	14
4.2.16	Receiver spurious emissions at the antenna .....	14
4.2.16.1	Definition .....	14
4.2.16.2	Limit.....	14
4.2.16.3	Conformance .....	15
4.2.17	Receiver cabinet radiated spurious emissions .....	15
4.2.17.1	Definition .....	15
4.2.17.2	Limit.....	15
4.2.17.3	Conformance .....	15
4.2.18	DSC receiver maximum usable sensitivity .....	15
4.2.18.1	Definition .....	15
4.2.18.2	Limit.....	15
4.2.18.3	Conformance .....	15
4.2.19	DSC receiver co-channel rejection <small>SIST EN 301 929-2 V1.1.1:2004</small> .....	15
4.2.19.1	Definition <a href="https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-2004">https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-2004</a> .....	15
4.2.19.2	Limit.....	15
4.2.19.3	Conformance .....	15
4.2.20	DSC receiver adjacent channel selectivity .....	15
4.2.20.1	Definition .....	15
4.2.20.2	Limit.....	15
4.2.20.3	Conformance .....	16
4.2.21	Receiver desensitization with simultaneous transmission and reception (duplex operation) .....	16
4.2.21.1	Definition .....	16
4.2.21.2	Limit.....	16
4.2.21.3	Conformance .....	16
5	Testing for compliance with technical requirements .....	16
5.1	Test conditions, power supply and ambient temperatures .....	16
5.2	Interpretation of the measurement results .....	16
5.3	Essential radio test suites .....	17
5.3.1	Transmitter frequency error .....	17
5.3.2	Transmitter carrier power .....	17
5.3.3	Transmitter frequency deviation .....	17
5.3.4	Transmitter adjacent channel power .....	17
5.3.5	Transmitter conducted spurious emissions conveyed to the antenna .....	17
5.3.6	Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna .....	18
5.3.7	DSC transmitter modulation index .....	18
5.3.8	Transient frequency behaviour of the transmitter .....	18
5.3.9	Intermodulation attenuation .....	18
5.4	Other test specifications .....	18
5.4.1	General.....	18
5.4.2	Receiver maximum usable sensitivity .....	18
5.4.3	Receiver co-channel rejection.....	18

5.4.4	Receiver adjacent channel selectivity .....	18
5.4.5	Receiver spurious response .....	18
5.4.6	Receiver intermodulation response .....	18
5.4.7	Receiver blocking or desensitization .....	19
5.4.8	Receiver spurious emissions at the antenna .....	19
5.4.9	Receiver cabinet radiated spurious emissions .....	19
5.4.10	DSC receiver maximum usable sensitivity .....	19
5.4.11	DSC receiver co-channel rejection .....	19
5.4.12	DSC receiver adjacent channel selectivity .....	19
5.4.13	Receiver desensitization with simultaneous transmission and reception (duplex operation) .....	19
<b>Annex A (normative):</b>	<b>The EN Requirements Table (EN-RT) .....</b>	<b>20</b>
<b>Annex B (informative):</b>	<b>The EN title in the official languages .....</b>	<b>22</b>
History .....		23

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 929-2 V1.1.1:2004

<https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive" [1]).

The present document is part 2 of a multi-part deliverable covering VHF transmitters and receivers as Coast Stations for GMDSS and other applications in the maritime mobile service, as identified below:

[SIST EN 301 929-2 V1.1.1:2004](#)

Part 1: "Technical characteristics and methods of measurement"; <http://standards.iteh.ai/doc/standard/167e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>

Part 2: "Harmonized EN under article 3.2 of the R&TTE Directive".

Technical specifications relevant to Directive 1999/5/EC [1] are given in annex A.

<b>National transposition dates</b>	
Date of adoption of this EN:	11 January 2002
Date of latest announcement of this EN (doa):	30 April 2002
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 October 2002
Date of withdrawal of any conflicting National Standard (dow):	31 October 2003

## Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [1]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive

The left hand edge of the figure 1 shows the different clauses of article 3 of the R&TTE Directive [1].

For article 3.3 various horizontal boxes are shown. Dotted lines indicate that at the time of publication of the present document essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum by radio equipment. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1b the diagram shows EN 301 489 [7], the multi-part product EMC standard for radio used under the EMC Directive [2].

For article 3.1a the diagram shows the existing safety standards currently used under the LV Directive [3] and new standards covering human exposure to electromagnetic fields. New standards covering acoustic safety may also be required.

The bottom of the figure shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. A radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement under the R&TTE Directive [1] is adopted by the Commission and if the equipment in question is covered by the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the R&TTE Directive [1] may be covered in a set of standards.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards to be added:
  - under article 3.2 when new frequency bands are agreed; or
  - <https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-000000000000>
  - under article 3.3 should the Commission take the necessary decisions without requiring alteration of standards that are already published;
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

## 1 Scope

The present document applies to the following radio equipment:

- Transmitters, receivers and transceivers fitted with external antenna connectors, used as coast stations, operating in the VHF band of the maritime mobile service as defined in the Radio Regulations, Appendix S18 [5] and utilizing class of emission G3E, and where relevant G2B for DSC signalling.
- This includes:
  - equipment operating under local or remote control;
  - equipment operating on 25 kHz channel spacing;
  - equipment capable of analogue speech, Digital Selective Calling (DSC), or both;
  - equipment operating in Simplex, Semi-Duplex (Half Duplex) and Duplex modes;
  - equipment which may consist of more than one unit;
  - equipment which may be single-channel or multi-channel;
  - equipment operating on shared radio sites;
  - equipment operating in isolation from other radio equipment.

The present document is intended to cover the provisions of Directive 1999/5/EC [1] (R&TTE Directive) article 3.2, which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] will apply to equipment within the scope of the present document.

<https://standards.iteh.ai/catalog/standards/sist/6e1c7e83-c517-49cb-80a8-5643d87b547e/sist-en-301-929-2-v1-1-1-2004>

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org>.

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [2] Directive 89/336/EEC of 3 May 1989 on the approximation of the laws of the Member States relating to electromagnetic compatibility (EMC Directive).
- [3] Directive 73/23/EEC of 19 February 1973 on the harmonization of the laws of Member States relating to electrical equipment designed for use within certain voltage limits (LV Directive).
- [4] ETSI ETR 028 (1994): "Radio Equipment and Systems (RES); Uncertainties in the measurement of mobile radio equipment characteristics".
- [5] ITU Radio Regulations (1998).