

SLOVENSKI STANDARD SIST EN 61121:2001/A11:2002 01-september-2002

Tumble dryers for household use - Methods for measuring the performance			
Tumble dryers for household use - Methods for measuring the performance			
Wschetrockner fr den Hausgebrauch - Verfahren zur Messung der Gebrauchseigenschaften			
Sche-linge tambour usage domestique Mthodes de mesure de l'aptitude la fonction			
(standards.iteh.ai) Ta slovenski standard je istoveten z: EN 61121:1999/A11:2000 SIST EN 61121:2001/A11:2002			
https://standards.itelr.ai/catalog/standards/sist/6e6130bb-9098-4204-86e9- 5e121116c1e0/sist-en-61121-2001-a11-2002			

<u>ICS:</u>

97.060

SIST EN 61121:2001/A11:2002

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61121:2001/A11:2002</u> https://standards.iteh.ai/catalog/standards/sist/6e6130bb-9098-4204-86e9-5e121116c1e0/sist-en-61121-2001-a11-2002

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61121/A11

December 2000

ICS 97.060

English version

Tumble dryers for household use -Methods for measuring the performance

Sèche-linge à tambour à usage domestique -Méthodes de mesure de l'aptitude à la fonction Wäschetrockner für den Hausgebrauch -Verfahren zur Messung der Gebrauchseigenschaften

iTeh STANDARD PREVIEW

This amendment A11 modifies the European Standard EN.61121:1999; it was approved by CENELEC on 2000-08-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat on to any CENELEC member 102

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2000 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

This amendment was prepared according to decisions made by CENELEC TC 59X, Consumer information related to household electrical appliances, at the meeting of 22nd/23rd June 1999. It shall determine unmistakably the drying conditions for non-automatic tumble dryers and for automatic tumble dryers as well.

Taking into account the urgency of this matter due to the Commission's Implementing Directive on energy labelling of household tumble dryers the draft amendment was submitted to the Unique Acceptance Procedure. It was approved by CENELEC as amendment A11 to En 61121:1999 on 2000-08-01.

The following dates were fixed:

-	latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2001-01-01
_	latest date by which the national standards conflicting with the amendment have to be withdrawn	(dow)	2001-01-01

iTeh STANDARD PREVIEW

9.2.1 Drying programmes

(standards.iteh.ai)

Replace the last but one paragraph by:

SIST EN 61121:2001/A11:2002

If μ_f is within the allowable range specified in/table 3; the test cycle is valid and the data can be used for further evaluations. 5e121116c1e0/sist-en-61121-2001-a11-2002

- Non-automatic dryers (time-controlled drying): If μ_f is not within the limits, the data shall not be used for evaluation. Such a test cycle can be considered to be a trial or pre-testing cycle. This has to be stated in the report.
- ii) <u>Automatic dryers (moisture-controlled drying)</u>: If μ_f is below the lower limit of the allowable range specified in table 3, no correction is made.

If μ_f exceeds the upper limits of the allowable range specified in table 3, no correction is allowed. The dryer shall be restarted from the beginning (including cool-down) within two minutes until the moisture comes into the specified range. This has to be stated in the report.