

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Fuel cell technologies –
Part 6-100: Micro fuel cell power systems – Safety

Technologies des piles à combustible –
Partie 6-100: Systèmes à micropiles à combustible – Sécurité

IEC 62282-6-100:2010

<https://standards.iteh.ai/catalog/standards/iec/6f8cfb56-3f4a-4880-b503-3706141d3051/iec-62282-6-100-2010>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 62282-6-100

Edition 1.1 2012-10
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Fuel cell technologies –
Part 6-100: Micro fuel cell power systems – Safety

Technologies des piles à combustible –
Partie 6-100: Systèmes à micropiles à combustible – Sécurité

IEC 62282-6-100:2010

<https://standards.iteh.ai/catalog/standards/iec/618cfb56-34a-4880-b503-3706141d3051/iec-62282-6-100-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.070

ISBN 978-2-8322-0423-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION

VERSION REDLINE




Fuel cell technologies – iTeh Standards
Part 6-100: Micro fuel cell power systems – Safety

(<https://standards.iteh.ai>)

Technologies des piles à combustible –
Partie 6-100: Systèmes à micropiles à combustible – Sécurité

[IEC 62282-6-100:2010](#)

<https://standards.iteh.ai/catalog/standards/iec/6f8cfb56-3f4a-4880-b503-3706141d3051/iec-62282-6-100-2010>



CONTENTS

FOREWORD..... 9

1 Scope..... 12

 1.1 General..... 12

 1.2 Fuels and technologies covered..... 12

 1.3 Equivalent level of safety..... 14

2 Normative references..... 14

3 Terms and definitions..... 15

4 Materials and construction of micro fuel cell power systems, micro fuel cell power units and fuel cartridges..... 19

 4.1 General..... 19

 4.2 FMEA / hazard analysis..... 19

 4.3 General materials..... 19

 4.4 Selection of materials..... 19

 4.5 General construction..... 20

 4.6 Fuel valves..... 20

 4.7 Materials and construction – system..... 21

 4.8 Ignition sources..... 21

 4.9 Enclosures and acceptance strategies..... 22

 4.9.1 Parts requiring a fire enclosure..... 22

 4.9.2 Parts not requiring a fire enclosure..... 22

 4.9.3 Materials for components and other parts outside fire enclosures..... 23

 4.9.4 Materials for components and other parts inside fire enclosures..... 24

 4.9.5 Mechanical enclosures..... 25

 4.10 Protection against fire, explosion, corrosivity and toxicity hazard..... 25

 4.11 Protection against electrical hazards..... 26

 4.12 Fuel supply construction..... 26

 4.12.1 Fuel cartridge construction..... 26

 4.12.2 Fuel cartridge fill requirement..... 27

 4.13 Protection against mechanical hazards..... 27

 4.13.1 Piping and tubing other than fuel lines..... 27

 4.13.2 Exterior surface and component temperature limits..... 27

 4.13.3 Motors..... 28

 4.14 Construction of electric device components..... 29

 4.14.1 Limited power sources..... 29

 4.14.2 Devices that use electronic controllers..... 30

 4.14.3 Electrical conductors/wiring..... 30

 4.14.4 Output terminal area..... 31

 4.14.5 Electric components and attachments..... 31

 4.14.6 Protection..... 31

5 Abnormal operating and fault conditions testing and requirements..... 32

 5.1 General..... 32

 5.2 Compliance testing..... 32

 5.3 Passing criteria..... 33

<https://standards.iteh.ai/catalog/standards/iec/62282-6-100-2010>

5.4	Simulated faults and abnormal conditions for limited power and SELV circuits	33
5.5	Abnormal operation – electromechanical components	33
5.6	Abnormal operation of micro fuel cell power systems or units with integrated batteries	34
5.7	Abnormal operation – simulation of faults based on hazard analysis.....	34
6	Instructions and warnings for micro fuel cell power systems, micro fuel cell power units and fuel cartridges	35
6.1	General	35
6.2	Minimum markings required on the fuel cartridge.....	35
6.3	Minimum markings required on the micro fuel cell power system	35
6.4	Additional information required either on the fuel cartridge or on accompanying written information or on the micro fuel cell power system or micro fuel cell power unit.....	36
6.5	Technical documentation.....	36
7	Type tests for micro fuel cell power systems, micro fuel cell power units and fuel cartridges	37
7.1	General	37
7.2	Leakage measurement of methanol and the measuring procedure.....	38
7.3	Type tests	45
7.3.1	Pressure differential tests	45
7.3.2	Vibration test	47
7.3.3	Temperature cycling test	48
7.3.4	High temperature exposure test.....	49
7.3.5	Drop test	49
7.3.6	Compressive loading test	50
7.3.7	External short-circuit test.....	51
7.3.8	Surface, component and exhaust gas temperature test.....	52
7.3.9	Long-term storage test	52
7.3.10	High-temperature connection test.....	57
7.3.11	Connection cycling tests	57
7.3.12	Emission test.....	60
	Annex A (normative) Formic acid micro fuel cell power systems.....	65
	Annex B (normative) Hydrogen stored in hydrogen absorbing metal alloy and micro fuel cell power systems.....	97
	Annex C (normative) Reformed methanol micro fuel cell power systems	146
	Annex D (normative) Methanol clathrate compound micro fuel cell power systems.....	160
	Annex E (normative) Borohydride micro fuel cell power systems: Class 8 (corrosive) compounds in indirect borohydride fuel cells.....	184
	Annex F (normative) Borohydride micro fuel cell power systems: Class 4.3 (water reactive) compounds in indirect borohydride fuel cells	242
	Annex G (normative) Borohydride micro fuel cell power systems: Class 8 (corrosive) compounds in direct borohydride fuel cells.....	300
	Annex H (normative) Butane solid oxide micro fuel cell power systems	347
	Bibliography.....	386

Figure 1 – Micro fuel cell power system block diagram.....	13
Figure 2 – Fuel cartridge leakage and mass loss test flow chart for pressure differential, vibration, drop, and compressive loading tests.....	39
Figure 3 – Fuel cartridge leakage and mass loss test flow chart for temperature cycling test and high temperature exposure test	40
Figure 4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for pressure differential, vibration, temperature cycling, drop and compressive loading tests.....	41
Figure 5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for external short-circuit test	42
Figure 6 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 68 kPa low external pressure test	43
Figure 7 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 11,6 kPa low external pressure test	44
Figure 8 – Temperature cycling.....	49
Figure 9 – Fuel cartridge leakage and mass loss test flow chart for long-term storage test ..	56
Figure 10 – Operational emission rate testing apparatus.....	61
Figure 11 – Operational emission concentration testing apparatus.....	61
Figure A.1 – Formic acid micro fuel cell power system block diagram – Replaces Figure 1	65
Figure A.2 – Fuel cartridge leakage and mass loss test flow chart for pressure differential, vibration, drop, and compressive loading tests – Replaces Figure 2	71
Figure A.3 – Fuel cartridge leakage and mass loss test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3	72
Figure A.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss flow chart for pressure differential, vibration, temperature cycling test, drop, and compressive loading tests – Replaces Figure 4.....	73
Figure A.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for external short-circuit test – Replaces Figure 5	74
Figure A.6 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 68 kPa low external pressure test – Replaces Figure 6.....	75
Figure A.7 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 11,6 kPa low external pressure test – Replaces Figure 7.....	76
Figure A.9 – Fuel cartridge leakage and mass loss test flow chart for long-term storage test – Replaces Figure 9	83
Figure A.10 – Operational emission rate testing apparatus – Replaces Figure 10	84
Figure A.11 – Operational emission concentration testing apparatus – Replaces Figure 11	85
Figure A.12 – Hydrogen emission test procedure for operating micro fuel cell power system.....	93
Figure B.2 – Fuel cartridge leakage test flow chart for pressure differential, vibration, drop, and compressive loading tests – Replaces Figure 2.....	108
Figure B.3 – Fuel cartridge leakage test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3	109
Figure B.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss flow chart for pressure differential, vibration, temperature cycling, drop, and compressive loading tests – Replaces Figure 4.....	110
Figure B.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for external short-circuit test – Replaces Figure 5	111

Figure B.8 – Temperature cycling – Replaces Figure 8	121
Figure B.9 – Fuel cartridge hydrogen leakage and mass loss test flow chart for long-term storage test – Replaces Figure 9	132
Figure B.10 – Operational emission rate testing apparatus – Replaces Figure 10	138
Figure B.12 – Hydrogen emission test procedure for operating micro fuel cell power system	142
Figure C.1 – General block diagram of a reformed methanol micro fuel cell power system – Replaces Figure 1	146
Figure C.10 – Operational emission rate testing apparatus – Replaces Figure 10	150
Figure C.11 – Operational emission concentration testing apparatus – Replaces Figure 11	151
Figure C.12 – Hydrogen emission test procedure for operating micro fuel cell power system	156
Figure D.1 – Methanol clathrate compound micro fuel cell power system block diagram – Replaces Figure 1	160
Figure D.2 – Fuel cartridge leakage and mass loss test flow chart for pressure differential, vibration, drop, and compressive loading tests – Replaces Figure 2	166
Figure D.3 – Fuel cartridge leakage and mass loss test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3	167
Figure D.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for pressure differential, vibration, temperature cycling, drop and compressive loading tests – Replaces Figure 4	168
Figure D.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for external short-circuit test – Replaces Figure 5	169
Figure D.9 – Fuel cartridge leakage and mass loss test flow chart for long-term storage test – Replaces Figure 9	180
Figure D.12 – Fuel cartridge of methanol clathrate compound	161
Figure D.13 – Usage of methanol clathrate compound with micro fuel cell power unit	161
Figure E.1 – Micro fuel cell power system block diagram for liquid Class 8 (corrosive) borohydride compound fuel with onboard fuel processing – Replaces Figure 1	184
Figure E.2 – Fuel cartridge leakage and hydrogen leakage and test flow chart for vibration, drop, compressive loading – Replaces Figure 2	199
Figure E.3 – Fuel cartridge leakage and mass loss hydrogen leakage test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3	201
Figure E.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for pressure differential, vibration, temperature cycling, drop and compressive loading tests – Replaces Figure 4	203
Figure E.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for external short-circuit test – Replaces Figure 5	205
Figure E.6 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for 68 kPa low external pressure test – Replaces Figure 6	206
Figure E.7 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for 11,6 kPa low external pressure test – Replaces Figure 7	207
Figure E.8 – Temperature cycling – Replaces Figure 8	213
Figure E.9 – Fuel cartridge hydrogen leakage and mass loss test flowchart for long-term storage test – Replaces Figure 9	220

Figure E.10 – Operational emission rate testing apparatus – Replaces Figure 10	230
Figure E.11 – Operational emission concentration testing apparatus – Replaces Figure 11	231
Figure E.12 – Hydrogen emission test procedure for operating micro fuel cell power system – Replaces Figure 12.....	237
Figure E.13 – Micro fuel cell power system block diagram for liquid Class 8 (corrosive) borohydride compound fuel with fuel cartridge fuel processing.....	185
Figure E.14 – Micro fuel cell power system block diagram for solid Class 8 (corrosive) borohydride compound fuel with fuel cartridge fuel processing and cartridge fuel management.....	186
Figure E.15 – Micro fuel cell power system block diagram for solid Class 8 (corrosive) compound fuel with cartridge fuel processing and fuel management internal to the micro fuel cell power unit	187
Figure E.16 – Fuel cartridge leakage test flow chart for low external pressure test.....	239
Figure F.1 – Borohydride micro fuel cell power system block diagram for Class 4.3 (water reactive) compound fuel in indirect borohydride fuel cell system; fuel management in micro fuel cell power unit – Replaces Figure 1	243
Figure F.2 – Fuel cartridge leakage and hydrogen leakage test flow chart for pressure differential, vibration, drop, and compressive loading tests – Replaces Figure 2	257
Figure F.3 – Fuel cartridge leakage and mass loss hydrogen leakage test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3.....	259
Figure F.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for pressure differential, vibration, temperature cycling, drop and compressive loading tests – Replaces Figure 4	261
Figure F.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for external short-circuit test – Replaces Figure 5	263
Figure F.6 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for 68 kPa low external pressure test – Replaces Figure 6.....	264
Figure F.7 – Micro fuel cell power system or micro fuel cell power unit leakage and mass hydrogen gas loss test flow chart for 11,6 kPa low external pressure test – Replaces Figure 7.....	265
Figure F.8 – Temperature cycling – Replaces Figure 8	271
Figure F.9 – Fuel cartridge hydrogen leakage and mass loss test flow chart for long-term storage test – Replaces Figure 9	278
Figure F.10 – Operational emission rate testing apparatus – Replaces Figure 10	288
Figure F.11 – Operational emission concentration testing apparatus – Replaces Figure 11	288
Figure F.12 – Borohydride micro fuel cell power system block diagram for Class 4.3 (water reactive) compound fuel in indirect borohydride fuel cell system; fuel management in fuel cartridge.....	244
Figure F.13 – Hydrogen emission test procedure for operating micro fuel cell power system.....	295
Figure F.14 – Fuel cartridge leakage test flow chart for low external pressure test.....	297
Figure G.1 – Direct borohydride micro fuel cell power system block diagram – Replaces Figure 1.....	300
Figure G.2 – Fuel cartridge leakage test flow chart for pressure differential, vibration, drop, and compressive loading tests – Replaces Figure 2.....	311

Figure G.3 – Fuel cartridge leakage and mass loss test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3	312
Figure G.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss flow chart for pressure differential, vibration, temperature cycling, drop, and compressive loading tests – Replaces Figure 4.....	313
Figure G.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for external short-circuit test – Replaces Figure 5	314
Figure G.6 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 68 kPa low external pressure test – Replaces Figure 6.....	315
Figure G.7 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 11,6 kPa low external pressure test – Replaces Figure 7.....	316
Figure G.8 – Temperature cycling – Replaces Figure 8.....	322
Figure G.9 – Fuel cartridge hydrogen leakage and mass loss test flow chart for long-term storage test – Replaces Figure 9	327
Figure G.10 – Operational emission rate testing apparatus – Replaces Figure 10.....	336
Figure G.11 – Operational emission concentration testing apparatus – Replaces Figure 11	337
Figure G.12 – Hydrogen emission test procedure for operating micro fuel cell power system.....	344
Figure G.13 – Fuel cartridge leakage test flow chart for low external pressure test	317
Figure H.1 – Butane solid oxide micro fuel cell power system block diagram – Replaces Figure 1.....	347
Figure H.2 – Fuel cartridge leakage and mass loss test flow chart for vibration, drop and compressive loading tests – Replaces Figure 2.....	354
Figure H.3 – Fuel cartridge leakage and mass loss test flow chart for temperature cycling test and high temperature exposure test – Replaces Figure 3	355
Figure H.4 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for pressure differential, vibration, temperature cycling, drop and compressive loading tests – Replaces Figure 4.....	356
Figure H.5 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for external short-circuit test – Replaces Figure 5	357
Figure H.6 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 68 kPa low external pressure test – Replaces Figure 6.....	358
Figure H.7 – Micro fuel cell power system or micro fuel cell power unit leakage and mass loss test flow chart for 11,6 kPa low external pressure test – Replaces Figure 7.....	359
Figure H.8 – Temperature cycling – Replaces Figure 8.....	365
Figure H.9 – Fuel cartridge leakage and mass loss test flow chart for long-term storage test – Replaces Figure 9	372
Figure H.10 – Operational emission rate testing apparatus – Replaces Figure 10	377
Figure H.11 – Operational emission concentration testing apparatus	378
Table 1 – Summary of material flammability requirements.....	23
Table 2 – Temperature limits	28
Table 3 – Limits for inherently limited power sources	29
Table 4 – Limits for power sources not inherently limited (Over-current protection required).....	30

Table 5 – List of type tests	37
Table 6 – Laboratory standard conditions	38
Table 7 – Emission limits	64
Table A.5 – List of type tests – Replaces Table 5.....	69
Table A.6 – Laboratory standard conditions – Replaces Table 6	70
Table A.7 – Emission limits – Replaces Table 7	94
Table A.8 – Occupational exposure limits	94
Table B.5 – List of type tests – Replaces Table 5.....	106
Table B.6 – Laboratory standard conditions – Replaces Table 6	107
Table B.7 – Emission limits – Replaces Table 7	143
Table C.5 – List of type tests – Replaces Table 5	149
Table C.6 – Laboratory standard conditions – Replaces Table 6	150
Table C.7 – Emission limits – Replaces Table 7	157
Table C.8 – Occupational exposure limits	157
Table D.5 – List of type tests – Replaces Table 5	164
Table D.6 – Laboratory standard conditions – Replaces Table 6	165
Table E.5 – List of type tests – Replaces table 5.....	195
Table E.6 – Laboratory standard conditions – Replaces Table 6	196
Table E.7 – Emission limits – Replaces Table 7	236
Table F.5 – List of type tests – Replaces Table 5.....	252
Table F.6 – Laboratory standard conditions – Replaces Table 6	253
Table F.7 – Emission limits – Replaces Table 7	294
Table G.5 – List of type tests – Replaces Table 5	308
Table G.6 – Laboratory standard conditions – Replaces Table 6.....	309
Table G.7 – Emission limits – Replaces Table 7	343
Table H.5 – List of type tests – Replaces Table 5	352
Table H.6 – Laboratory standard conditions – Replaces Table 6	353
Table H.7 – Emission Limits – Replaces Table 7.....	381
Table H.8 – Occupational exposure limits	382

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

Part 6-100: Micro fuel cell power systems – Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62282-6-100 edition 1.1 contains the first edition (2010-03) [documents 105/255/FDIS and 105/261/RVD], its amendment 1 (2012-10) [documents 105/402/FDIS and 105/408/RVD] and its corrigendum (2011-12).

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62282-6-100 has been prepared by IEC technical committee 105: Fuel cell technologies

This standard constitutes a technical revision.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

How to use this standard:

The subclauses and clauses of the main body of the text are modified, replaced or applied as they are in each of the annexes, which applies to a different technology. Instructions are written in *Italic type*.

- a) For the methanol, and methanol and water fuels covered by Clauses 1 through 7, all requirements are given in Clauses 1 through 7 and the annexes should not be used for these fuels.
- b) For the specific fuels and technologies covered by Annexes A through H, each annex outlines the additional or modified requirements with respect to the requirements contained in Clauses 1 through 7 for certification of such micro fuel cell power systems, micro fuel cell power units and their respective fuel cartridges covered by the specific annex.
- c) Where possible, the numbering system of the annexes corresponds to the numbering of Clauses 1 through 7 and their subclauses. Requirements from Clauses 1 through 7 and their subclauses not specifically addressed in an annex apply to the fuels and technologies covered by that particular annex as written in Clauses 1 through 7.
- d) Where an annex gives specific subclause direction – preceded by the annex letter designator – those specific subclauses in the annex reflect the additional or modified requirements for the fuels and technologies covered by the particular annex and shall be followed for that annex. Any additional subclauses have been assigned new numbers and shall be followed.
- e) Modified or replacement figures or tables have been given modified table or figure designators – based on the figure or table number in Clauses 1 through 7 preceded by the annex letter designator. New figures or tables in the annexes have been given new figure or table designators and shall also be used.

A list of all parts of the IEC 62282 series, under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.