



SLOVENSKI STANDARD

SIST-TS TS 102 812 V1.1.1:2005

01-november-2005

8 [[]HJbUj]XYcfUX]cX]Z n]UfB J6 L'É`D`Uz`fa UnUj Y dfYXghUj b]`Xca `fA < Dž
gdYWZ_UMU%%

Digital Video Broadcasting (DVB); Multimedia Home Platform (MHP) Specification 1.1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS TS 102 812 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/c00651ef-83ac-4886-9c9d-4dc4db076862/sist-ts-ts-102-812-v1-1-1-2005)

Ta slovenski standard je istoveten z: **TS 102 812 Version 1.1.1**

ICS:

33.170

Televizijska in radijska
difuzija

Television and radio
broadcasting

SIST-TS TS 102 812 V1.1.1:2005

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS TS 102 812 V1.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/c00651ef-83ac-4886-9c9d-4dc4dbc76862/sist-ts-ts-102-812-v1-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/c00651ef-83ac-4886-9c9d-4dc4dbc76862/sist-ts-ts-102-812-v1-1-1-2005>

ETSI TS 102 812 V1.1.1 (2001-11)

Technical Specification

Digital Video Broadcasting (DVB); Multimedia Home Platform (MHP) Specification 1.1

European Broadcasting Union Union Européenne de Radio-Télévision



<https://standards.iteh.ai/catalog/standards/sist/c00651ef-83ac-4886-9c9d-4dc4dbc76862/sist-ts-ts-102-812-v1-1-1-2005>



Reference

DTS/JTC-DVB-115

Keywordsbroadcasting, data, digital, DVB, MPEG,
terrestrial, TV, video**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistré à
Sous-Préfecture de Grasse (06) N° 780388

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST-TS TS 102 812 V1.1.1:2005<https://standards.iteh.ai/catalog/standards/sist/c00651ef-83ac-4886-9c9d-4dc4dbc76862/sist-ts-ts-102-812-v1-1-1-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute, EBU 2001.
All rights reserved.

Contents

Intellectual Property Rights	34
Foreword	34
0 Introduction	34
0.1 Purpose	34
0.2 Application Areas	35
0.3 Profiles	35
1 Scope	36
2 References	36
3 Definitions and abbreviations	42
3.1 Definitions	42
3.2 Abbreviations	45
4 Conventions	47
5 Basic Architecture	48
5.1 Context	48
5.2 Architecture	49
5.2.1 Resources	49
5.2.2 System software	49
5.2.2.1 Application Manager	49
5.2.3 Application	49
5.3 Interfaces Between an MHP Application and the MHP System	51
5.4 Plug-ins	52
5.4.1 Security Model	53
6 Transport Protocols	54
6.1 Introduction	54
6.2 Broadcast Channel Protocols	54
6.2.1 MPEG-2 Transport Stream	55
6.2.2 MPEG-2 Sections	55
6.2.3 DSM-CC Private Data	55
6.2.4 DSM-CC Data Carousel	55
6.2.5 DSM-CC User-to-User Object Carousel	55
6.2.5.1 DVB-J class files	55
6.2.5.2 DVB-HTML document files	55
6.2.5.3 Loss of Carousel Behaviour	56
6.2.6 DVB Multiprotocol Encapsulation	56
6.2.7 Internet Protocol (IP)	56
6.2.8 User Datagram Protocol (UDP)	56
6.2.9 DVB Service Information	56
6.3 Interaction Channel Protocols	57
6.3.1 Network Dependent Protocols	57
6.3.2 Internet Protocol (IP)	57
6.3.3 Transmission Control Protocol (TCP)	57
6.3.4 UNO-RPC	57
6.3.5 UNO-CDR	57
6.3.6 DCM-CC User to User	57
6.3.7 Hypertext Transfer Protocol (HTTP)	58
6.3.7.1 HTTP 1.1	58
6.3.7.2 MHP profile of HTTP 1.0	58
6.3.7.2.1 HTTP 1.0 persistent connections	58
6.3.7.2.2 The Keep-Alive Header	58
6.3.7.2.3 MHP and proxies	58
6.3.7.2.4 Version compatibility	58
6.3.7.3 HTTPS	59

6.3.8	Service Specific	59
6.3.9	User Datagram Protocol (UDP)	59
6.4	Transport protocols for application loading over the interaction channel	60
6.4.1	File system implemented only via the interaction channel	60
6.4.1.1	File system logical structure	60
6.4.1.2	File transfer	61
6.4.1.3	Class encoding	61
6.4.1.4	Directory listing in this file system	61
6.4.2	Hybrid between broadcast stream and interaction channel	62
6.4.2.1	File transfer	62
6.4.2.1.1	Broadcast file delivery	62
6.4.2.1.2	Interaction channel delivery	62
6.4.2.1.3	HTTPProfileBody	62
6.4.2.2	Class encoding	63
7	Content formats	64
7.1	Static formats	64
7.1.1	Bitmap image formats	64
7.1.1.1	Image encoding restrictions	64
7.1.1.2	JPEG	64
7.1.1.3	PNG	64
7.1.1.4	GIF	64
7.1.2	MPEG-2 I-Frames	64
7.1.3	MPEG-2 Video "drips"	64
7.1.4	Monomedia format for audio clips	66
7.1.5	Monomedia format for text	66
7.1.5.1	Built-in character set	66
7.2	Broadcast streaming formats	66
7.2.1	Audio	66
7.2.2	Video	66
7.2.3	Subtitles	66
7.2.3.1	DVB Subtitles	66
7.2.3.2	Teletext	67
7.3	Resident fonts	67
7.4	Downloadable Fonts	67
7.5	Colour Representation	67
7.5.1	Background (informative)	67
7.5.2	Specification	68
7.5.2.1	The sRGB Reference Viewing Environment	68
7.5.2.2	Colourimetric Definitions and Encodings	68
7.6	MIME Types	70
7.6.1	Rationale	70
8	DVB-HTML	71
8.1	Introduction	71
8.1.1	Application Area	71
8.1.2	Profiles	72
8.2	Architecture	72
8.2.1	Context	72
8.2.2	Integration Aspects	72
8.2.2.1	Accessing DVB-J from ECMAScript	72
8.2.2.2	Implementation of user agents via plug-ins	72
8.3	Application Format	73
8.3.1	Basic Considerations	73
8.3.2	Approach to Subsetting	73
8.4	XML	74
8.5	DVB Mark-up Language (DVB-HTML)	74
8.5.1	Conformance considerations	74
8.5.1.1	Document conformance	74
8.5.1.1.1	General rules	74

8.5.1.1.2	Invalid but conformant documents	75
8.5.1.2	DVB-HTML user agent conformance	75
8.5.1.2.1	Error handling	77
8.5.1.2.2	Handling of invalid but conformant documents	77
8.5.2	Set of modules required by this specification	77
8.5.3	Semantics for modules	78
8.5.3.1	XHTML modules	78
8.5.3.1.1	Structure	78
8.5.3.1.2	Text	78
8.5.3.1.3	Hypertext	78
8.5.3.1.4	Presentation	78
8.5.3.1.5	Forms	79
8.5.3.1.6	Client-side Image Map	79
8.5.3.1.7	Image	79
8.5.3.1.8	Object	79
8.5.3.1.9	Frames	79
8.5.3.1.10	Target	79
8.5.3.1.11	Iframes	79
8.5.3.1.12	Metainformation	80
8.5.3.1.13	Scripting	80
8.5.3.1.14	Link	80
8.5.3.1.15	Base	80
8.5.3.2	XHTML attributes	80
8.5.3.2.1	Longdesc, alt and cite attributes	80
8.5.3.2.2	Accesskey attribute	80
8.5.3.3	DVB-HTML modules	81
8.5.3.3.1	DVB Intrinsic events	81
8.6	Media Types	83
8.6.1	Uses of MIME media types	83
8.6.2	MIME media type use restrictions	84
8.6.3	Semantics of media type	86
8.6.4	Frame content	86
8.6.5	Application content	86
8.6.5.1	When referenced via an AIT locator	86
8.6.5.2	When not referenced via an AIT locator	87
8.6.6	Relative linking	87
8.6.7	MPEG Audio	87
8.6.7.1	Resources of indefinite duration	87
8.6.7.1.1	Relation to document events	87
8.6.7.2	Resources of definite duration	88
8.6.7.2.1	Relation to document events	88
8.6.8	MPEG Video	88
8.6.8.1	Video Resources of indefinite duration	88
8.6.8.1.1	Relation to document events	89
8.6.8.2	Resources of definite duration	89
8.6.9	DVB Services	89
8.6.10	Graphics content	89
8.6.11	Script content	89
8.6.12	Style sheet content	89
8.6.13	HTTP(S) URLs	90
8.6.14	CSS Properties	90
8.6.14.1	Sources of MIME media type use points	90
8.6.14.2	MIME media type use restrictions	90
8.6.15	Generated Content	91
8.6.16	Graphics styling	91
8.6.17	Video Styling	91
8.6.18	DVB Service styling	91
8.7	Synchronization	92
8.7.1	Triggers Overview	92

8.7.1.1	Transport of triggers	92
8.7.1.2	Application registration and reception.	92
8.7.1.3	Binding to DSM-CC Stream events.	92
8.7.2	Trigger Events	93
8.7.2.1	Converting stream events into DOM events	93
8.7.2.2	Event Factory File definition.	94
8.7.2.2.1	Syntax.	94
8.7.2.2.2	Element semantics	95
8.7.2.2.3	Attributes semantics.	95
8.7.2.3	Default Event Factory Element	97
8.7.2.4	Default Event Factory File.	97
8.7.2.5	Worked example	97
8.7.2.6	System events	98
8.7.2.6.1	dvb.start event	98
8.7.2.6.2	dvb.page event	99
8.7.3	Binding the event factory file to the application.	99
8.7.3.1	Syntax of event linkage file	100
8.7.3.2	Semantics of event linkage file	100
8.7.3.3	Example	100
8.7.3.4	Name and location of linkage file	101
8.7.4	Default Trigger Mechanism.	101
8.8	CSS	103
8.8.1	Summary of CSS profiling for MHP.	103
8.8.2	MHP profile of CSS data types	103
8.8.3	MHP profile of CSS @ rules	103
8.8.4	MHP profile of CSS media types	104
8.8.4.1	"screen" media type	104
8.8.4.2	'dvb-tv' media type	104
8.8.4.2.1	Additional Properties of "dvb-tv" media type	104
8.8.4.2.2	Policy rules.	105
8.8.4.3	Clarifications on support of paged properties	105
8.8.5	Graphics and video integration	105
8.8.5.1	General recap of the MHP graphics	105
8.8.5.1.1	Input video space	105
8.8.5.1.2	Device space.	105
8.8.5.1.3	Normalised space	105
8.8.5.1.4	Colour.	105
8.8.5.2	Coordinate spaces	106
8.8.5.2.1	Screen coordinates	106
8.8.5.2.2	Pixel coordinates	106
8.8.5.2.3	Video coordinates.	106
8.8.5.3	How to define the initial containing block.	107
8.8.5.3.1	Problem	107
8.8.5.3.2	The @viewport rule	107
8.8.5.3.3	Establishing a viewport	108
8.8.5.3.4	Pseudo classes	112
8.8.5.4	Cascading.	113
8.8.5.5	How to discover where the video is.	113
8.8.5.5.1	The area property	113
8.8.5.6	Placing content in relation to video	114
8.8.5.6.1	Definition of boxes.	115
8.8.5.6.2	Definition of pel areas in the video	115
8.8.5.7	Placing video within the presentation	115
8.8.5.8	Box Layout	115
8.8.5.8.1	Video Boxes	115
8.8.5.9	DOM Access to CSS	116
8.8.5.10	Focus traversal and short-cuts	116
8.8.6	Font selection.	117
8.8.6.1	Restrictions on "src" descriptor	118

8.8.7	Font specification	118
8.8.8	Default behaviour	118
8.8.8.1	Default style sheet font rules	119
8.8.8.1.1	Extending the simple rule.	119
8.8.8.1.2	Fallback for italic, small caps and font stretch.	119
8.9	Xlet integration	120
8.9.1	Object element.	120
8.9.2	Param element.	121
8.9.3	Example.	121
8.10	Scripting	122
8.10.1	DOM 2 binding	122
8.10.2	Interface between ECMAScript and DVB-J	122
8.10.2.1	ECMAScript APIs for accessing DVB-J.	122
8.10.2.2	Inter-Xlet and Xlet-ECMAScript Communication via org.dvb.ixc	122
8.10.2.3	Security	123
8.10.2.4	Implicit Method Selection	123
8.10.2.5	Explicit Method Selection	123
8.10.2.6	Static Method Invocation.	123
8.10.2.7	Method Signature Matching	123
8.10.2.8	New ECMAScript Object Types	124
8.10.2.9	Type Conversion (ECMAScript to DVB-J).	124
8.10.2.10	Subclassing and Interface Instance Creation	126
8.10.2.11	Type Conversion (DVB-J to ECMAScript).	126
8.10.2.12	Catching DVB-J Exceptions in ECMAScript	127
8.11	Document Object Model (DOM)	128
8.11.1	DOM Level 2 Events	128
8.11.1.1	Fundamental interfaces	128
8.11.1.2	Event interfaces	128
8.11.2	DVB Events DOM module	129
8.11.2.1	Key events	129
8.11.2.2	Lifecycle events	129
8.11.2.2.1	Interface DVBLifecycleEvent	129
8.11.2.2.2	Event definitions	130
8.11.2.2.3	State transition summary	132
8.11.2.3	Additional DVB Events	132
8.11.2.3.1	Trigger events.	132
8.11.2.3.2	DVBDOMStable event	132
8.11.2.3.3	DVB-HTML events	133
8.11.3	DVB Key events DOM module	133
8.11.3.1	Interface DVBKeyEvent	133
8.11.3.1.1	IDL Definition	134
8.11.3.1.2	Attributes	135
8.11.3.1.3	Methods	135
8.11.4	DVB-HTML DOM module	135
8.11.4.1	Conformance	135
8.11.4.2	Differences from W3C DOM Level 1 HTML interfaces	136
8.11.4.3	Extensions	136
8.11.4.3.1	Enumerations	136
8.11.4.3.2	Initial and current values of form controls	136
8.11.4.4	System aspects	137
8.11.4.4.1	Access to the document	137
8.11.4.4.2	DOM DVB-HTML module	137
8.11.4.4.3	DOM modification	137
8.11.4.5	Miscellaneous interfaces	137
8.11.4.5.1	DVB-HTMLCollection Interface	137
8.11.4.5.2	DVBHTMLDocument Interface	138
8.11.4.6	DVB-HTML element related interfaces	140
8.11.4.6.1	DVBHTMLElement Interface	140
8.11.4.6.2	DVBHTMLAnchorElement Interface	141

8.11.4.6.3	DVBHTMLMapElement Interface	141
8.11.4.6.4	DVBHTMLAreaElement Interface	142
8.11.4.6.5	DVBHTMLButtonElement Interface	142
8.11.4.6.6	DVBHTMLFormElement Interface	143
8.11.4.6.7	DVBHTMLFrameElement Interface	144
8.11.4.6.8	DVBHTMLFrameSetElement Interface	145
8.11.4.6.9	DVBHTMLIFrameElement Interface	145
8.11.4.6.10	DVBHTMLImageElement Interface	145
8.11.4.6.11	DVBHTMLObjectElement Interface	146
8.11.4.6.12	DVBHTMLInputElement Interface	147
8.11.4.6.13	DVBHTMLOptionElement Interface	149
8.11.4.6.14	DVBHTMLSelectElement Interface	150
8.11.4.6.15	DVBHTMLTextAreaElement Interface	151
8.11.5	DVB Exceptions	152
8.11.5.1	DVBException	153
8.11.5.1.1	IDL Definition	153
8.11.5.1.2	Defined Constants	153
8.11.6	Language bindings	153
8.11.6.1	ECMAScript Binding	153
8.11.6.2	Java Binding	153
8.11.7	DVB Environment object module	153
8.11.7.1	Free variables	153
8.11.7.2	Environmental host objects	154
8.11.7.2.1	Navigator Object	154
8.11.7.2.2	Window object	154
8.11.7.2.3	Location object	157
8.11.8	CSS Support	157
8.11.8.1	DVB CSS DOM module	157
8.11.8.1.1	DVBCSSInlineStyle	157
8.11.8.1.2	DVBCSSStyle	158
8.11.8.1.3	DVBCSSViewportRule	158
8.11.8.1.4	DVBCSSViewportProperties	158
8.12	Cookie support	161
8.12.1	DOM Cookie Interface	161
8.12.2	Cookie Storage and Lifetime	161
8.12.2.1	Cookie Storage Limits	161
8.12.2.2	Cookie Persistence	161
8.12.2.3	Privacy Considerations	162
8.12.3	Cookie Scoping	162
8.12.3.1	General Rules	162
8.12.3.2	Documents delivered via DSM-CC Object Carousel	162
8.12.3.3	Documents delivered via HTTP transport	162
8.12.4	HTTP Cookie Support	162
8.12.4.1	Background	162
8.12.4.2	Sending Cookies	162
8.12.4.3	Receiving Cookies	162
8.13	HTTP User Agent String Support	163
8.13.1	User agent strings	163
8.13.1.1	Current user agent-related strings	163
8.13.1.2	User agent string BNF	163
8.14	Security of DVB-HTML applications	164
8.14.1	Authentication of DVB-HTML files	164
8.14.2	Runtime code extension	164
8.14.2.1	Security principles	164
8.14.2.1.1	Uses of runtime code extension in ECMAScript	164
8.14.2.2	Extensions to ECMAScript for trusted executable code	165
8.14.2.2.1	Propagation of Internal (safe) vs. External (unsafe) strings	165
8.14.2.2.2	Modifying ECMA-262 to support Internal and External strings	165
8.14.2.3	Sources of Unsafe (external) strings	171

8.14.2.3.1	Sources within ECMAScript	171
8.14.2.3.2	Sources from Host Objects	171
8.14.2.4	Use of strings in RCEs	171
8.14.2.5	Mutation of Host Objects	172
8.14.3	Inter application security	172
8.14.3.1	Restrictions on DOM elements introduced for security	172
8.15	DVB-HTML permissions	172
8.15.1	Permissions for unsigned applications	173
8.15.1.1	java.awt.AWTPermission	173
8.15.1.2	java.net.SocketPermission:	173
8.15.1.3	java.util.PropertyPermission	173
8.15.1.4	java.lang.RuntimePermission	173
8.15.1.5	java.io.SerializablePermission	173
8.15.1.6	java.io.FilePermission	173
8.15.1.7	javax.tv.media.MediaSelectPermission	174
8.15.1.8	javax.tv.service.ReadPermission	174
8.15.1.9	javax.tv.service.selection.ServiceContextPermission	174
8.15.1.10	java.util.Locale.setDefault	175
8.15.1.11	org.dvb.security.PrivilegedRCEPermission	175
8.15.2	Additional Permissions for signed applications	175
8.15.2.1	java.util.PropertyPermission	175
8.15.2.2	java.io.FilePermission	175
8.15.2.3	org.dvb.net.ca.CAPermission	176
8.15.2.4	org.dvb.application.AppsControlPermission	176
8.15.2.5	org.dvb.net.rc.RCPermission	177
8.15.2.6	org.dvb.net.tuning.TunerPermission	177
8.15.2.7	javax.tv.service.selection.SelectPermission	178
8.15.2.8	org.dvb.user.UserPreferencePermission	178
8.15.2.9	java.net.SocketPermission	178
8.15.2.10	org.dvb.media.DripFeedPermission	178
8.15.2.11	org.dvb.security.PrivilegedRCEPermission	179
8.15.2.12	org.dvb.application.storage.ApplicationStoragePermission	179
8.15.2.13	org.dvb.smartcard.SmartCardPermission	179
8.16	Miscellaneous	179
8.16.1	Date Values	179
8.16.1.1	Syntax	179
8.16.2	Clock values	179
8.16.2.1	Syntax	179
8.16.2.2	Offset values	180
8.16.3	Unrealisable locators	180
8.16.3.0.1	Presentation of Locators in DVB HTML	180
8.16.4	Relation to HTTP and HTTPS	181
8.16.5	DVB-HTML specific locators	181
8.16.5.1	Extended DVB locator	181
8.16.5.1.1	Extended DVB locator syntax	181
8.16.5.1.2	TV locators	181
8.16.5.1.3	Application locator	182
8.16.5.1.4	AIT locators	182
8.16.5.2	Exit locator	182
8.16.6	Domain	182
9	Application model	183
9.1	Broadcast MHP applications	183
9.1.1	Basic lifecycle control	183
9.1.2	Starting applications	184
9.1.3	Support for execution of multiple simultaneous applications	184
9.1.4	Stopping applications	184
9.1.4.1	A new service being selected replacing a previously selected one	184
9.1.4.2	The stopping of an application by another application	184
9.1.4.3	Changes in the application signalling to request a particular application be stopped	184

9.1.4.4	Stopping by the MHP terminal due to a shortage of resources	185
9.1.5	Persistence of Applications Across Service Boundaries	185
9.1.6	Management of autostarting	185
9.1.7	When tuning is not service selection!	186
9.1.8	MHP Applications and Service Selection	186
9.1.9	Broadcast service related stored applications	186
9.1.9.1	Version management	187
9.2	DVB-J Model	187
9.2.1	Starting DVB-J Applications	187
9.2.2	Stopping a DVB-J Application	187
9.2.3	DVB-J Application Lifecycle	188
9.2.3.1	Introduction	188
9.2.3.2	DVB-J Application Lifecycle State Machine	188
9.2.4	Xlet API	191
9.2.4.1	Xlet State Change Semantics	192
9.2.4.2	Xlet state change requests	192
9.2.5	Multiple application environment support	192
9.2.5.1	Control of DVB-J applications by other DVB-J applications	192
9.2.5.2	Input Focus management	192
9.2.5.3	Other resources management	193
9.2.5.4	VM implementation	193
9.3	DVB-HTML Model	193
9.3.1	The DVB-HTML Application	193
9.3.1.1	DVB-HTML Application	193
9.3.1.2	User agent	193
9.3.1.3	DVB-HTML Actor	193
9.3.1.4	Application boundary	194
9.3.1.4.1	Regular Expression Syntax	194
9.3.2	DVB-HTML Application Lifecycle	195
9.3.2.1	Introduction	195
9.3.2.2	Signalling	195
9.3.2.3	Lifecycle control	196
9.3.2.3.1	State diagram	196
9.3.3	The State Model	196
9.3.3.1	Loading	197
9.3.3.1.1	Name	197
9.3.3.1.2	Entry actions	197
9.3.3.1.3	Activities	197
9.3.3.1.4	Resources	197
9.3.3.1.5	Transitions	197
9.3.3.1.6	Comment	197
9.3.3.2	Active	197
9.3.3.2.1	Name	197
9.3.3.2.2	Activities	197
9.3.3.2.3	Entry actions	197
9.3.3.2.4	Resources	197
9.3.3.2.5	Transitions	198
9.3.3.2.6	Comment	198
9.3.3.3	Paused	198
9.3.3.3.1	Name	198
9.3.3.3.2	Activities	198
9.3.3.3.3	Resources	198
9.3.3.3.4	Transitions	198
9.3.3.3.5	Comment	198
9.3.3.4	Destroyed	199
9.3.3.4.1	Name	199
9.3.3.4.2	Activities	199
9.3.3.4.3	Resources	199
9.3.3.4.4	Transitions:	199

9.3.3.4.5	Comment	199
9.3.3.5	Killed	199
9.3.3.5.1	Name	199
9.3.3.5.2	Entry actions	199
9.3.3.5.3	Activities	199
9.3.3.5.4	Resources	199
9.3.3.5.5	Transitions	199
9.3.3.5.6	Comment	199
9.4	Application activity events	200
9.4.1	Event queue handling	202
9.5	Inter application resource management	202
9.6	Life cycle of Xlets embedded in DVB-HTML	203
9.6.1	Starting embedded Xlets	203
9.6.2	Termination	203
9.6.3	General issues	203
9.7	Services and applications not related to conventional DVB services	204
9.7.1	Applications loaded from the interaction channel	204
9.7.2	Stored services	204
9.7.3	DVB-J Model	206
9.7.4	Common behaviour	206
9.8	Lifecycle of internet access applications	206
9.8.1	General issues	206
9.8.2	Starting internet access applications from MHP applications	206
9.8.3	Starting MHP applications from internet access applications	207
9.9	Plug-ins	207
10	Application Signalling	208
10.1	Introduction	208
10.1.1	Summary of common signalling	208
10.1.2	Summary of additional signalling for DVB-J applications	208
10.1.3	Summary of additional signalling for DVB-HTML applications	208
10.1.4	Summary of additional signalling for applications carried via OC	208
10.1.5	Summary of additional signalling for applications carried via IP	209
10.1.6	How to add a new scheme (informative)	209
10.1.7	Service information	209
10.2	Program Specific Information	209
10.2.1	Application signalling stream	209
10.2.2	Data broadcast streams	209
10.3	Notation	210
10.3.1	reserved	210
10.3.2	reserved_future_use	210
10.4	Application Information Table	210
10.4.1	Data errors	210
10.4.2	AIT transmission and monitoring	210
10.4.3	Optimised AIT signalling	211
10.4.4	Visibility of AIT	211
10.4.5	Definition of sub-table for the AIT	211
10.4.6	Syntax of the AIT	211
10.4.7	Use of private descriptors in the AIT	213
10.4.8	Text encoding in AIT	213
10.4.9	AIT file	213
10.4.9.1	Syntax	213
10.4.9.2	Syntactic restrictions	213
10.4.9.2.1	Transport protocols	213
10.4.9.3	Semantics	213
10.4.9.4	MIME type	214
10.5	Application identification	214
10.5.1	Encoding	214
10.5.2	Effects on life cycle	215

iTech STANDARD PREVIEW
(standards.iteh.ai)

10.5.3	Authentication of application identification	215
10.6	Control of application life cycle	215
10.6.1	Entering and leaving the domain of an application	215
10.6.2	Dynamic control of the application life cycle	215
10.6.2.1	DVB-J	216
10.6.2.2	DVB-HTML	216
10.7	Generic descriptors	217
10.7.1	Application Signalling Descriptor	217
10.7.2	Data broadcast id descriptor	217
10.7.2.1	Generic descriptor	218
10.7.2.2	MHP data broadcast id descriptor	218
10.7.3	Application descriptor	219
10.7.4	User information descriptors	220
10.7.4.1	Application name descriptor	221
10.7.4.2	Application icons descriptor	221
10.7.5	External application authorisation descriptor	223
10.8	Transport protocol descriptors	223
10.8.1	Transport protocol descriptor	223
10.8.1.1	Transport via OC	224
10.8.1.2	Transport via IP	225
10.8.1.3	Transport via interaction channel.	226
10.8.2	IP Routing Descriptors	226
10.8.2.1	Routing Descriptor IPv4	227
10.8.2.2	Routing Descriptor IPv6	227
10.8.3	Pre-fetch signalling	228
10.8.3.1	Introduction	228
10.8.3.2	Pre-fetch descriptor	228
10.8.3.3	DII location descriptor	229
10.9	DVB-J specific descriptors	230
10.9.1	DVB-J application descriptor	230
10.9.2	DVB-J application location descriptor	230
10.10	DVB-HTML Specific descriptors	231
10.10.1	DVB-HTML application descriptor	231
10.10.2	DVB-HTML application location descriptor	232
10.10.2.1	Example	232
10.10.2.2	Application Entry Point	232
10.10.3	DVB-HTML application boundary descriptor	233
10.11	Constant values	234
10.12	Service Information.	235
10.12.1	Service identifier descriptor.	235
10.13	Plug-in signalling	236
10.13.1	Native signalling scenario	236
10.13.2	MHP signalling scenario	236
10.13.3	delegated application descriptor	236
10.13.4	Plug-in descriptor	237
10.14	Stored applications	238
10.14.1	Use of signalling defined in MHP 1.0.	238
10.14.1.1	Stored broadcast service related applications	238
10.14.1.2	Stored stand-alone applications	238
10.14.2	Application storage descriptor.	238
10.14.3	Application description file	239
10.14.3.1	Description.	239
10.14.3.2	Application description file name and location	240
10.14.3.3	Syntax	240
10.14.3.4	Semantics	240
11	DVB-J Platform	241
11.1	The Virtual Machine	241
11.2	General issues	241
11.2.1	Basic Considerations	241

11.2.2	Approach to Subsetting	241
11.2.3	Class Loading	241
11.2.4	Unloading	242
11.2.5	Event listeners	242
11.2.6	Event model in DAVIC APIs	242
11.2.7	Event model in DAVIC & DVB APIs	242
11.2.8	Tuning as a side-effect.	242
11.2.9	Intra application media resource management	242
11.2.10	Application thread priority	242
11.3	Fundamental DVB-J APIs.	243
11.3.1	Java platform APIs	243
11.3.1.1	java.lang package.	243
11.3.1.2	java.lang.reflect package	244
11.3.1.3	java.util	244
11.3.1.4	java.util.zip.	244
11.3.1.5	java.io.	244
11.3.1.6	java.net.	244
11.3.1.7	java.beans.	245
11.3.1.8	java.math	245
11.3.1.9	java.text	245
11.3.2	MHP platform APIs.	246
11.3.2.1	org.dvb.lang	246
11.3.2.2	org.dvb.event	246
11.4	Presentation APIs	246
11.4.1	Graphical User Interface API	246
11.4.1.1	The Core GUI API	246
11.4.1.2	TV user interface	248
11.4.1.3	Extended graphics	249
11.4.1.4	Handling of input events	249
11.4.2	Streamed Media API	250
11.4.2.1	Framework of solution.	250
11.4.2.2	Clarifications	250
11.4.2.3	Default media player behaviour.	251
11.4.2.4	Required controls for video drips	251
11.4.2.5	Extensions to the Framework	251
11.4.2.5.1	DVB specified extensions	251
11.4.2.5.2	Extensions in org.davic	251
11.4.2.5.3	Extensions in javax.tv	252
11.4.2.5.4	Required controls for broadcast profiles	252
11.4.2.5.5	Clarifications	252
11.4.2.6	Restrictions on the Framework for Broadcast	252
11.4.2.7	Intersection Between MediaSelectControl and SubtitlingLanguageControl / AudioLanguageControl.	253
11.4.2.8	Intersection between Streamed Media API and TV User Interface API	254
11.4.2.8.1	Basic Principles	254
11.4.2.8.2	TV Behaviour Control	254
11.4.2.8.3	Application Behaviour Control	254
11.4.2.8.4	Dynamic Behaviour	255
11.4.2.8.5	Resource Management Details.	255
11.5	Data Access APIs	255
11.5.1	Broadcast Transport Protocol Access API	255
11.5.1.1	Constraints on the java.io.File methods for broadcast carousels.	256
11.5.1.2	Methods dealing with write access	256
11.5.1.3	Behaviour following loss of a broadcast file system.	257
11.5.2	Support for Multicast IP over the Broadcast Channel.	257
11.5.3	Support for IP over the Return Channel	258
11.5.4	MPEG-2 Section Filter API.	258
11.5.5	Mid-Level Communications API	258