SLOVENSKI STANDARD

SIST EN 61811-55:2003

april 2003

Electromechanical all-or-nothing relays - Part 55: Blank detail specification -Electromechanical all-or-nothing telecom relays of assessed quality - Two changeover contacts, 11 mm x 7,5 mm (max.) base

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61811-55:2003</u> https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003

ICS 29.120.70

Referenčna številka SIST EN 61811-55:2003(en)

© Standard je založil in izdal Slovenski inštitut za standardizacijo. Razmnoževanje ali kopiranje celote ali delov tega dokumenta ni dovoljeno

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61811-55:2003 https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003

EUROPEAN STANDARD

EN 61811-55

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2002

ICS 29.120.70

English version

Electromechanical all-or-nothing relays Part 55: Blank detail specification -Electromechanical all-or-nothing telecom relays of assessed quality -Two change-over contacts, 11 mm x 7,5 mm (max.) base (IEC 61811-55:2002)

Relais électromécaniques de tout-ou-rien Elektromechanische Schaltrelais Partie 55: Spécification particulière cadre -Teil 55: Vordruck für Bauartspezifikation -Relais électromécaniques de tout-ou-rien Elektromechanische Telekom-Relais mit bewerteter Qualität - 2 Wechsler, télécom soumis au régime (max.) 11 mm x 7,5 mm Grundfläche d'assurance de la qualité -Deux contacts à deux directions, (IEC 61811-55:2002) surface d'encombrement (standards.iteh.ai) de 11 mm x 7,5 mm (max.) (CEI 61811-55:2002) SIST EN 61811-55:2003

https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003

This European Standard was approved by CENELEC on 2002-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2002 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 94/149/FDIS, future edition 2 of IEC 61811-55, prepared by IEC TC 94, All-or-nothing electrical relays, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61811-55 on 2002-05-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement 	(dop)	2003-02-01
 latest date by which the national standards conflicting with the EN have to be withdrawn 	(dow)	2005-05-01
Annexes designated "normative" are part of the body of the standard. In this standard, annex ZA is normative.		

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61811-55:2002 was approved by CENELEC as a European Standard without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61811-55:2003 https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1 + corr. October + A1		Environmental testing Part 1: General and guidance	EN 60068-1	1994
IEC 60068-2-17		Part 2: Tests - Test Q: Sealing	EN 60068-2-17	1994
IEC 60068-2-20 + A2	19 <mark>7</mark> 9 1987	Part 2. Tests Nest A: Soldering REVI	HD 323.2.20 S3	1988
IEC 60068-2-47	1999 https://s	(standards.iteh.ai) Part 2-47: Test methods - Mounting of components, equipment and other articles for vibration, impact and similar dynamic tests 4/7b34f76ca/sist-en-61811-55-2003	EN 60068-2-47 + corr. June 17ff-8b76-	1999 2000
IEC 60255-14	1981	Electrical relays Part 14: Endurance test for electrical relay contacts - Preferred values for contact loads	-	-
IEC 60695-2-2	1991	Fire hazard testing Part 2: Test methods - Section 2: Needle-flame test	EN 60695-2-2	1994
IEC 61709	1996	Electronic components - Reliability - Reference conditions for failure rates and stress models for conversion	EN 61709	1998
IEC 61810-7	1997	Electromechanical all-or-nothing relays Part 7: Test and measurement procedures	-	-
IEC 61811-1	1999	Electromechanical non-specified time all- or-nothing relays of assessed quality Part 1: Generic specification	EN 61811-1	1999
IEC 61811-50	2002	Part 50: Sectional specification - Electromechanical all-or-nothing telecom relays of assessed quality	EN 61811-50	2002

Publication	Year	Title	<u>EN/HD</u>	Year
IEC QC 001002-2	_ 1)	Rules of Procedure of the IEC Quality Assessment System for Electronic Components (IECQ) Part 2: Documentation	-	-
IEC QC 001002-3	- 1)	Part 3: Approval procedures	-	-
IEC QC 001005	_ 1)	Register of firms, products and services approved under the IECQ system, including ISO 9000	-	-
CECC 00 802	1994	Guidance Document: CECC standard method for the specification of surface mounting components (SMDs) of assessed quality	-	-

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61811-55:2003

https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003

¹⁾ Undated reference.

INTERNATIONAL STANDARD

IEC 61811-55

QC 160505 Second edition 2002-03

Electromechanical all-or-nothing relays -

Part 55: Blank detail specification – Electromechanical all-or-nothing telecom relays of assessed quality – EW Two change-over contacts, 11 mm × 7,5 mm (max.) base

SIST EN 61811-55:2003 https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-Relais électroméscaniques_de_tout-ou-rien –

Partie 55: Spécification particulière cadre – Relais électromécaniques de tout-ou-rien télécom soumis au régime d'assurance de la qualité – Deux contacts à deux directions, surface d'encombrement de 11 mm × 7,5 mm (max.)

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

IJ

CONTENTS

FO	REWO)RD	3
1	Gene	eral	5
	1.1	Scope	5
	1.2	Normative references	5
	1.3	Front page of detail specification	7
2	Char	acteristic values of the relay	9
	2.1	General data	9
	2.2	Construction of IECQ type designation (ordering information)	
	2.3	Coil data	
	2.4	Contact data	10
	2.5	Mounting	11
	2.6	Environmental data	11
	2.7	Package of relays for automatic handling (if applicable)	12
3	Qual	fication approval procedures	12
4	Qual	ity conformance inspection	12
	4.1	ity conformance inspection Formation of inspection lots.NDARD PREVIEW	12
	4.2	Intervals between testsstandards.iteh.ai)	12
5	Mark	ing and documentation	12
	5.1	Marking of the relay	
	5.2	Marking of the spackage hai/catalog/standards/sist/b4cea697-a393-47ff-8b76-	13
	5.3	Documentation	13
6	Anne	xes	13
7	Tests	5	13
	7.1	Standard conditions for testing	13
	7.2	Mounting of test specimens during the test	
	7.3	General conditions for testing	13
8	Orde	ring information	13
9	Rela	y reliability – Failure rate data (optional)	13
Tat	ole 1 -	- Dielectric test voltages	9
		- Coil data	
		- Loads, contact-circuit resistance limits, switching cycles and frequencies ical endurance and overload tests	10
Tab	ole 4 -	Quality conformance inspection	26
		Qualification approval	
Tat	ole 6 -	Industrial qualification	30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMECHANICAL ALL-OR-NOTHING RELAYS -

Part 55: Blank detail specification – Electromechanical all-or-nothing telecom relays of assessed quality – Two change-over contacts, 11 mm × 7,5 mm (max.) base

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter. <u>SIST EN 61811-55:2003</u>
- 5) The IEC provides not marking procedure to and cate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards 5-2003
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61811-55 has been prepared by IEC technical committee 94: All-or-nothing electrical relays.

This second edition of IEC 61811-55 cancels and replaces IEC/PAS 61811-55 published in 2000 and constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
94/149/FDIS	94/163/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The QC number that appears on the front cover of this publication is the specification number in the IEC Quality Assessment System for Electronic Components (IECQ).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

The committee has decided that the contents of this publication will remain unchanged until 2007. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of June 2002 have been included in this copy.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61811-55:2003</u> https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003

ELECTROMECHANICAL ALL-OR-NOTHING RELAYS -

Part 55: Blank detail specification – Electromechanical all-or-nothing telecom relays of assessed quality – Two change-over contacts, 11 mm × 7,5 mm (max.) base

1 General

1.1 Scope

This part of IEC 61811 is a blank detail specification applicable to electromechanical all-ornothing telecom relays of assessed quality. Relays according to this standard are provided for the operation in telecommunication applications. However, as electromechanical all-ornothing relays, they are also suitable for particular industrial and other applications.

This standard selects from IEC 61810-7 and other sources the appropriate methods of test to be used in detail specifications derived from this specification, and contains basic test schedules to be used in the preparation of such specifications in accordance with IEC 61811-1.

Detailed test schedules are contained in the detail specifications supplementary to this specification.

1.2 Normative references (standards.iteh.ai)

The following referenced documents <u>sare indispensables</u> for the application of this document. For dated references only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance* Amendment 1 (1992)

IEC 60068-2-17:1994, Environmental testing – Part 2: Tests: Test Q: Sealing

IEC 60068-2-20:1979, *Environmental testing – Part 2: Tests: Test T: Soldering* Amendment 2 (1987)

IEC 60068-2-47:1999, Environmental testing – Part 2-47: Test methods – Mounting of components, equipment and other articles for vibration, impact and similar dynamic tests

IEC 60255-14:1981, Electrical relays – Part 14: Endurance test for electrical relay contacts – Preferred values for contact loads

IEC 60695-2-2:1991, Fire hazard testing – Part 2: Test methods – Section 2: Needle-flame test

IEC 61709:1996, *Electronic components – Reliability – Reference conditions for failure rates and stress models for conversion*

IEC 61810-7:1997, Electromechanical all-or-nothing relays – Part 7: Test and measurement procedures

IEC 61811-1:1999, *Electromechanical non-specified time all-or-nothing relays of assessed quality – Part 1: Generic specification*

IEC 61811-50:2002, Electromechanical all-or-nothing relays – Part 50: Sectional specification – Electromechanical all-or-nothing telecom relays of assessed quality

QC 001002-2, Rules of Procedure of the IEC Quality Assessment System for Electronic Components (IECQ) – Part 2: Documentation

QC 001002-3, Rules of Procedure of the IEC Quality Assessment System for Electronic Components (IECQ) – Part 3: Approval procedures

QC 001005, Register of Firms, Products and Services approved under the IECQ System, including ISO 9000

CECC 00802:1990, Guidance document: CECC Standard Method for the Specification of Surface Mounting Components (SMDs) of Assessed Quality

(National authorized institutions will complete this clause by making reference to any documents or specifications directly referred to in their national equivalent of this standard.)

(standards.iteh.ai)

<u>SIST EN 61811-55:2003</u> https://standards.iteh.ai/catalog/standards/sist/b4cea697-a393-47ff-8b76-4f7fb34f76ca/sist-en-61811-55-2003