

INTERNATIONAL STANDARD

Industrial communication networks – Installation of communication networks in industrial premises

(<https://standards.iteh.ai>)
Document Preview

IEC 61918:2007

<https://standards.iteh.ai/doc/iec/standards/iec-38ca9e4d-2925-4db5-a390-5520f89a1df7/iec-61918-2007>

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

IEC 61918:2007

<https://standards.iec.org/standards/iec/28ca9e4d-2925-4db5-a390-5520f89a1df7/iec-61918-2007>

INTERNATIONAL STANDARD

Industrial communication networks – Installation of communication networks in industrial premises

(<https://standards.iteh.ai>)
Document Preview

IEC 61918:2007

<https://standards.iteh.ai/catalog/standards/iec/28ca9e4d-2925-4db5-a390-5520f89a1df7/iec-61918-2007>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XG

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	15
2 Normative references	15
3 Terms, definitions, and abbreviated terms	18
3.1 Terms and definitions	18
3.2 Abbreviated terms	26
3.3 Conventions for installation profiles	27
4 Installation planning	27
4.1 Introduction	27
4.1.1 Objective	27
4.1.2 Cabling in industrial premises	27
4.1.3 The planning process	30
4.1.4 Specific requirements for CPs	31
4.1.5 Specific requirements for generic cabling in accordance with ISO/IEC 24702	31
4.2 Planning requirements.....	31
4.2.1 Safety.....	31
4.2.2 Security	31
4.2.3 Environmental considerations and EMC.....	32
4.2.4 Specific requirements for generic cabling in accordance with ISO/IEC 24702	33
4.3 Network capabilities	33
4.3.1 Network topology	33
4.3.2 Network characteristics	35
4.4 Selection and use of cabling components.....	38
4.4.1 Cable selection.....	38
4.4.2 Connecting hardware selection.....	41
4.4.3 Connections within a channel/permanent link	43
4.4.4 Terminators.....	48
4.4.5 Device location and connection	48
4.4.6 Coding and labelling	49
4.4.7 Earthing and bonding of equipment and devices and shielded cabling	49
4.4.8 Storage and transportation of cables	57
4.4.9 Routing of cables.....	58
4.4.10 Separation of circuits.....	59
4.4.11 Mechanical protection of cabling components	60
4.4.12 Installation in special areas	61
4.5 Cabling planning documentation.....	61
4.5.1 Common description.....	61
4.5.2 Cabling planning documentation for CPs	61
4.5.3 Network certification documentation	62
4.5.4 Cabling planning documentation for generic cabling in accordance with ISO/IEC 24702	62
4.6 Verification of cabling planning specification	62
5 Installation implementation	62
5.1 General requirements.....	62

5.1.1	Common description	62
5.1.2	Installation of CPs	62
5.1.3	Installation of generic cabling in industrial premises	62
5.2	Cable installation	62
5.2.1	General requirements for all cabling types	62
5.2.2	Installation and routing	68
5.2.3	Specific requirements for CPs	70
5.2.4	Specific requirements for wireless installation	70
5.2.5	Specific requirements for generic cabling in accordance with ISO/IEC 24702	70
5.3	Connector installation	70
5.3.1	Common description	70
5.3.2	Shielded connectors	70
5.3.3	Unshielded connectors	71
5.3.4	Specific requirements for CPs	71
5.3.5	Specific requirements for wireless installation	71
5.3.6	Specific requirements for generic cabling in accordance with ISO/IEC 24702	71
5.4	Terminator installation	71
5.4.1	Common description	71
5.4.2	Specific requirements for CPs	71
5.5	Device installation	71
5.5.1	Common description	71
5.5.2	Specific requirements for CPs	72
5.6	Coding and labelling	72
5.6.1	Common description	72
5.6.2	Specific requirements for CPs	72
5.7	Earthing and bonding of equipment and devices and shield cabling	72
5.7.1	Common description	72
5.7.2	Bonding and earthing of enclosures and pathways	72
5.7.3	Earthing methods	74
5.7.4	Shield earthing methods	75
5.7.5	Specific requirements for CPs	77
5.7.6	Specific requirements for generic cabling in accordance with ISO/IEC 24702	77
5.8	As-implemented cabling documentation	77
6	Installation verification and installation acceptance test	78
6.1	Introduction	78
6.2	Installation verification	78
6.2.1	General	78
6.2.2	Verification according to cabling planning documentation	78
6.2.3	Verification of earthing and bonding	80
6.2.4	Verification of shield earthing	81
6.2.5	Verification of cabling system	81
6.2.6	Cable selection verification	81
6.2.7	Connector verification	81
6.2.8	Connection verification	82
6.2.9	Terminators verification	83
6.2.10	Coding and labelling verification	84

6.2.11	Verification report	84
6.3	Installation acceptance test	84
6.3.1	General	84
6.3.2	Acceptance test of Ethernet based cabling	86
6.3.3	Acceptance test of non Ethernet based cabling	88
6.3.4	Specific requirements for wireless installation	89
6.3.5	Acceptance test report	89
7	Installation administration	89
7.1	General	89
7.2	Fields covered by the administration	89
7.3	Basic principles for the administration system	90
7.4	Working procedures	90
7.5	Device location labelling	90
7.6	Component cabling labelling	91
7.7	Documentation	91
7.8	Specific requirements for administration	92
8	Installation maintenance and installation troubleshooting	92
8.1	General	92
8.2	Maintenance	93
8.2.1	Scheduled maintenance	93
8.2.2	Condition-based maintenance	94
8.2.3	Corrective maintenance	95
8.3	Troubleshooting	95
8.3.1	General description	95
8.3.2	Evaluation of the problem	95
8.3.3	Typical problems	96
8.3.4	Troubleshooting procedure	98
8.3.5	Simplified troubleshooting procedure	99
8.4	Specific requirements for maintenance and troubleshooting	100
Annex A (informative)	Introduction to generic cabling for industrial premises	101
Annex B (informative)	MICE description methodology	102
B.1	General	102
B.2	Introduction to MICE	102
B.3	Examples of use of the MICE concept	103
B.3.1	Common description	103
B.3.2	Examples of mitigation	104
B.4	Determining E classification	105
B.5	The MICE table	107
Annex C (informative)	Network topologies	110
C.1	Common description	110
C.2	Total cable demand	110
C.3	Maximum cable segment length	110
C.4	Maximum network length	110
C.5	Fault tolerance	110
C.5.1	General	110
C.5.2	Use of redundancy	110
C.5.3	Failure analysis for networks with redundancy	110

C.6 Network access for diagnosis convenience.....	111
C.7 Maintainability and on-line additions.....	111
Annex D (informative) Connector table.....	112
Annex E (informative) Power networks with respect to electromagnetic interference – TN-C and TN-S approaches	117
Annex F (informative) Conversion table mm ² to AWG.....	119
Annex G (informative) Installed cabling verification checklists.....	120
G.1 Introduction	120
G.2 Copper cabling verification checklist.....	120
G.3 Optical fibre cabling verification checklist	123
Annex H (informative) Connector/cable pinning.....	124
H.1 Introduction	124
H.2 Constructing cord sets.....	124
H.2.1 Straight through cord sets with M12-4 D-coding connectors.....	124
H.2.2 Crossover cord sets with M12-4 D-coding connectors.....	124
H.2.3 Straight through cord sets with 8-way modular connectors.....	125
H.2.4 Crossover cord sets with 8-way modular connector.....	126
H.2.5 Straight conversion from one connector family to another	126
H.2.6 Crossover conversion from one connector family to another	127
Annex I (informative) Guidance for terminating cable ends	128
I.1 Introduction	128
I.2 Guidance for terminating shielded twisted pair cable ends for 8-way modular plugs.....	128
I.3 Guidance for terminating unshielded twisted pair cable ends for 8-way modular plugs	130
I.4 Guidance for M12-4 D-coding connector installation	131
I.5 Guidance for terminating optical fibre cable ends	134
Annex J (informative) Recommendations for bulkhead connection performance and channel performance with more than 4 connections in the channel.....	135
J.1 Introduction	135
J.2 Recommendations.....	135
Annex K (informative) Fieldbus data transfer testing	136
K.1 Background.....	136
K.2 Allowable error rates for control systems	136
K.2.1 Bit errors	136
K.2.2 Burst errors	136
K.3 Testing channel performance	137
K.4 Testing cable parameters	137
K.4.1 General	137
K.4.2 Generic cable testing	137
K.4.3 Fieldbus cable testing	137
K.5 Testing fieldbus data rate performance.....	138
K.5.1 General	138
K.5.2 Fieldbus test.....	138
K.5.3 Planning for fieldbus data rate testing.....	138
K.5.4 Fieldbus data rate test reporting template.....	139
K.5.5 Values for acceptable fieldbus performance.....	139

Annex L (informative) Communication network installation work responsibility	140
L.1 Introduction	140
L.2 Installation work responsibility	140
L.3 Installation work responsibility table	140
Annex M (informative) Trade names of communication profiles	141
Annex N (informative) Validation measurements	143
N.1 General	143
N.2 DCR measurements	143
N.2.1 Purpose of test	143
N.2.2 Assumptions	143
N.2.3 Measurements	143
N.2.4 Calculations	145
N.2.5 Measurement results	145
Bibliography	149
Figure 1 – Industrial network installation life cycle	13
Figure 2 – Standards relationships	14
Figure 3 – Structure of generic cabling connected to an automation island	28
Figure 4 – Automation island cabling attached to elements of generic cabling	28
Figure 5 – Automation islands	29
Figure 6 – Automation island network external connections	29
Figure 7 – How to meet environmental conditions	33
Figure 8 – How enhancement, isolation and separation work together	33
Figure 9 – Basic physical topologies for passive networks	34
Figure 10 – Basic physical topologies for active networks	34
Figure 11 – Example of combination of basic topologies	35
Figure 12 – Basic reference implementation model	44
Figure 13 – Enhanced reference implementation model	45
Figure 14 – Selection of the earthing and bonding systems	52
Figure 15 – Wiring for bonding and earthing in a mesh equipotential configuration	54
Figure 16 – Wiring of the earths in a star earth configuration	55
Figure 17 – Schematic diagram of a field device with direct earthing	56
Figure 18 – Schematic diagram of a field device with parallel RC circuit earthing	56
Figure 19 – Insert edge protector	64
Figure 20 – Use an uncoiling device and avoid forming loop	64
Figure 21 – Avoid torsion	65
Figure 22 – Maintain minimum bending radius	65
Figure 23 – Do not pull by the individual wires	66
Figure 24 – Use cable clamps with a large (wide) surface	66
Figure 25 – Cable gland with bending protection	66
Figure 26 – Spiral tube	67
Figure 27 – Separate cable pathways	69
Figure 28 – Surface preparation for electromechanical earth and bonding connections	73

Figure 29 – Use of flexible bonding straps at movable metallic pathways	73
Figure 30 – Example of isolated bus bar	74
Figure 31 – Example of isolator for mounting DIN rails	74
Figure 32 – Parallel RC shield earthing	75
Figure 33 – Direct shield earthing	76
Figure 34 – Examples for shielding application	76
Figure 35 – First example of derivatives of shield earthing	77
Figure 36 – Second example of derivatives of shield earthing	77
Figure 37 – Installation verification process	79
Figure 38 – Test of earthing connections	80
Figure 39 – Pin and pair grouping assignments for two eight position IEC 60603-7 subparts and four position IEC 60603 series to IEC 61076-2-101 connectors	83
Figure 40 – Two pair 8-way modular connector	83
Figure 41 – Transposed pairs, split pairs and reversed pair	83
Figure 42 – Validation process	85
Figure 43 – Schematic representation of the channel	86
Figure 44 – Schematic representation of the permanent link	86
Figure 45 – Communication network maintenance	94
Figure 46 – Troubleshooting procedure	99
Figure 47 – Fault detection without special tools	100
Figure B.1 – MICE classifications	102
Figure B.2 – Example MICE areas within a facility	103
Figure B.3 – Enhancement, isolation and separation	103
Figure B.4 – Example 1 of mitigation	104
Figure B.5 – Example 2 of mitigation	105
Figure B.6 – Frequency range of electromagnetic disturbance from common industrial devices	105
Figure B.7 – Example of a general guidance for separation versus EFT value	107
Figure E.1 – Four-wire power network (TN-C)	117
Figure E.2 – Five wire power network (TN-S)	118
Figure H.1 – Straight through cord sets with M12-4 D-coding connectors	124
Figure H.2 – Crossover cord sets with M12-4 D-coding connectors	125
Figure H.3 – Straight through cord sets with 8-way modular connectors	125
Figure H.4 – Crossover cord sets with 8-way modular connector	126
Figure H.5 – Conversion from M12-4 to 8-way modular connector	127
Figure H.6 – M12-4 to 8-way modular connector crossover cable	127
Figure I.1 – Stripping the cable jacket	128
Figure I.2 – Example of wire preparation for type A cables	129
Figure I.3 – 8-way modular plug	129
Figure I.4 – Inserting the cable into the connector body	130
Figure I.5 – Crimping the connector	130
Figure I.6 – Example of a cable preparation for type A wiring	131
Figure I.7 – Connector components	132
Figure I.8 – Cable preparation	132

Figure I.9 – Connector wire gland, nut and shell on the cable	132
Figure I.10 – Conductors preparation	132
Figure I.11 – Jacket removal	132
Figure I.12 – Shield preparation	133
Figure I.13 – Conductors preparation	133
Figure I.14 – Installing conductors in connector	133
Figure I.15 – Assembling the body of the connector	133
Figure I.16 – Final assembling	134
Figure N.1 – Loop resistance measurement wire to wire	144
Figure N.2 – Loop resistance measurement wire 1 to shield	144
Figure N.3 – Loop resistance measurement wire 2 to shield	144
Figure N.4 – Resistance measurement for detecting wire shorts	144
Figure N.5 – Resistance measurement between wire 1 and wire 2	145
Figure N.6 – Validation of the cable DCR	146
Figure N.7 – Conclusions for cable open or shorts	147
Figure N.8 – Determination of proper cable terminator value	148
Table 1 – Basic network characteristics for balanced cabling not based on Ethernet	35
Table 2 – Network characteristics for balanced cabling based on Ethernet	36
Table 3 – Network characteristics for optical fibre cabling	37
Table 4 – Information relevant to copper cable: fixed cables	39
Table 5 – Information relevant to copper cable: cords	39
Table 6 – Information relevant to optical fibre cables	40
Table 7 – Connectors for balanced cabling CPs based on Ethernet	42
Table 8 – Connectors for copper cabling CPs not based on Ethernet	42
Table 9 – Optical fibre connecting hardware	43
Table 10 – Basic reference implementation equations	44
Table 11 – Enhanced reference implementation equations	46
Table 12 – Correction factor Z for operating temperature above 20°C	46
Table 13 – Equalisation and earthing conductor sizing and length	51
Table 14 – Bonding straps cross-section	53
Table 15 – Bonding plates surface protection	53
Table 16 – Cable circuit types and minimum distances	60
Table 17 – Parameters for balanced cables	63
Table 18 – Parameters for silica optical fibre cables	63
Table 19 – Parameters for POF optical fibre cables	63
Table 20 – Parameters for hard cladded silica optical fibre cables	63
Table 21 – Typical problems in a network with balanced cabling	96
Table 22 – Typical problems in a network with fibre optic cabling	97
Table B.1 – Example 1 of targeted MICE area	104
Table B.2 – Example 2 of targeted MICE area	104
Table B.3 – Relationship between electromagnetic disturbance generating devices and “E” classification	106
Table B.4 – Coupling mechanism for each of the interfering devices	106

Table B.5 – MICE definition	108
Table D.1 – Conventions for colour code used in the connector table	112
Table D.2 – Connector table	113
Table F.1 – Approximate conversion table for commonly used wire gauge	119
Table G.1 – Copper cabling verification checklist	120
Table G.2 – Earthing and bonding measurements checklist	121
Table G.3 – Signatures for Table G.1 and Table G.2 checklists	121
Table G.4 – Checklist for special checks for non-Ethernet-based CPs	122
Table G.5 – Signatures for Table G.4 checklist	122
Table G.6 – Optical fibre cabling verification checklist	123
Table G.7 – Signatures for Table G.6 checklist	123
Table H.1 – M12-4 D-coding pin/pair assignment	124
Table H.2 – M12 to M12 crossover pin/pair assignment	125
Table H.3 – 8-way modular connector pin/pair assignment	126
Table H.4 – 8-way modular crossover pin/pair assignment	126
Table H.5 – Connectivity pin assignment	127
Table H.6 – M12 to 8-way modular crossover pin/pair assignment	127
Table J.1 – Transmission requirements for more than 4 connections in a channel	135
Table M.1 – Trade names of CPFs and CPs	141

(<https://standards.iteh.ai>)
Document Preview

IEC 61918:2007

<https://standards.iteh.ai/en/iec/standards/iec-38ca9e4d-2925-4db5-a390-5520f89a1df7/iec-61918-2007>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS –

Installation of communication networks in industrial premises

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability should attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC should not be held responsible for identifying any or all such patent rights.

International Standard IEC 61918 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This standard is to be used in conjunction with the IEC 61784-5 series with regard to the installation of communication profiles (CPs). This standard is to be used in conjunction with ISO/IEC 14763-2 with regard to the installation of generic cabling in accordance with ISO/IEC 24702.

NOTE For further information, see the Introduction.

This standard was developed in cooperation with ISO/IEC JTC1/SC25 which is responsible for ISO/IEC 24702.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/467/FDIS	65C/478/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of February 2009 have been included in this copy.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 61918:2007

<https://standards.iteh.ai/en/iec/standards/iec/28ca9e4d-2925-4db5-a390-5520f89a1df7/iec-61918-2007>

INTRODUCTION

Process and factory automation are increasingly relying on communication networks and fieldbuses that are inherently designed to cope with the specific environmental conditions of the industrial premises. The networks and fieldbuses provide for an effective integration of applications among the several functional units of the plant/factory. As a result the integration of field generated data with higher-level management systems can produce reduction in production costs while maintaining or increasing quantity and quality of production. A correct network installation is an important prerequisite for communications availability and performance. This requires proper consideration of important aspects of industrial automation sites such as topologies, climatic conditions, vibrations, chemical pollution, EMC, functional safety.

The specifications of these communication networks are provided in the following standards.

ISO/IEC 24702 specifies design of generic telecommunications infrastructures within industrial premises and provides the foundations for some of the transmission performance specifications of this standard. ISO/IEC 24702 specifies only the raw bandwidth capability of a channel; it does not specify useful data transfer rate for a specific network using that channel or expected errors after taking account of interference during the communication process.

IEC 61158 fieldbus standard and its companion standard IEC 61784 (including parts 1, 2, 3, 4 and relevant subparts) jointly specify several CPs suitable for industrial automation. These CPs specify a raw bandwidth capability and in addition, they specify bit modulation and encoding rules for their fieldbus. Some profiles also specify target levels for useful data transfer rate, and maximum values for errors caused by interference during the communication process.

This standard provides a consistent set of installation rules for both the generic cabling (of the telecommunication infrastructures) and the fieldbuses in industrial premises. One of the problems it seeks to solve is the situation created when different parts of a large automation site are provided by suppliers that use non-homogeneous installation guidelines having different structures and contents. This creates a risk that communication system may not work properly.

This standard was developed by harmonising the approaches of several user groups and industrial consortia.

This standard provides a common point of reference for the installation of the media of most used industrial communication networks for most industrial sites. The standard covers the life cycle of an installation in the following clauses (see the map of the standard in Figure 1):

- Clause 4: Installation planning;
- Clause 5: Installation implementation;
- Clause 6: Installation verification and acceptance test;
- Clause 7: Installation administration;
- Clause 8: Installation maintenance and troubleshooting.

The methods described in these clauses are written in such a way as to provide installation guidance for a wide range of technician skills.