

SLOVENSKI STANDARD

SIST EN 60335-2-40:2003

01-december-2003

Nadomešča:

SIST EN 60335-2-40:1998

SIST EN 60335-2-40:1998/A1:2001

SIST EN 60335-2-40:1998/A11:2005

Gospodinjiski in podobni električni aparati - Varnost - 2-40. del: Posebne zahteve za električne toplotne črpalke, klimatske naprave in sušilnike zraka (IEC 60335-2-40:2002; spremenjen) (vsebuje popravek AC:2006)

Household and similar electrical appliances - Safety -- Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke -- Teil 2-40: Besondere Anforderungen für elektrisch betriebene Wärmepumpen, Klimageräte und Raumluft-Entfeuchter

Appareils électrodomestiques et analogues - Sécurité -- Partie 2-40: Règles particulières pour les pompes à chaleur électriques, les climatiseurs et les déshumidificateurs

Ta slovenski standard je istoveten z: EN 60335-2-40:2003

ICS:

23.120	Zračniki. Vetrniki. Klimatske naprave	Ventilators. Fans. Air-conditioners
27.080	Toplotne črpalke	Heat pumps

SIST EN 60335-2-40:2003 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60335-2-40:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd1f4c6ec69/sist-en-60335-2-40-2003>

EUROPEAN STANDARD

EN 60335-2-40

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2003

ICS 23.120

Supersedes EN 60335-2-40:1997 + A1:2000
Incorporates Corrigendum April 2006

English version

**Household and similar electrical appliances -
Safety**
**Part 2-40: Particular requirements for electrical heat pumps,
air-conditioners and dehumidifiers**
(IEC 60335-2-40:2002, modified)

Appareils électrodomestiques
et analogues -
Sécurité

Partie 2-40: Règles particulières
pour les pompes à chaleur électriques,
les climatiseurs et les déshumidificateurs
(CEI 60335-2-40:2002, modifiée)

Sicherheit elektrischer Geräte für den
Hausgebrauch und ähnliche Zwecke
Teil 2-40: Besondere Anforderungen
für elektrisch betriebene Wärmepumpen,
Klimageräte und Raumluft-Entfeuchter
(IEC 60335-2-40:2002, modifiziert)

[SIST EN 60335-2-40:2003](https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd1f4c6ec69/sist-en-60335-2-40-2003)

<https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd1f4c6ec69/sist-en-60335-2-40-2003>

This European Standard was approved by CENELEC on 2003-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 61D/116/FDIS, future fourth edition of IEC 60335-2-40, prepared by SC 61D of the IEC Technical Committee 61, was submitted to the IEC-CENELEC parallel vote.

As a result of the Kista meeting of CENELEC TC 61 in May 2002, a draft amendment prAA containing the relevant existing common modifications was submitted to the formal vote.

The texts of the FDIS and the prAA were approved by CENELEC as a new edition of EN 60335-2-40 on 2003-03-01.

This European Standard replaces EN 60335-2-40:1997 + A1:2000.

The following dates are applicable:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-03-01
- date on which national standards conflicting with the EN have to be withdrawn (dow) 2007-03-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electrical heat pumps, air-conditioners and dehumidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

There are no special national conditions causing a deviation from this European Standard, other than those listed in Annex ZA to EN 60335-1.

There are no national deviations from this European Standard, other than those listed in Annex ZB to EN 60335-1.

Annex AA is for information only.

p NOTE In this document, p is used in the margin to indicate instructions for preparing the printed version.

The contents of the corrigendum of April 2006 have been included in this copy.

Introduction

p Add:

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

Endorsement notice

The text of the International Standard IEC 60335-2-40:2002 was approved by CENELEC as a European Standard with agreed common modifications as given below.

COMMON MODIFICATIONS

7 Marking and instructions

p 7.12.1 Add:

The installation instructions for appliances that are intended to be permanently connected to fixed wiring, and have a leakage current that may exceed 10 mA, shall state that the installation of a residual current device (RCD) having a rated residual operating current not exceeding 30 mA is advisable.

13 Leakage current and electric strength at operating temperature

<https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6d1111111111/sist-en-60335-2-40-2002>

p 13.2 Replace "the leakage current shall not exceed" by "the leakage current may exceed 3,5 mA but shall not exceed".

15 Moisture resistance

p Replace the first line by:

This clause of Part 1 is applicable except as follows.

p 15.1 Delete this subclause.

p 15.2 Delete this subclause.

p 15.3 Replace the subclause number by:

15.2 *Addition:*

16 Leakage current and electric strength

p 16.2 Replace "the leakage current shall not exceed" by "the leakage current may exceed 3,5 mA but shall not exceed".

p Add:

Annex ZC
(normative)

**Normative references to international publications
with their corresponding European publications**

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-52	1996	Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)	EN 60068-2-52	1996
IEC 60335-2-34	– ¹⁾	Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors	EN 60335-2-34	2002 ²⁾
ISO 5149	– ¹⁾	Mechanical refrigerating systems used for cooling and heating – Safety requirements	–	–

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60335-2-40:2003

<https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd1f4c6ec69/sist-en-60335-2-40-2003>

¹⁾ undated reference

²⁾ valid edition at date of issue

INTERNATIONAL STANDARD

IEC 60335-2-40

Fourth edition
2002-12

Household and similar electrical appliances – Safety –

Part 2-40: Particular requirements for electrical heat pumps, air conditioners and dehumidifiers

(standards.iteh.ai)

*Appareils électrodomestiques et analogues –
Sécurité –* [SIST EN 60335-2-40:2003](https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6cd1766ec69/sist-en-60335-2-40-2003)

[https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-](https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6cd1766ec69/sist-en-60335-2-40-2003)

Partie 2-40: [6cd1766ec69/sist-en-60335-2-40-2003](https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6cd1766ec69/sist-en-60335-2-40-2003)

*Règles particulières pour les pompes à chaleur électriques,
les climatiseurs et les déshumidificateurs*

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

W

For price, see current catalogue

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references.....	8
3 Definitions	8
4 General requirement.....	10
5 General conditions for the tests	10
6 Classification	10
7 Marking and instructions	11
8 Protection against access to live parts	12
9 Starting of motor-operated appliances	13
10 Power input and current.....	13
11 Heating.....	13
12 Void	18
13 Leakage current and electric strength at operating temperature	18
14 Transient overvoltages.....	18
15 Moisture resistance.....	19
16 Leakage current and electric strength	19
17 Overload protection of transformers and associated circuits.....	20
18 Endurance	20
19 Abnormal operation.....	20
20 Stability and mechanical hazards.....	26
21 Mechanical strength.....	26
22 Construction	26
23 Internal wiring	28
24 Components	28
25 Supply connection and external flexible cords.....	29
26 Terminals for external conductors	29
27 Provision for earthing.....	29
28 Screws and connections	30
29 Clearances, creepage distances and solid insulation	30
30 Resistance to heat and fire	30
31 Resistance to rusting	30
32 Radiation, toxicity and similar hazards	30
Annexes.....	34
Annex AA (informative) Examples for operating temperatures of the appliance	35
Bibliography.....	36

Figure 101a) – Arrangement for heating test of appliances with supplementary heater – upflow application	31
Figure 101b) – Arrangement for heating test of appliances with supplementary heater – downflow application	32
Figure 102 – Supply circuit for locked-rotor test of a motor of the single-phase type – Revise as needed for three-phase test	33
Table 3 – Temperature limits	16
Table 6 – Maximum winding temperature	21
Table 9 – Maximum abnormal temperature	25

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60335-2-40:2003](https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd1f4c6ec69/sist-en-60335-2-40-2003)

<https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd1f4c6ec69/sist-en-60335-2-40-2003>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –**
**Part 2-40: Particular requirements for electrical heat pumps,
air-conditioners and dehumidifiers**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61D: Appliances for air-conditioning for household and similar purposes, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 1995 and its amendment 1 (2000). It constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
61D/116/FDIS	61D/121/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical heat pumps, air-conditioners and dehumidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2003. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

The following differences exist in the countries indicated below.

- 6.1: Class 0I appliances are allowed (Japan). [SIST EN 60335-2-40:2003](https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd14c6cc0/sist-en-60335-2-40-2003)
- 11.8: The temperature of the wooden walls in the test casing is limited to 85 °C (Sweden). <https://standards.iteh.ai/catalog/standards/sist/cceb8fcd-1e90-4007-8ecc-6bd14c6cc0/sist-en-60335-2-40-2003>

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **heat pumps**, including **sanitary hot water heat pumps**, **air-conditioners**, and **dehumidifiers** incorporating sealed motor-compressors, their maximum **rated voltages** being not more than 250 V for single phase appliances and 600 V for all other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

The appliances referenced above may consist of one or more factory made assemblies. If provided in more than one assembly, the separate assemblies are to be used together, and the requirements are based on the use of matched assemblies.

NOTE 101 A definition of "sealed motor-compressor" is given in IEC 60335-2-34.

NOTE 102 Requirements for refrigeration safety are covered by ISO 5149, and requirements for containers intended for storage of the heated water included in **sanitary hot water heat pumps** are, in addition, covered by IEC 60335-2-21.

NOTE 103 For appliances using flammable refrigerants, additional requirements are under consideration.

Supplementary heaters, or a provision for their separate installation, are within the scope of this standard, but only heaters which are designed as a part of the appliance package, the controls being incorporated in the appliance.

NOTE 104 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- for appliances subjected to pressure, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities. In the case of appliances for permanent connection to the water supply system, all relevant requirements need to be observed.

NOTE 105 This standard does not apply to

- humidifiers intended for use with heating and cooling equipment (IEC 60335-2-88);
- appliances designed exclusively for industrial processing;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).