

TECHNICAL SPECIFICATION IEC TS 62325-502

First edition
2005-02

Framework for energy market communications – Part 502: Profile of ebXML

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC TS 62325-502:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951028bc1974/iec-ts-62325-502-2005>



Reference number
IEC/TS 62325-502:2005(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)
- **Catalogue of IEC publications**
The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.
- **IEC Just Published** (standards.iteh.ai)
This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.
<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-9510266c1974/iec-ts-62325-502-2005>
- **Customer Service Centre**
If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL SPECIFICATION TS 62325-502 IEC

First edition
2005-02

Framework for energy market communications – Part 502: Profile of ebXML

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC TS 62325-502:2005](https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951028bc1974/iec-ts-62325-502-2005)

<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951028bc1974/iec-ts-62325-502-2005>

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

U

For price, see current catalogue

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	7
4 Guideline of how to use the architecture.....	9
4.1 Profile of the architecture.....	9
4.2 Security profile of the BPSS.....	10
4.3 Profile of the CPP/A.....	13
4.4 Messaging service profile	16
5 Implementation level.....	16
Annex A (normative) Message service profile	17
Annex B (informative) Implementation levels	29
Figure 1 – References and content of ebXML documents.....	9
Table 1 – BPSS Profiles for reliability, non-repudiation, and security.....	11
Table 2 – Message reliability.....	11
Table 3 – Non-repudiation and legally binding.....	12
Table 4 – Authorisation, Authentication and confidentiality.....	13
Table 5 – CPP/CPA options and choices	14
Table 6 – S/MIME v3 security parameters	15
Table 7 – OpenPGP/MIME security parameters.....	16
Table B.1 – Overview of implementation levels.....	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FRAMEWORK FOR ENERGY MARKET COMMUNICATIONS –

Part 502: Profile of ebXML

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards. ¹

IEC 62325-502, which is a technical specification, has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

¹ This would also include the specification of some options/parameters not yet specified in the profile, Annex A.

The IEC 62325 series cancels and replaces IEC 62195 (2000) and its amendment (2002). It constitutes a technical revision.

IEC 62195 (2000) dealt with deregulated energy market communications at an early stage. Its amendment 1 (2002) points out important technological advancements which make it possible to use modern internet technologies based on XML for e-business in energy markets as an alternative to traditional EDI with EDIFACT and X12. The new IEC 62325 framework series for energy market communications currently consisting of IEC 62325-101, IEC 62325-102, IEC 62325-501, and IEC 62325-502 follows this direction and replaces IEC 62195 together with its amendment.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
57/707/DTS	57/724/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62325 consists of the following parts, under the general title *Framework for energy market communications*:

- iTech STANDARD PREVIEW
(standards.iteh.ai)
- Part 101: General guidelines
 - Part 102: Energy market model example
 - Part 201: Glossary ²
 - Part 3XX: (Titles are still to be determined) ³
 - Part 401: Abstract service model ⁴
 - Part 501: General guidelines for use of ebXML
 - Part 502: Profile of ebXML
 - Part 503: Abstract service mapping to ebXML ⁴
 - Part 601: General guidelines for use of web services ⁴
 - Part 602: Profile of Web Services ⁴
 - Part 603: Abstract service mapping to web services ⁴

² Under consideration. Because the technologies have an inherent own glossary within their standard definitions, this glossary is a placeholder for a glossary for future parts indicated with ²⁾ including energy market specific terms and definitions.

³ Under consideration. These parts for business content are mentioned for completeness only with a number space as placeholder. They extend the original scope and require an agreed new work item proposal for further work based on an overall strategy how to proceed.

⁴ Under consideration. These technical parts are mentioned for completeness with provisional title. They extend the original scope and require an agreed new work item proposal for further work.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual edition of this document may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC TS 62325-502:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951028bc1974/iec-ts-62325-502-2005>

INTRODUCTION

With the transition of monopoly energy supply structures to deregulated energy markets, the function of the markets depends heavily on seamless e-business communication between market participants. Compared with global e-business, e-business in the energy market is only a small niche. Today EDIFACT or X12 messages, or propriety HTML and XML solutions based on Internet technologies are being used.

The 'electronic business Extensible Markup Language' (ebXML) specification and architecture stems from UN/CEFACT and OASIS and these are now partly standards within the ISO 15000 series being complemented in future to cover all aspects of ebXML. ebXML is a complete set of specifications and standards to enable secure electronic business using proven, open standards such as TCP/IP, HTTP, SOAP, XML, and SOAP signature and encryption. ebXML is also evolutionary in nature, built on 25 years of EDI experience, designed to work with existing EDI solutions, or be used to develop an emerging class of internet based electronic business applications based on XML. This means that with ebXML existing EDI messages (EDIFACT, X.12) as well as XML messages can be exchanged.

Profiles of ebXML allow the re-use of proven core components and communication platforms across markets, thus saving cost and implementation time.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC TS 62325-502:2005](https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951028bc1974/iec-ts-62325-502-2005)

<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951028bc1974/iec-ts-62325-502-2005>

FRAMEWORK FOR ENERGY MARKET COMMUNICATIONS –

Part 502: Profile of ebXML

1 Scope

This part of IEC 62325 specifies an energy market specific messaging profile based on the ISO 15000 series. The profile is intended to provide the basis for system configuration.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 15000-1:2004, *Electronic business eXtensible Markup Language (ebXML) – Part 1: Collaboration-protocol profile and agreement specification (ebCPP)*

ISO/TS 15000-2:2004, *Electronic business eXtensible Markup Language (ebXML) – Part 2: Message service specification (ebMS)*

UN/CEFACT, *ebXML Business Process Specification Schema*, v1.10 or higher

UN/CEFACT, *ebXML Technical Architecture Specification*, v1.04 or higher
<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-951928bc1974/iec-ts-62325-502-2005>

In this part of IEC 62325, RFCs (Request for comments) from the Internet Engineering Task Force (IETF) and recommendations from other Organisations such as the World Wide Web Consortium (W3C) and the Organization for the Advancement of Structured Information Standards (OASIS) are mentioned which are not included here because these documents are referenced in the references above.

3 Terms, definitions and abbreviations

3.1 Terms and definitions

None.

3.2 Abbreviations

A2A	Application-to-Application
AES	Advanced Encryption Standard
B2B	Business-to-Business
BDS	Business Document Specification (instance)
BDSS	Business Document Specification Schema
BIE	Business Information Entity
BOV	Business Operational View
BPMS	Business Process Management System
BPSS	Business Process Specification Schema (or instance)
BSI	Business Service Interface

CC	Core Component (based on BIE)
CIM	Common Information Model
CPA	Collaboration Protocol Agreement
CPP	Collaboration Protocol Profile
DSO	Distribution System Operator (of power system)
DUNS	Data Universal Numbering System (North America)
EAN	European Article Number (Europe)
ebMS	ebXML Messaging Service
ebXML	electronic business XML
EDI	Electronic Data Exchange
EIA	Enterprise Application Integration
EMS	Energy Management Systems
ERP	Enterprise Resource Planning
FOV	Functional Service View
FTP	File Transfer Protocol
HTTP	Hypertext Transport Protocol
ICT	Information and Communication Technology
ISO	Independent System Operator
IT	Information Technology
MIME	Secure/Multipurpose Internet Mail Extensions
MIS	Market Identification Schema
MOM	Message-oriented middleware
MSH	Message Service Handler
PKI	Public Key Infrastructure
QoS	Quality of Service
RPC	Remote Procedure Call
RR	Registry / Repository
SAML	Security Assertion Mark-up Language
SCADA	Supervision, Control, and Data Acquisition
SMTP	Simple Mail Transfer Protocol
SO	System Operator (of power system)
SOAP	Simple Object Access Protocol
TLS	Transport Layer Security
TSO	Transmission System Operator (of power system)
UML	Unified Modelling Language
UMM	UN/CEFACT Modelling Methodology
VPN	Virtual Private Network
WS	Web Services
WSDL	Web Services Definition Language
XML	eXtensible Markup Language
XKMS	XML Key Management Specification

STANDARD PREVIEW
(standards.iteh.ai)

IEC TS 62325-502:2005
<https://standards.iteh.ai/catalog/standards/sist/33083753-98f6-4c28-8f22-5562001974/iec-ts-62325-502-2005>

4 Guideline of how to use the architecture

4.1 Profile of the architecture

Within the ebXML specification framework, two business partners agree on how to perform e-business using machine-readable Trading Partner Agreements based on XML syntax and named Collaboration Profile Agreements (CPA). In the general case of global e-business, the CPA is negotiated as the intersection of the Collaboration Protocol Profiles (CPP) of these two partners, who may have discovered each other using the registry partner-discovering feature.

Energy markets normally exist in a specific geographical area or geopolitical region with known business partners, agreed market rules and communication infrastructure. In this environment, a simplification may be possible where alternatively pre-negotiated CPA's of each business process are stored pre-defined in the registry/repository and can be downloaded for use.

Within each market, a profile or a limited set of profiles of the ebXML architecture should be used to harmonise and simplify e-business. Since the ebXML specification framework does not define any market specific profiles, the profile for energy markets has to be specified. In the following business process driven BPSS "security profiles", CPP/CPA "technical profiles" and "messaging profiles" are specified.

For better understanding of the profiles defined below 4.2 to 4.4, Figure 1 shows the configuration files used with its content structure.




Figure 1 – References and content of ebXML documents

4.2 Security profile of the BPSS

The ebXML BPSS instance provides the possibility for a collaboration to specify message reliability and message security, including non-repudiation with legally binding at the business level.

The BPSS is used for more than one collaboration between market participants. Note that the CPA for a specific collaboration may therefore override the reliability, non-repudiation and security attribute values of a BPSS.

Table 1 shows the *recommended profiles*. Reliability is included in all profiles. Profile #1 only provides reliability. Profile #2 adds *non-persistent* (transient) confidentiality and *non-persistent* (transient) authentication (on transport or network level, for example TLS, IPsec). Profile #3 adds *persistent* confidentiality, *persistent* authentication, and tamper-proof messages (signed messages with keyed digest). The latter is sometimes also called non-repudiation of origin. Profile #4 is for full *persistent* security including *persistent* non-repudiation and invoked authorisation. The profiles #3 and #4 should be preferred because only these profiles guarantee end-to-end persistent security and non-repudiation within a market with established relationships.

The table also includes the mapping of the BPSS profiles to the MSH profiles 0, 3, 16, and 21. The MSH profiles 16 and 21 can be optional, used with a *trusted* time stamp if this service is available and needed.

For the sake of compatibility within a project or market, choices have to be made about:

- the location of the persistent security services. *Persistent* end-to-end security should be implemented on application level by default. The optional use of MSH security services, if supported, is a project or market decision;
- a single BPSS profile for each process. Different processes can have different BPSS profiles, depending of the need for security.

In the following subclauses, the BBSS attribute options which have to be chosen according to the recommended profiles in Table 1 are shown. The signature should apply to the whole message, including the envelope where the Signature element is contained. The partial signing of XML documents should not be used for sake of simplicity, because there is no known requirement.