

SLOVENSKI STANDARD SIST EN ISO 13397-2:2000

01-januar-2000

Periodontalne kirete, priprave za odstranjevanje zobnega kamna in ekskavatorji - 2. del: Periodontalne kirete tipa GR (ISO 13397-2:1996)

Periodontal curettes, dental scalers and excavators - Part 2: Periodontal curettes - GR-type (ISO 13397-2:1996)

Parodontalküretten, Zahnreiniger und Exkavatoren - Teil 2: Parodontalküretten - Gr-Typ (ISO 13397-2:1996) iTeh STANDARD PREVIEW

(standards.iteh.ai)
Curettes parodontales, instruments dentaires pour détartrage et excavateurs dentaires Partie 2: Curettes parodontales - Type Gr (ISO 13397-2:1996)

https://standards.iteh.ai/catalog/standards/sist/b8ca2170-23e8-41bb-881e-

Ta slovenski standard je istoveten z:

9471c39f9ca7/sist-en-iso-13397-2-2000
EN ISO 13397-2:1996

ICS:

11.060.20 Z[à[c^@]ã}æh[]¦^{æ Dental equipment

SIST EN ISO 13397-2:2000 en

SIST EN ISO 13397-2:2000

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13397-2:2000

https://standards.iteh.ai/catalog/standards/sist/b8ca2170-23e8-41bb-881e-9471c39f9ca7/sist-en-iso-13397-2-2000

EUROPEAN STANDARD

EN ISO 13397-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 1996

ICS 11.060.00

Descriptors:

See ISO document

English version

Periodontal curettes, dental scalers and excavators - Part 2: Periodontal curettes - GR-type (ISO 13397-2:1996)

Curettes parodontales, instruments dentaires ARD PRE Parodontalküretten, Zahnreiniger und pour détartrage et excavateurs dentaires partie ARD PRE Exkavatoren - Teil 2: Parodontalküretten - 2: Curettes parodontales - Type Gr Gr-Typ (ISO 13397-2:1996)

(ISO 13397-2:1996)

(Standards.iteh.ai)

<u>SIST EN ISO 13397-2:2000</u> https://standards.iteh.ai/catalog/standards/sist/b8ca2170-23e8-41bb-881e-9471c39f9ca7/sist-en-iso-13397-2-2000

This European Standard was approved by CEN on 1996-06-01. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart,36 B-1050 Brussels

Page 2 EN ISO 13397-2:1996

Foreword

The text of the International Standard ISO 13397-2:1996 has been prepared by Technical Committee ISO/TC 106 "Dentistry" in collaboration with Technical Committee CEN/TC 55 "Dentistry", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 1997, and conflicting national standards shall be withdrawn at the latest by March 1997.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 13397-2:1996 was approved by CEN as a European Standard without any modification.

SIST EN ISO 13397-22000 https://standards.itel/.ai/cutalog/standards/sist/b8ca2170-23e8-41bb-881e-9471c39f9ca7/sist-en-iso-13397-2-2000



Page 2 EN ISO 13397-2:1996

Foreword

The text of the International Standard ISO 13397-2:1996 has been prepared by Technical Committee ISO/TC 106 "Dentistry" in collaboration with Technical Committee CEN/TC 55 "Dentistry", the secretariat of which is held by DIN.

ISO 13397 consists of the following parts, under the general title "Periodontal curettes, dental scalers and excavators":

Part 1: General requirements

Part 2: Periodontal curettes - Gr-type (dimensions)

Part 3: Dental scalers - H-type (dimensions)

Part 4: Dental excavators

It is anticipated that additional types of instruments will form the subject of futur parts.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 1997, and conflicting national standards shall be withdrawn at the latest by March 1997.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 13397-2:1996 was approved by CEN as a European Standard without any modification.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

Page 3 EN ISO 13397-2:1996

Annex ZA (normative)
Normative references to international publications with their relevant European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN</u>	<u>Year</u>
ISO 1942-3	1989	Dental vocabulary - Part 3: Dental instruments	EN 21942-3	1995
ISO 13397-1	1995	Periodontal curettes, dental scalers and excavators - Part 1: General requirements	EN ISO 13397-1	1995

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 13397-2:2000</u> https://standards.iteh.ai/catalog/standards/sist/b8ca2170-23e8-41bb-881e-9471c39f9ca7/sist-en-iso-13397-2-2000 SIST EN ISO 13397-2:2000

INTERNATIONAL STANDARD

ISO 13397-2

> First edition 1996-09-01

Periodontal curettes, dental scalers and excavators —

iTeh STAND PREVIEW Periodontal curettes — Gr-type (standards.iteh.ai)

Curettes parodontales 2 instruments dentaires pour détartrage et https://standards.itelexicavateurs.dentaires 8622170-2368-41bb-881e-

947163992.7 Curettes parodontales — Type Gr



ISO 13397-2:1996(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting, Publication as an International Standard requires approval by at least 75 % of the member bodies casting VIII vote.

International Standard ISO 13397-2 was prepared by Technical Committee ISO/TC 106, Dentistry, Subcommittee SC 4, Dental instruments.

ISO 13397 consists of the through parts, cathor the general title 23e8-41bb-881e-Periodontal curettes, dental scalers and excavators: a7/sist-en-iso-13397-2-2000

- Part 1: General requirements
- Part 2: Periodontal curettes Gr-type
- Part 3: Dental scalers H-type
- Part 4: Dental excavators Discoid-type

It is anticipated that additional types of instruments will form the subject of future parts.

© ISO 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Periodontal curettes, dental scalers and excavators —

Part 2:

Periodontal curettes — Gr-type

1 Scope

iTeh STANDARD nitions given in ISO 1942-3 and the following definitions apply.

This part of ISO 13397 specifies the dimensions for S. iteh. at Gr-type periodontal curettes.

3.1 per

3.1 periodontal curette: Hand instrument with a SISTEN ISO 13397-sharp, hollow-ground blade usually rounded and i/catalog/standards/sist/05/caz/1/0-25/caz

2 Normative references dards.iteh.ai/catalog/standards/sist

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 13397. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 13397 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1942-3:1989, Dental vocabulary — Part 3: Dental instruments.

ISO 13397-1:1995, Periodontal curettes, dental scalers and excavators — Part 1: General requirements.

3 Definitions

For the purposes of this part of ISO 13397, the defi-

3.2 glaze surface: Working surface of the instrument formed during production of the cutting edge(s).

4 Design and dimensions

General requirements for periodontal curettes are specified in ISO 13397-1.

Periodontal curettes shall have the designs shown in figure 1 and dimensions as given in table 1. The points of measurement associated with the dimensions are listed in table 2.

Annex A of ISO 13397-1:1995 provides details of one method of measurement applicable to most types of dental hand instrument.

4.1 Overall length

The maximum overall length, irrespective of the design of the instrument, shall be 178 mm.