

SLOVENSKI STANDARD SIST EN 61960-2:2002

01-september-2002

Secondary lithium cells and batteries for portable applications - Part 2: Secondary lithium batteries

Secondary lithium cells and batteries for portable applications -- Part 2: Secondary lithium batteries

Lithium-Sekundärzellen und -batterien für tragbare Geräte -- Teil 2: Lithium-Sekundärbatterien iTeh STANDARD PREVIEW

(standards.iteh.ai)
Eléments et batteries d'accumulateurs au lithium pour applications portables -- Partie 2:
Batteries d'accumulateurs au lithium _{SIST EN 61960-2:2002}

https://standards.iteh.ai/catalog/standards/sist/8ba56588-da02-43d9-ac84-

Ta slovenski standard je istoveten z: EN 61960-2-2002

ICS:

29.220.30 QA ab aA \` } åæb aA |^ } åA |^ } åA | Alkaline secondary cells and

àæº\lab batteries

SIST EN 61960-2:2002 en

SIST EN 61960-2:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61960-2:2002

https://standards.iteh.ai/catalog/standards/sist/8ba56588-da02-43d9-ac84-12ab26298dd9/sist-en-61960-2-2002

EUROPEAN STANDARD

EN 61960-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2001

ICS 29.220.30; 29.220.99

English version

Secondary lithium cells and batteries for portable applications Part 2: Secondary lithium batteries

(IEC 61960-2:2001)

Eléments et batteries d'accumulateurs au lithium pour applications portables Partie 2: Batteries d'accumulateurs au lithium (CEI 61960-2:2001) Lithium-Sekundärzellen und –batterien für tragbare Geräte Teil 2: Lithium-Sekundärbatterien (IEC 61960-2:2001)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61960-2:2002

https://standards.itch.ai/catalog/standards/sist/8ba56588-da02-43d9-ac84-This European Standard was approved by CENELEC on 2001-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

EN 61960-2:2001

- 2 -

Foreword

The text of document 21A/328/FDIS, future edition 1of IEC 61960-2, prepared by SC 21A, Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC TC 21, Secondary cells and batteries, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61960-2 on 2001-10-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2002-07-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2004-10-01

Annexes designated "normative" are part of the body of the standard. Annexes designated "informative" are given for information only. In this standard, annex ZA is normative and annex A is informative. Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61960-2:2001 was approved by CENELEC as a European Standard without any modification. TANDARD PREVIEW

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60086-4 NOTE Harmonized as EN 60086-4:2000 (not modified). https://standards.itch.a/catalog/standards/sist/8ba36588-da02-43d9-ac84-

IEC 60950 NOTE IEC 60950:1999 Corr. January 2000 (harmonized as EN 60950:2000 (modified).

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-486	_ 1)	International Electrotechnical Vocabulary Chapter 486: Secondary cells and batteries	-	-
IEC 60051	Series	Direct acting indicating analogue electrical measuring instruments and their accessories	EN 60051	Series
IEC 60068-2-6	_ 1)	Environmental testing (14 pail) Part 2: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	1995 ²⁾
IEC 60068-2-27	https://sta	SIST EN 61960-2;2002 nRait.2:hTests.log/estdEa/sánd/guidancela02-4; Shock/2ab26298dd9/sist-en-61960-2-2002	3ÆN₁60068-2-27	1993 ²⁾
IEC 60068-2-32	- 1)	Part 2: Tests - Test Ed: Free fall	EN 60068-2-32	1993 ²⁾
IEC 60485	_ 1)	Digital electronic d.c. voltmeters and d.c. electronic analogue-to-digital converters	-	-
IEC 61000-4-2	_ 1)	Electromagnetic compatibility (EMC) Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	1995 ²⁾
IEC 61434	_ 1)	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Guide to the designation of current in alkaline secondary cell and battery standards	EN 61434	1996 ²⁾
IEC 61960-1	_ 1)	Secondary lithium cells and batteries for portable applications Part 1: Secondary lithium cells	EN 61960-1	2001 2)

-

¹⁾ Undated reference.

²⁾ Valid edition at time of issue.

SIST EN 61960-2:2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61960-2:2002

https://standards.iteh.ai/catalog/standards/sist/8ba56588-da02-43d9-ac84-12ab26298dd9/sist-en-61960-2-2002

NORME INTERNATIONALE INTERNATIONAL **STANDARD**

CEI **IEC** 61960-2

> Première édition First edition 2001-09

Eléments et batteries d'accumulateurs au lithium pour applications portables -

Partie 2:

Batteries d'accumulateurs au lithium iTeh STANDARD PREVIEW

Secondary lithium cells and batteries for portable applications -

https://standards.iteh.ai/catalog/standards/sist/8ba56588-da02-43d9-ac84- **Part 2t**2ab26298dd9/sist-en-61960-2-2002

Secondary lithium batteries

© IEC 2001 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland IEC web site http://www.iec.ch e-mail: inmail@iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия

CODE PRIX PRICE CODE



Pour prix, voir catalogue en vigueur For price, see current catalogue

CONTENTS

									• • • • • • • • • • • • • • • • • • • •	
IN	TROD	UCTIO	N				•••••			g
1	Gen	eral		•				••••••	•••••	11
	1.1	Scope	÷							11
	1.2	Norm	ative refe	rences					• • • • • • • • • • • • • • • • • • • •	11
	1.3									
	1.4	Paran	neter mea	surement to	lerances.			••••		17
2	Desi									
	2.1	Batter	y designa	ıtion	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		•••••		17
		2.1.1	Cylindri	cal seconda	ry lithium	batteries		••••		. 17
		2.1.2	-		•					
	2.2	Markii	ng		*******			····	***************************************	. 21
3	Stan	dard typ	oes							. 21
4	Elec	trical te	sts	*****************	• • • • • • • • • • • • • • • • • • • •		•••••			. 23
	4.1	Charg	ing proce	dure for test	purposes				******************	. 23
	4.2	_	arge perfo	ormance						. 23
		4.2.1	Dischar	ge performa	nce at 20	°C (rated c	apacity)	W	******************	. 23
		4.2.2								
		4.2.3	High rat	e discharge	performai	nce at 20 °	C			. 25
	4.3	Charg	e (capacit	y) retention	and recov	ery		•••••		. 25
	4.4	Charge	e (capacit	y) recovery	after store	<u>/60-2:2002</u> NG Q ist/2ha565	98-4909-497	Q_gr-84	•••••	. 27
	4.5								••••	
	4.6	Interna	al resistar	ıce				.,		. 29
		4.6.1	Measure	ment of the	internal a	.c. resistar	nce		• • • • • • • • • • • • • • • • • • • •	. 29
		4.6.2	Measure	ment of the	internal d	.c. resistar	nce	• • • • • • • • • • • • • • • • • • • •	•••••	. 29
	4.7	Electro	static dis	charge (ESI	D)	•••••	,	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	. 31
		4.7.1	Test pro	cedure		•••••		• • • • • • • • • • • • • • • • • • • •		. 31
		4.7.2	Accepta	nce criteria.				•••••		31
5	Mech	nanical t	ests	••••	•••••					31
	5.1	Shock	test	*******						31
	5.2	Vibrati	on test		• • • • • • • • • • • • • • • • • • • •					33
6	Safet	ty evalua	ation	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •					35
	6.1	Intende	ed use sir	nulation test	is					37
		6.1.1								
			6.1.1.1	Continuous	s charge te	est		•••••		37
			6.1.1.2						•••••	
		6.1.2	Mechani			-			******************	
			6.1.2.1	Shock test			*******		••••	39
			6.1.2.2							
		6.1.3	Environn	nental tests.		*******		• • • • • • • • • • • • • • • • • • • •	••••••	39
			6.1.3.1	Thermal sh	ock		• • • • • • • • • • • • • • • • • • • •		•••••	39
			6.1.3.2							
			6.1.3.3	Mould stres	s test				•••••	41

6.2 Reasonably foreseeable misuse simulation tests				eseeable misuse simulation tests	4 ⁻
		6.2.1	Electric	al tests	43
			6.2.1.1	Short-circuit test	4
			6.2.1.2	Overcharge test (simulation of use of an inappropriate charger or charger malfunction)	40
		6.2.2	Mechan	ical tests	43
			6.2.2.1	Crush test	43
			6.2.2.2	Free fall test	45
		6.2.3	Environ	mental tests	45
			6.2.3.1	Thermal exposure test	45
7	Test	t protoco	ol and con	ditions for type approval	47
	7.1	Test p	rotocol		47
	7.2			ype approval	
		7.2.1		ons	
		7.2.2		al tests	
		7.2.3		d use simulation tests	
		7.2.4		ably foreseeable misuse simulation tests	
		7.2.5	Conditio	nal type approval	47
8	Tran	sportati		non-use)	
	8.1	Transp	ortation to	ests	53
		8.1.1	Mechani	ests cal tests ANDARD PREVIEW	53
			8.1.1.1	Shock test dande itch ai	53
	1		8.1.1.2	Shock test dards.itch.ai) Vibration test	53
		8.1.2	Environn	nental testsjist EN 61960-2 2002	53
			8ttps2/stand	da Fheirmal/shock tandards/sist/8ba56588-da02-43d9-ac84-	53
			8.1.2.2	Altitude simulation t-en-61960-2-2002	53
		8.1.3	Electrica	ıl test	
			8.1.3.1	Short circuit test	53
	8.2	Test p	rotocol		55
An	nex A	(informa	ative) Oth	er transportation requirements	57
			•	•	•
Bih	liogra	nhv			FO
~		٠٠٠٠ ر٠٠٠٠		***************************************	59

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SECONDARY LITHIUM CELLS AND BATTERIES FOR PORTABLE APPLICATIONS –

Part 2: Secondary lithium batteries

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61960-2 has been prepared by subcommittee 21A: Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC technical committee 21: Secondary cells and batteries.

The text of this standard is based on the following documents:

FDIS	Report on voting
21A/328/FDIS	21A/330/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annex A is for information only.

The committee has decided that the contents of this publication will remain unchanged until 2006-01. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

-.9 -

INTRODUCTION

Recent progress in the battery industry has seen secondary lithium cells and batteries evolve from the research environment to a state of regular commercial production and sale. In response to this situation, the IEC has prepared a new standard to cover secondary lithium cells and batteries for portable electronic applications. This part of IEC 61960 covers secondary lithium batteries and must be used in conjunction with IEC 61960-1, which covers secondary lithium cells.

This standard has been prepared so that it covers only those secondary lithium batteries that are:

- · commercially available, and
- · available from two or more manufacturers.

Traditionally the manufacturers and users of alkaline secondary cells and batteries have expressed the current used to charge and discharge these cells and batteries as a multiple of the capacity. For example, a current of 20 A used to charge a cell with a rated capacity (C Ah) of 100 Ah would be expressed as C/5 A or 0,2 C A. This method of current designation was originally used in earlier standards relating to alkaline secondary cells and batteries.

Comments have been made, that this method of current designation is dimensionally incorrect in that a multiple of the capacity (ampere hours) will be in ampere hours and not, as required for current, in amperes. As a result of these comments, the method described in IEC 61434 has been used in this standard.

(standards.iteh.ai)

In brief, the method states that the reference test current (I_t) is expressed as:

SIST EN 61960-2:2002 https://standards.iteh.ai/catalog/standanls/sb//sba56588-da02-43d9-ac84-12ab26298dd9/sist-en-61960-2-2002

where

C_n is the rated capacity declared by the manufacturer in ampere hours (Ah), and
 is the time base in hours (h) for which the rated capacity is declared.

SECONDARY LITHIUM CELLS AND BATTERIES FOR PORTABLE APPLICATIONS –

Part 2: Secondary lithium batteries

1 General

1.1 Scope

This International Standard specifies performance and safety tests, designations, markings, dimensions and other requirements for secondary lithium batteries.

The objective of this standard is to provide the purchasers and users of secondary lithium batteries with a set of criteria with which they can judge the performance and safety of various secondary lithium batteries offered by various manufacturers.

This standard defines a minimum required level of performance and safety, and a standardized methodology by which testing is performed and the results of this testing reported to the user. Hence, users will be able to establish the viability of commercially available batteries via the declared specification and thus be able to select the battery best suited for their intended application.

This standard covers secondary lithium batteries with a range of chemistries. Each electrochemical couple has a characteristic voltage range over which it releases its electrical energy, a characteristic nominal voltage and a characteristic final voltage during discharge. Users of secondary lithium cells and batteries are requested to consult the manufacturer for advice.

For the avoidance of doubt, the scope of this standard does not include secondary lithium cells which are covered in IEC 61960-1.

1.2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61960. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 61960 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60050(486), International Electrotechnical Vocabulary (IEV) – Chapter 486: Secondary cells and batteries

IEC 60051 (all parts), Direct acting indicating analogue electrical measuring instruments and their accessories

IEC 60068-2-6, Basic environmental testing procedures – Part 2: Tests – Test Fc: Vibration (sinusoidal)