SLOVENSKI STANDARD

SIST EN 61512-2:2004

marec 2004

Batch control - Part 2: Data structures and guidelines for languages

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61512-2:2004</u> https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004

ICS 25.040.40

Referenčna številka SIST EN 61512-2:2004(en)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61512-2:2004

https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004

EUROPEAN STANDARD

EN 61512-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2002

ICS 35.240.50

English version

Part 2: Data structures and guidelines for languages (IEC 61512-2:2001)

Contrôle-commande des processus de fabrication par lots (batch) Partie 2: Structures de données et règles générales relatives aux langages (CEI 61512-2:2001) Chargenorientierte Fahrweise Teil 2: Datenstrukturen und Leitfaden für Sprachen (IEC 61512-2:2001)

iTeh STANDARD PREVIEW (standards.iteh.ai)

This European Standard was approved by CENELEC on 2002-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of the International Standard IEC 61512-2:2001, prepared by SC 65A, System aspects, of IEC TC 65, Industrial-process measurement and control, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 61512-2 on 2002-10-01 without any modification.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2003-10-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2005-10-01

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes A, B and ZA are normative and annexes C, D and E are informative.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61512-2:2001 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

<u>SIST EN 61512-2:2004</u> https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60050-351	1998	International Electrotechnical Vocabulary Part 351: Automatic control	-	-
IEC 60848 1)	1988	Preparation of function charts for control systems	-	-
IEC 61131-3	iT 1993	eh STANDARD PREVIDE Programmable controllers	EN 61131-3	1993
		Part 3 Programming languages, 21		
IEC 61512-1	1997	Batch control	EN 61512-1	1999
	https://sta	Part 1: Models and terminology andards.iteh.a/catalog/standards/sist/dbae6553-df5c-4	c8a-86dd-	
ISO/IEC 9075	1992	Information processing systems 2004 Database language SQL with integrity enhancement	-	-

-

¹⁾ IEC 60848:2002 is harmonized as EN 60848:2002.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61512-2:2004

https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004

NORME INTERNATIONALE INTERNATIONAL STANDARD

CEI IEC 61512-2

> Première édition First edition 2001-11

Contrôle-commande des processus de fabrication par lots (batch) –

Partie 2:

Structures de données et règles générales relatives aux langages ry le W

(standards.iteh.ai)

Batch control -

SIST EN 61512-2:2004

https://pandards_teh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004

Data structures and guidelines for languages

© IEC 2001 Droits de reproduction réservés — Copyright - all rights reserved

Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'éditeur.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission
Telefax: +41 22 919 0300

n 3, rue de Varembé Geneva, Switzerland e-mail: inmail@iec.ch IEC web site http://www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия CODE PRIX
PRICE CODE



Pour prix, voir catalogue en vigueur For price, see current catalogue

CONTENTS

FC	REW	ORD		11
IN ⁻	TROD	UCTION	N	15
4	C			47
1				
2			eferences	
3				
4	Data	model.		19
	4.1	Introd	uction	19
	4.2	Overv	iew model	21
	4.3	Recipe	e model	
		4.3.1	Recipe entity	23
		4.3.2	Parts of recipe entities	31
		4.3.3	Recipe entity relation (procedural structure)	
		4.3.4	Recipe building blocks	
		4.3.5	Equipment requirements	
		4.3.6	Recipe parameters	43
	4.4	Equip	ment model	45
	4.5			
	4.6	Produ	ction information management	53
5	Rela	tional ta	ables for information exchange 1512-2:2004 https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd- Method	59
		5.1.1	Method	61
		5.1.2	Exchange tables	61
		5.1.3	Common exchange information	
	5.2	Maste	r recipe information	
		5.2.1	Recipe definitions	
		5.2.2	Recipe structure	
		5.2.3	Table overview and integrity constraints	
		5.2.4	Recipe table summary	
		5.2.5	Recipe table definitions	
	5.3		ss cell equipment model exchange	
		5.3.1	Equipment description	
		5.3.2	Table overview and integrity constraints	
		5.3.3	Equipment description table overview	
		5.3.4	Equipment information table summary	
		5.3.5	Equipment table definitions	
	5.4		lule information exchange	
		5.4.1	Schedule table overview	
		5.4.2	Schedule table summary	
		5.4.3	Schedule table definitions	121

	5.5	Production information exchange	125
		5.5.1 Control recipe information	127
		5.5.2 Equipment information	127
		5.5.3 Batch history	127
	5.6	Exchange table domains	
6	Proc	edure function charts	135
	6.1	Procedure function chart notation	
		6.1.1 Symbols	
		6.1.2 Procedure and unit procedure initiation	
		6.1.3 Non-procedural master recipe information	
	6.2	Control recipe depiction	
	6.3	Exception handling	165
Anı	nex A	(normative) Data modelling technique	167
Anı	nex B	(normative) SQL definition listing	171
Anı	nex C	(informative) Abbreviations	195
		(informative) Language guidelines	
		(informative) Procedure function chart processing examples	
		(
		Tob STANDADD DDEVIEW	
_		- Overview model	
		– Recipe entities (standards.iteh.ai)	
Fig	ure 3	- Parts of recipe entities	33
Fig	ure 4	Parts of recipe entities SIST EN 61512-2:2004 Recipe building block https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-	35
Fig	ure 5	Building block concept b86daf73571/sist-en-61512-2-2004	39
		- Recipe entity equipment requirements	
		– Parameter model	
		– Equipment structure	
		– Equipment entity relations	
_) – Equipment classes	
		I – Batch schedule	
_		2 – Production information	
_		3 – Data transfer using exchange tables	
_			
_		4 – Common information exchange tables	
		5 – Nested recipe elements make up a recipe	
_		S – Exchange table relationships	
_		7 – How entries relate in the tables	
_		B – Equipment information exchange tables	
Fig	ure 19	9 – Schedule structure	119
Fig	ure 20) – Batch history	127
Fig	ure 21	I – Recipe procedural element symbols	137
Fig	ure 22	2 – Procedural elements that encapsulate lower-level recipe procedural eleme	nts . 139
Fig	ure 23	3 – Begin symbol	139

Figure 24 – End symbol	141
Figure 25 – Allocation symbol	141
Figure 26 – Element synchronization examples	143
Figure 27 – Implicit transition	143
Figure 28 – Explicit transition	145
Figure 29 – Beginning of sequence selection	147
Figure 30 – End of sequence selection	147
Figure 31 – Beginning of simultaneous sequences	149
Figure 32 – End of simultaneous sequences	149
Figure 33 – Valid sequence selection diagram	151
Figure 34 – Valid simultaneous sequence diagram	153
Figure 35 – Looping with explicit recipe procedural elements	155
Figure 36 – Invalid procedure function chart	157
Figure 37 – Depiction of procedure and unit procedure initiation	159
Figure 38 – Relative relationship of procedural entities	
Figure 39 – Relative relationship of procedural entities – Alternate 1	163
Table 1 – Recipe entity Teh STANDARD PREVIEW	25
Table 2 – Subclasses – overviewstandards.iteh.ai) Table 3 – Recipe	27
Table 4 – Recipe component <u>SIST.FN 61512-2:2004</u>	
Table 5 – Recipe building block iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004	
Table 6 – General recipe entity	29
Table 7 – Site recipe entity	
Table 8 – Master recipe entity	
Table 9 – Control recipe entity	
Table 10 – Parameter	33
Table 11 – Equipment requirement	33
Table 12 – Other information	35
Table 13 – Procedural structural element	35
Table 14 – Equipment procedural element	37
Table 15 – Equipment entity	41
Table 16 – Equipment property	41
Table 17 – Equipment property type	43
Table 18 – Equipment relation	47
Table 19 – Equipment class	49
Table 20 – Batch schedule entry	51
Table 21 – Schedule parameter	51
Table 22 – Schedule relation	53
Table 23 – Production information	55
Table 24 – Batch specific information	55
Table 25 – Batch history	55

Table 26 – Common information	. 57
Table 27 – Executed procedural entity	. 59
Table 28 – Batch report	. 59
Table 29 – BXT_Exchange	. 63
Table 30 – BXT_Exchange table contents	. 65
Table 31 – BXT_EnumerationSet	.65
Table 32 – Standard enumeration sets	. 65
Table 33 – BXT_Enumeration	. 69
Table 34 – Standard enumerations	. 69
Table 35 – Recipe exchange tables	.91
Table 36 – BXT_MRecipeElement	. 93
Table 37 – BXT_MRecipeStep	. 95
Table 38 – BXT_MRecipeTransition	.97
Table 39 - BXT_MRecipeLink	. 99
Table 40 – BXT_MRecipeElementParameter	101
Table 41 – Standard sub-parameters	103
Table 42 – BXT_MRecipeStepParameter	103
Table 43 – BXT_MRecipeOtherInformation ARD PREVIEW Table 44 – BXT_MRecipeElementEquip	105
Table 44 – BXT_MRecipeElementEquip	107
Table 45 – BXT_MRecipeStepEquipandards.iteh.ai)	107
Table 46 – Equipment information exchange tables	111
Table 47 – BXT_EquipElement SIST EN 61512-2:2004 Table 47 – BXT_EquipElement https://standards.iteh.a/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-	113
Table 48 – BXT_EquipLink0b86daf73571/sist-en-61512-2-2004	113
Table 49 – BXT_EquipInclude	115
Table 50 – BXT_EquipProperty	115
Table 51 – BXT_EquipInterface	117
Table 52 – BXT_EquipInterfaceDefinition	117
Table 53 – BXT_EquipInterfaceParameter	117
Table 54 – Schedule information exchange tables	121
Table 55 – BXT_ScheduleEntry	121
Table 56 – BXT_ScheduleEquip	123
Table 57 – BXT_ScheduleProperty	125
Table 58 – BXT_ScheduleParameter	125
Table 59 – BXT_HistoryElement	129
Table 60 – BXT_HistoryLog	131
Table 61 – Exchange table domains	133
Table A.1 – UML notation	167
Table A.2 – ERD notation	169

INTERNATIONAL ELECTROTECHNICAL COMMISSION

BATCH CONTROL -

Part 2: Data structures and guidelines for languages

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that senses are the committees in that senses are the committees are the committees.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards access 3-df5c-4c8a-86dd-
- 6) Attention is drawn to the possibility that some of the elements of this international Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.
- 7) When dealing with compliance issues, the reader needs to be aware of IEC policy and IEC style in expressing requirements. This is described in 6.6.1 of the ISO/IEC Directives, Part 3: 1997, "Rules for the structure and drafting of International Standards".

International Standard IEC 61512-2 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement and control.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/338/FDIS	65A/344/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A and B form an integral part of this part of this standard. Annexes C, D and E are for information only.

The committee has decided that the contents of this publication will remain unchanged until 2006. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61512-2:2004</u> https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-0b86daf73571/sist-en-61512-2-2004

INTRODUCTION

Part 1 of this International Standard on batch control provides models and terminology applicable to batch control. Part 2 addresses data structures and guidelines for languages. Data structures are addressed by the data model that is defined in clause 4 that more precisely identifies objects and relationships that were addressed by models and concepts of part 1. Data structures are also addressed by relational tables for information exchange that are defined in clause 5. Languages are addressed by a recipe depiction methodology that is defined in clause 6.

The intended use of the data model is to provide a starting point for developing interface specifications for software components that address any subset of part 1 of this standard. The data model addresses all of part 1 of this standard as an integrated object model, but it does not presume or preclude any specific system architecture or information exchange. The model does not assume any specific division of functionality between systems.

A specific method for the exchange of selected data is defined in clause 5. Relational tables are used as the information exchange method because, within the bounds of the information treated, they:

- utilise broadly available technologies;
- are amenable to translation to other technologies;
- are adequate;
- are consistent with other sections of the standard. PREVIEW

Multiple methods of information transfer have not been defined, nor has there been an attempt to identify all information that might be exchanged. In the future, additional methods may be defined to provide alternate ways of exchanging data.

https://standards.iteh.ai/catalog/standards/sist/dbae6553-df5c-4c8a-86dd-

Clause 6 defines the symbols and rules for at graphical language that can be used to depict recipes. Recipes are the central feature of batch control and they can address a wide range of complexity, but there is no one depiction that is ideal for all circumstances. A simple table, for example, might be the most appropriate recipe form for simple cases. This standard specifies a method for depiction of master and control recipe procedures that can be applied over a broader range of complexity.

Although this standard is intended primarily for batch processes, it may be of considerable value for other types of processes.

BATCH CONTROL -

Part 2: Data structures and guidelines for languages

1 Scope

This part of this standard on batch control defines data models that describe batch control as applied in the process industries, data structures for facilitating communications within and between batch control implementations and language guidelines for representing recipes. Refer to Annex A for an explanation of the UML notation that is used in this part of this standard. Refer to Annex B for a summary of all of the SQL definitions from clause 5.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61512. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 61512 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

(standards.iteh.ai)
IEC 60848:1988, Preparation of function charts for control systems

IEC 60050-351:1998, Industrial-process measurement and control.—Terms and definitions 0b86daf73571/sist-en-61512-2-2004

IEC 61131-3:1993, Programmable controllers - Part 3: Programming languages

IEC 61512-1:1997, Batch control – Part 1: Models and terminology

ISO/IEC 9075:1992, Information processing systems – Database language – SQL with integrity enhancement

3 Definitions

For the purposes of this part of IEC 61512, the following definitions as well as those expressed in part 1 of this International Standard apply, except where differences are explicitly stated in this part. Definitions in IEC 60050-351 were also used as a basis.

3.1 allocation symbol

a graphical symbol that is used to represent the encapsulation of the resource allocation and de-allocation rules for a recipe procedural element