



SLOVENSKI STANDARD SIST ETS 300 374-1:1997

01-november-1997

**Inteligentno omrežje (IN) - Prvi nabor zmožnosti (CS1) inteligentnega omrežja -
Jedrni uporabni (aplikacijski) del inteligentnega omrežja (INAP) - 1. del:
Specifikacija protokola**

Intelligent Network (IN); Intelligent Network Capability Set 1 (CS1); Core Intelligent
Network Application Protocol (INAP); Part 1: Protocol specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 374-1:1997](https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-561ca257c1be/sist-ets-300-374-1-1997)

Ta slovenski standard je istoveten z: <https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-561ca257c1be/sist-ets-300-374-1-1997> **ETS 300 374-1 Edition 1**

ICS:


33.040.35 Telefonska omrežja Telephone networks

SIST ETS 300 374-1:1997 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 374-1:1997](#)

<https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-b61ea259c1be/sist-ets-300-374-1-1997>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 374-1

September 1994

Source: ETSI TC-SPS

Reference: DE/SPS-03015

ICS: 33.020, 33.080

Key words: IN, CS1, INAP

**Intelligent Network (IN);
Intelligent Network Capability Set 1 (CS1);
Core Intelligent Network Application Protocol (INAP);
Part 1: Protocol specification**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1994. All rights reserved.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 374-1:1997](https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-b61ea259c1be/sist-ets-300-374-1-1997)
[https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-
b61ea259c1be/sist-ets-300-374-1-1997](https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-b61ea259c1be/sist-ets-300-374-1-1997)

Contents

Foreword	13
1 Scope	15
2 Normative references	15
3 Definitions and abbreviations	16
4 General.....	18
4.1 Definition methodology	18
4.2 Example physical scenarios.....	18
4.3 INAP protocol architecture	25
4.3.1 INAP signalling congestion control for Signalling System No.7	26
4.4 INAP addressing	26
4.5 Relationship between ITU-T Recommendation Q.1214 and this ETS	27
4.6 Compatibility mechanisms used for INAP.....	28
4.6.1 Introduction.....	28
4.6.2 Definition of ETSI INAP compatibility mechanisms.....	28
4.6.2.1 Compatibility mechanism for interworking of ETSI INAP and ITU-T Q.1218 INAP	28
4.6.2.2 Procedures for major additions to ETSI INAP	28
4.6.2.3 Procedures for minor additions to ETSI INAP	29
4.6.2.4 Procedures for inclusion of network specific additions to ETSI INAP.....	29
5 Single/Multiple Association Control Function (SACF/MACF) rules	29
5.1 Reflection of TCAP Application Context (AC).....	29
5.2 Sequential/parallel execution of operations	29
6 Abstract syntax of the CS1 INAP	29
6.1 IN CS1 operation types.....	31
6.2 IN CS1 error types	39
6.3 IN CS1 data types.....	40
6.4 IN CS1 application protocol (operation and error codes).....	54
6.5 IN CS1 application contexts.....	58
7 Application entity procedures	60
7.1 SSF application entity procedures	60
7.1.1 General.....	60
7.1.2 Model and interfaces.....	60
7.1.3 Relations between SSF FSM and the CCF and maintenance functions.....	61
7.1.4 SSF Management Entity (SSME) FSM	63
7.1.5 SSF state transition diagram	64
7.1.5.1 State a: "Idle"	67
7.1.5.2 State b: "Trigger Processing".....	68
7.1.5.3 State c: "Waiting for Instructions"	68
7.1.5.4 State d: "Waiting for End of User Interaction".....	70
7.1.5.5 State e: "Waiting for End of Temporary Connection"	70
7.1.5.6 State f: "Monitoring"	71
7.1.6 Assisting/hand-off SSF FSM	72
7.1.6.1 State a: "Idle"	73
7.1.6.2 State b: "Waiting for Instructions"	73
7.1.6.3 State c: "Waiting for End of User Interaction".....	74

7.2	SCF application entity procedures	75
7.2.1	General	75
7.2.2	Model and Interfaces	75
7.2.3	Relationship between the SCF FSM and Service Logic Programs (SLPs)/maintenance functions.....	76
7.2.4	Partial SCF Management Entity (SCME) state transition diagram	78
7.2.4.1	State M3: "Service Filtering Idle"	78
7.2.4.2	State M4: "Waiting for SSF Service Filtering Response"	78
7.2.4.3	The Resource Control Object (RCO)	79
7.2.5	The SCF Call State Model (SCSM)	79
7.2.5.1	State 1: "Idle"	82
7.2.5.2	State 2: "Preparing SSF Instructions"	82
7.2.5.2.1	State 2.1: "Preparing SSF Instructions"	83
7.2.5.2.2	State 2.2 "Queueing FSM"	85
7.2.5.2.3	State 2.3: "Waiting for Notification or Request"	87
7.2.5.3	State 3: "Routing to Resource"	88
7.2.5.3.1	State 3.1: "Determine Mode"	89
7.2.5.3.2	State 3.2: "Waiting for Assist Request Instructions"	90
7.2.5.4	State 4: "User Interaction"	90
7.2.5.4.1	State 4.1 "Waiting for Response from the SRF"	91
7.3	SRF application entity procedures	92
7.3.1	General	92
7.3.2	Model and interfaces	93
7.3.3	Relationship between the SRF FSM and maintenance functions/bearer connection handling.....	93
7.3.4	The SRF Call State Model (SRSM)	95
7.3.4.1	State 1: "Idle"	96
7.3.4.2	State 2: "Connected"	97
7.3.4.3	State 3: "User Interaction"	97
7.3.5	Example SRF control procedures.....	98
7.3.5.1	SRF connect procedures	99
7.3.5.1.1	SRF connect physical procedures	99
7.3.5.2	SRF end user interaction procedures	103
7.3.5.2.1	Play Announcement/Prompt and Collect user information (PA/P&C).....	103
7.3.5.3	SRF disconnection procedures.....	104
7.3.5.3.1	SRF initiated disconnect.....	105
7.3.5.3.2	SCF initiated disconnect.....	106
7.3.5.4	Examples illustrating complete user interaction sequences.....	107
7.3.5.4.1	Message sequences for service assist.....	111
7.3.5.4.2	Message sequences for hand-off.....	112
8	Error procedures.....	113
8.1	Operation related error procedures.....	113
8.1.2	Cancelled.....	113
8.1.2.1	General description	113
8.1.2.1.1	Error description	113
8.1.2.2	Operations SCF->SRF	113
8.1.3	CancelFailed.....	114
8.1.3.1	General description	114
8.1.3.1.1	Error description	114
8.1.3.1.2	Argument description	114
8.1.3.2	Operations SCF->SRF	114
8.1.4	ETCFailed.....	115
8.1.4.1	General description	115
8.1.4.1.1	Error description	115
8.1.4.2	Operations SCF->SSF	115

8.1.5	ImproperCallerResponse	115
8.1.5.1	General description.....	115
	8.1.5.1.1 Error description	115
8.1.5.2	Operations SCF->SRF	115
8.1.6	MissingCustomerRecord	116
8.1.6.1	General description.....	116
	8.1.6.1.1 Error description	116
8.1.6.2	Operations SSF->SCF	116
8.1.6.3	Operations SRF->SCF	116
8.1.7	MissingParameter	117
8.1.7.1	General description.....	117
	8.1.7.1.1 Error description	117
8.1.7.2	Operations SCF->SSF.....	117
8.1.7.3	Operations SSF->SCF.....	118
8.1.7.4	Operations SCF->SRF	118
8.1.7.5	Operations SRF->SCF	119
8.1.8	ParameterOutOfRange	119
8.1.8.1	General description.....	119
	8.1.8.1.1 Error description	119
8.1.8.2	Operations SCF->SSF.....	119
8.1.8.3	Operations SSF->SCF.....	119
8.1.9	RequestedInfoError.....	119
8.1.9.1	General description.....	119
	8.1.9.1.1 Error description	119
	8.1.9.1.2 Argument description.....	120
8.1.9.2	Operations SCF->SSF.....	120
8.1.10	SystemFailure	120
8.1.10.1	General description.....	120
	8.1.10.1.1 Error description	120
	8.1.10.1.2 Argument description.....	120
8.1.10.2	Operations SCF->SSF.....	120
8.1.10.3	Operations SSF->SCF.....	120
8.1.10.4	Operations SCF->SRF	121
8.1.11	TaskRefused.....	121
8.1.11.1	General introduction.....	121
	8.1.11.1.1 Error description	121
	8.1.11.1.2 Argument description.....	121
8.1.11.2	Operations SCF->SSF.....	121
8.1.11.3	Operations SSF->SCF.....	121
8.1.11.4	Operations SCF->SRF	121
8.1.11.5	Operations SRF->SCF	121
8.1.12	UnavailableResource	122
8.1.12.1	General description.....	122
	8.1.12.1.1 Error description	122
8.1.12.2	Operations SCF->SRF	122
8.1.13	UnexpectedComponentSequence	122
8.1.13.1	General description.....	122
	8.1.13.1.1 Error description	122
8.1.13.2	Operations SCF->SSF.....	122
8.1.13.3	Operations SSF->SCF.....	123
8.1.13.4	Operations SCF->SRF (only applicable for direct SCF- SRF case).....	123
8.1.13.5	Operations SRF->SCF	123
8.1.14	UnexpectedDataValue	123
8.1.14.1	General description.....	123
	8.1.14.1.1 Error description	123
8.1.14.2	Operations SCF->SSF.....	124
8.1.14.3	Operations SSF->SCF.....	124
8.1.14.4	Operations SCF->SRF	124
8.1.14.5	Operations SRF->SCF	124

8.1.15	UnexpectedParameter.....	124
8.1.15.1	General description.....	124
8.1.15.1.1	Error description.....	124
8.1.15.2	Operations SCF->SSF.....	124
8.1.15.3	Operations SSF->SCF.....	125
8.1.15.4	Operations SCF->SRF.....	125
8.1.15.5	Operations SRF->SCF.....	125
8.1.16	UnknownLegID.....	125
8.1.16.1	General description.....	125
8.1.16.1.1	Error description.....	125
8.1.16.2	Operations SCF->SSF.....	125
8.2	Entity related error procedures.....	125
8.2.1	Expiration of T _{SSF}	125
8.2.1.1	General description.....	125
8.2.1.1.1	Error description.....	125
8.2.1.2	Procedures SSF->SCF.....	126
8.2.2	Expiration of T _{SRF}	126
8.2.2.1	General description.....	126
8.2.2.1.1	Error description.....	126
8.2.2.2	Procedures SRF->SCF.....	126
9	Detailed operation procedures.....	127
9.1	ActivateServiceFiltering procedure.....	127
9.1.1	General description.....	127
9.1.1.1	Parameters.....	127
9.1.2	Invoking entity (SCF).....	130
9.1.2.1	Normal procedure.....	130
9.1.2.2	Error handling.....	130
9.1.3	Responding entity (SSF).....	130
9.1.3.1	Normal procedure.....	130
9.1.3.2	Error handling.....	131
9.2	ActivityTest procedure.....	131
9.2.1	General description.....	131
9.2.1.1	Parameters.....	131
9.2.2	Invoking entity (SCF).....	131
9.2.2.1	Normal procedure.....	131
9.2.2.2	Error handling.....	132
9.2.3	Responding entity (SSF).....	132
9.2.3.1	Normal procedure.....	132
9.2.3.2	Error handling.....	132
9.3	ApplyCharging procedure.....	132
9.3.1	General description.....	132
9.3.1.1	Parameters.....	132
9.3.2	Invoking entity (SCF).....	133
9.3.2.1	Normal procedure.....	133
9.3.2.2	Error handling.....	133
9.3.3	Responding entity (SSF).....	133
9.3.3.1	Normal procedure.....	133
9.3.3.2	Error handling.....	133
9.4	ApplyChargingReport procedure.....	133
9.4.1	General description.....	133
9.4.1.1	Parameters.....	134
9.4.2	Invoking entity (SSF).....	134
9.4.2.1	Normal procedure.....	134
9.4.2.2	Error handling.....	134
9.4.3	Responding entity (SCF).....	134
9.4.3.1	Normal procedure.....	134
9.4.3.2	Error handling.....	134
9.5	AssistRequestInstructions procedure.....	135
9.5.1	General description.....	135
9.5.1.1	Parameters.....	135

9.5.2	Invoking entity (SSF/SRF)	135
9.5.2.1	Normal procedure	135
9.5.2.2	Error handling	135
9.5.3	Responding entity (SCF)	135
9.5.3.1	Normal procedure	135
9.5.3.2	Error handling	136
9.6	CallGap procedure	136
9.6.1	General description	136
9.6.1.1	Parameters	136
9.6.2	Invoking entity (SCF)	138
9.6.2.1	Normal procedure	138
9.6.2.2	Error handling	138
9.6.3	Responding entity (SSF)	138
9.6.3.1	Normal procedure	138
9.6.3.2	Error handling	139
9.7	CallInformationReport procedure	140
9.7.1	General description	140
9.7.1.1	Parameters	140
9.7.2	Invoking entity (SSF)	140
9.7.2.1	Normal procedure	140
9.7.2.2	Error handling	140
9.7.3	Responding entity (SCF)	141
9.7.3.1	Normal procedure	141
9.7.3.2	Error handling	141
9.8	CallInformationRequest procedure	141
9.8.1	General description	141
9.8.1.1	Parameters	141
9.8.2	Invoking entity (SCF)	142
9.8.2.1	Normal procedure	142
9.8.2.2	Error handling	142
9.8.3	Responding entity (SSF)	142
9.8.3.1	Normal procedure	142
9.8.3.2	Error handling	142
9.9	Cancel procedure	143
9.9.1	General description	143
9.9.1.1	Parameters	143
9.9.2	Invoking entity (SCF)	143
9.9.2.1	Normal procedure	143
9.9.2.2	Error handling	143
9.9.3	Responding entity (SRF)	143
9.9.3.1	Normal procedure	143
9.9.3.2	Error handling	143
9.9.4	Responding entity (SSF)	144
9.9.4.1	Normal procedure	144
9.9.4.2	Error handling	144
9.10	CollectInformation procedure	144
9.10.1	General description	144
9.10.1.1	Parameters	144
9.10.2	Invoking entity (SCF)	144
9.10.2.1	Normal procedure	144
9.10.2.2	Error handling	144
9.10.3	Responding entity (SSF)	145
9.10.3.1	Normal procedure	145
9.10.3.2	Error handling	145
9.11	Connect procedure	145
9.11.1	General description	145
9.11.1.1	Parameters	145
9.11.2	Invoking entity (SCF)	146
9.11.2.1	Normal procedure	146
9.11.2.2	Error handling	147
9.11.3	Responding entity (SSF)	147
9.11.3.1	Normal procedure	147
9.11.3.2	Error handling	148

9.12	ConnectToResource procedure	148
9.12.1	General description.....	148
9.12.1.1	Parameters	148
9.12.2	Invoking entity (SCF)	148
9.12.2.1	Normal procedure	148
9.12.2.2	Error handling.....	148
9.12.3	Responding entity (SSF).....	149
9.12.3.1	Normal procedure	149
9.12.3.2	Error handling.....	149
9.13	Continue procedure.....	149
9.13.1	General description.....	149
9.13.1.1	Parameters	149
9.13.2	Invoking entity (SCF)	149
9.13.2.1	Normal procedure	149
9.13.2.2	Error handling.....	149
9.13.3	Responding entity (SSF).....	150
9.13.3.1	Normal procedure	150
9.13.3.2	Error handling.....	150
9.14	DisconnectForwardConnection procedure.....	150
9.14.1	General description.....	150
9.14.1.1	Parameters	150
9.14.2	Invoking entity (SCF)	150
9.14.2.1	Normal procedure	150
9.14.2.2	Error handling.....	151
9.14.3	Responding entity (SSF).....	151
9.14.3.1	Normal procedure	151
9.14.3.2	Error handling.....	151
9.15	EstablishTemporaryConnection procedure.....	152
9.15.1	General description.....	152
9.15.1.1	Parameters	152
9.15.2	Invoking entity (SCF)	152
9.15.2.1	Normal procedure	152
9.15.2.2	Error handling.....	152
9.15.3	Responding entity (SSF).....	153
9.15.3.1	Normal procedure	153
9.15.3.2	Error handling.....	153
9.16	EventNotificationCharging procedure.....	153
9.16.1	General description.....	153
9.16.1.1	Parameters	153
9.16.2	Invoking entity (SSF).....	154
9.16.2.1	Normal procedure	154
9.16.2.2	Error handling.....	154
9.16.3	Responding entity (SCF).....	154
9.16.3.1	Normal procedure	154
9.16.3.2	Error handling.....	154
9.17	EventReportBCSM procedure.....	155
9.17.1	General description.....	155
9.17.1.1	Parameters	155
9.17.2	Invoking entity (SSF).....	156
9.17.2.1	Normal procedure	156
9.17.2.2	Error handling.....	156
9.17.3	Responding entity (SCF).....	156
9.17.3.1	Normal procedure	156
9.17.3.2	Error handling.....	157
9.18	FurnishChargingInformation procedure	157
9.18.1	General description.....	157
9.18.1.1	Parameters	157
9.18.2	Invoking entity (SCF)	157
9.18.2.1	Normal procedure	157
9.18.2.2	Error handling.....	158
9.18.3	Responding entity (SSF).....	158
9.18.3.1	Normal procedure	158
9.18.3.2	Error handling.....	159

9.19	InitialDP procedure	159
9.19.1	General description	159
	9.19.1.1 Parameters	159
9.19.2	Invoking entity (SSF)	160
	9.19.2.1 Normal procedure	160
	9.19.2.2 Error handling	161
9.19.3	Responding entity (SCF)	161
	9.19.3.1 Normal procedure	161
	9.19.3.2 Error handling	161
9.20	InitiateCallAttempt procedure.....	162
9.20.1	General description	162
	9.20.1.1 Parameters	162
9.20.2	Invoking entity (SCF)	162
	9.20.2.1 Normal procedure	162
	9.20.2.2 Error handling	163
9.20.3	Responding entity (SSF)	163
	9.20.3.1 Normal procedure	163
	9.20.3.2 Error handling	163
9.21	PlayAnnouncement procedure.....	163
9.21.1	General description	163
	9.21.1.1 Parameters	163
9.21.2	Invoking entity (SCF)	165
	9.21.2.1 Normal procedure	165
	9.21.2.2 Error handling	165
9.21.3	Responding entity (SRF)	165
	9.21.3.1 Normal procedure	165
	9.21.3.2 Error handling	165
9.22	PromptAndCollectUserInformation procedure.....	166
9.22.1	General description	166
	9.22.1.1 Parameters	166
9.22.2	Invoking entity (SCF)	169
	9.22.2.1 Normal procedure	169
	9.22.2.2 Error handling	169
9.22.3	Responding entity (SRF)	169
	9.22.3.1 Normal procedure	169
	9.22.3.2 Error handling	170
9.23	ReleaseCall procedure	170
9.23.1	General description	170
	9.23.1.1 Parameters	170
9.23.2	Invoking entity (SCF)	171
	9.23.2.1 Normal procedure	171
	9.23.2.2 Error handling	171
9.23.3	Responding entity (SSF)	171
	9.23.3.1 Normal procedure	171
	9.23.3.2 Error handling	171
9.24	RequestNotificationChargingEvent procedure.....	171
9.24.1	General description	171
	9.24.1.1 Parameters	171
9.24.2	Invoking entity (SCF)	172
	9.24.2.1 Normal procedure	172
	9.24.2.2 Error handling	172
9.24.3	Responding entity (SSF)	172
	9.24.3.1 Normal procedure	172
	9.24.3.2 Error handling	173
9.25	RequestReportBCSMEEvent procedure.....	173
9.25.1	General description	173
	9.25.1.1 Parameters	173
9.25.2	Invoking entity (SCF)	174
	9.25.2.1 Normal procedure	174
	9.25.2.2 Error handling	174
9.25.3	Responding entity (SSF)	174
	9.25.3.1 Normal procedure	174
	9.25.3.2 Error handling	174

9.26	ResetTimer procedure	174
9.26.1	General description.....	174
9.26.1.1	Parameters	175
9.26.2	Invoking entity (SCF)	175
9.26.2.1	Normal procedure	175
9.26.2.2	Error handling.....	175
9.26.3	Responding entity (SSF).....	175
9.26.3.1	Normal procedure	175
9.26.3.2	Error handling.....	175
9.27	SendChargingInformation procedure	175
9.27.1	General description.....	175
9.27.1.1	Parameters	176
9.27.2	Invoking entity (SCF)	176
9.27.2.1	Normal procedure	176
9.27.2.2	Error handling.....	176
9.27.3	Responding entity (SSF).....	176
9.27.3.1	Normal procedure	176
9.27.3.2	Error handling.....	177
9.28	ServiceFilteringResponse procedure	177
9.28.1	General description.....	177
9.28.1.1	Parameters	177
9.28.2	Invoking entity (SSF).....	178
9.28.2.1	Normal procedure	178
9.28.2.2	Error handling.....	178
9.28.3	Responding entity (SCF).....	178
9.28.3.1	Normal procedure	178
9.28.3.2	Error handling.....	178
9.29	SpecializedResourceReport procedure.....	179
9.29.1	General description.....	179
9.29.1.1	Parameters	179
9.29.2	Invoking entity (SRF)	179
9.29.2.1	Normal procedure	179
9.29.2.2	Error handling.....	179
9.29.3	Responding entity (SCF).....	179
9.29.3.1	Normal procedure	179
9.29.3.2	Error handling.....	179
10	Services assumed from TCAP	180
10.1	Normal procedures.....	180
10.1.1	SSF-to-SCF messages.....	180
10.1.1.1	SSF FSM related messages	180
10.1.1.2	Assisting/hand-off SSF FSM related messages	181
10.1.1.3	SSME FSM related messages.....	181
10.1.2	SCF-to-SSF messages.....	181
10.1.2.1	SCSM FSM related messages.....	181
10.1.2.2	SCME FSM related messages.....	181
10.1.3	SCF-to/from-SRF messages	182
10.2	Abnormal procedures.....	182
10.2.1	SCF-to-SSF/SRF messages	183
10.2.2	SSF/SRF-to-SCF messages	183
10.3	Dialogue establishment.....	183
10.3.1	Sending of a TC-BEGIN request primitive	184
10.3.2	Receipt of a TC-BEGIN indication	184
10.3.3	Receipt of the first TC-CONTINUE indication.....	184
10.3.4	Receipt of a TC-END indication.....	184
10.3.5	Receipt of a TC-U-ABORT indication	184
10.3.6	Receipt of a TC-P-ABORT indication	185
10.4	Dialogue continuation.....	185
10.4.1	Sending entity	185
10.4.2	Receiving entity.....	185
10.5	Dialogue termination	185
10.5.1	Sending of TC-END request.....	185
10.5.2	Receipt of a TC-END indication.....	185

10.6	User Abort.....	185
10.6.1	Sending of TC-U-ABORT request.....	186
10.6.2	Receipt of a TC-U-ABORT indication.....	186
10.7	Provider Abort.....	186
10.7.1	Receipt of a TC-P-ABORT indication.....	186
10.8	Procedures for INAP operations.....	186
10.8.1	Operation invocation.....	186
10.8.2	Operation invocation receipt.....	186
10.8.3	Operation response.....	187
10.8.4	Receipt of a response.....	187
10.8.4.1	Receipt of TC-RESULT-NL indication.....	187
10.8.4.2	Receipt of TC-RESULT-L indication.....	187
10.8.4.3	Receipt of TC-U-ERROR indication.....	187
10.8.4.4	Receipt of TC-U-REJECT indication.....	188
10.8.4.5	Receipt of a TC-L-REJECT indication.....	188
10.8.4.6	Receipt of a TC-L-CANCEL indication.....	188
10.8.5	Other events.....	188
10.8.5.1	Receipt of a TC-U-REJECT.....	188
10.8.5.2	Receipt of a TC-R-REJECT indication.....	188
10.8.5.3	Receipt of a TC-L-REJECT indication.....	189
10.8.5.4	Receipt of a TC-NOTICE indication.....	189
10.9	Mapping on to TC services.....	189
10.9.1	Dialogue control.....	189
10.9.1.1	Destination address.....	189
10.9.1.2	Originating address.....	189
10.9.1.3	Dialogue ID.....	189
10.9.1.4	Application-context-name.....	189
10.9.1.5	User information.....	189
10.9.1.6	Component present.....	189
10.9.1.7	Termination.....	189
10.9.1.8	Quality of service.....	189
10.9.2	Operation procedures.....	190
10.9.2.1	Invoke ID.....	190
10.9.2.2	Linked ID.....	190
10.9.2.3	Dialogue ID.....	190
10.9.2.4	Class.....	190
10.9.2.5	Operation.....	190
10.9.2.6	Error.....	190
10.9.2.7	Parameters.....	190
10.9.2.8	Time out.....	190
10.9.2.9	Last component.....	190
10.9.2.10	Problem code.....	190
Annex A (informative):	Expanded ASN.1 source of core INAP CS1.....	191
Annex B (informative):	Charging scenarios supported by core INAP.....	203
B.1	Introduction.....	203
B.2	Charging requirements.....	203
B.2.1	Off-line charging.....	203
B.2.2	On-line charging.....	203
B.3	Charging processes.....	203
B.4	Charging scenarios.....	204
B.4.1	Charging scenarios related to off-line charging.....	204
B.4.1.1	Scenario 1: IN charging completely in the PSTN.....	204
B.4.1.2	Scenario 2: IN charging completely in the IN.....	204
B.4.1.3	Scenario 3: IN Charging shared between IN and PSTN.....	204
B.4.1.4	Scenario 4: Charging at the SCF, assisted by the SSF.....	205
B.4.2	Charging scenarios related to on-line charging.....	205

B.5	Interactions	206
B.5.1	Interactions with other networks concerning charging control	206
B.5.2	Call parties controlled by different SLs	206
B.5.2.1	Case 1: charging information from SSF FSM-B to SSF FSM-A	206
B.5.2.2	Case 2: charging information from SSF FSM-A to SSF FSM-B	207
B.5.2.3	Case 3: charging information from SSF FSM-A to SSF FSM-B and reverse	207
B.6	Framework for the charging operations in INAP	207
Annex C (informative): Trigger Detection Points (TDPs) and trigger criteria for the CS1 core INAP ...		209
C.1	Introduction	209
C.2	BCSM TDPs and TDP criteria	209
C.2.1	Unconditional TDPs	209
C.2.2	Conditional TDPs	210
C.2.3	Trigger criteria combinations	211
C.2.4	Trigger criteria priorities	211
Annex D (informative): Bibliography		212
History		213

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 374-1:1997](https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-b61ea259c1be/sist-ets-300-374-1-1997)

<https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-b61ea259c1be/sist-ets-300-374-1-1997>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is based on ITU-T Recommendation Q.1218 (1993). It provides major modifications and further requirements to this base document.

This ETS is part 1 of a multi-part standard covering the Capability Set 1 (CS1) core Intelligent Network Protocol (INAP) as described below:

Part 1: "Protocol specification";

Part 2: "Protocol Implementation Conformance Statement (PICS) proforma";

Part 3: "Test Suite Structure and Test Purposes (TSS&TP)";

Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma";

Part 5: "Protocol specification for the SCF-SDF interface";

Part 6: "PICS proforma for the SCF-SDF interface".

Transposition dates	
Date of latest announcement of this ETS (doa):	31 December 1994
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	30 June 1995
Date of withdrawal of any conflicting National Standard (dow):	30 June 1995

ITeH STANDARD PREVIEW
(standards.iteh.ai)
SIST ETS 300 374-1:1997
<https://standards.iteh.ai/catalog/standards/sist/007acdf7-ee43-4ee9-8d73-b61ea259c1be/sist-ets-300-374-1-1997>