SLOVENSKI STANDARD
SIST ENV ISO 14825:2003

01-oktober-2003

Datoteke z geografskimi podatki (ISO 14825:1996)

Geographic Data Files (ISO 14825:1996)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ENV ISO 14825:1996**

SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003

ICS:

35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

SIST ENV ISO 14825:2003 **en**

2003-01.Slovenski inštitut za standardizacijo. Razmnoževanje celote ali delov tega standarda ni dovoljeno.

SIST ENV ISO 14825:2003

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

EUROPEAN PRESTANDARD

PRÉNORME EUROPÉENNE

EUROPÄISCHE VORNORM

ENV ISO 14825

November 1996

ICS 35.240.60

Descriptors: Digital Road Maps, GDF, Road and Transport Telematics

English version

Geographic Data Files (ISO 14825:1996)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003

This European Prestandard (ENV) was approved by CEN on 1996-07-25 as a prospective standard for provisional application. The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into an European Standard (EN).

CEN members are required to announce the existance of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart,36 B-1050 Brussels

© 1996 Copyright reserved to CEN members

SIST ENV ISO 14825:2003

CONTENTS

FOREWORD 14

INTRODUCTION 15

1. SCOPE 16

2. REFERENCES 17
2.1 Normative References 17
2.2 Other references 18

3. DEFINITIONS 19
3.1 General terms 19
3.2 Mathematical terms 22
3.3 Geodetical terms 24
3.4 GDF Terms 26

4. GENERAL DATA MODEL 28
4.1 GDF History 28
4.2 Structure of GDF 29
4.3 Contents of GDF 30
4.4 Data Models in GDF 31
4.5 Understanding the NIAM diagrams 32

5. FEATURE CATALOGUE 37
5.1 Generic Specifications 37
5.1.1 Features and Feature Themes 37
5.1.2 Feature Class Codes 37
5.1.3 Simple and Complex Features 37
5.1.4 Data Model for the Feature Catalogue 37
5.1.5 Overview Of Feature Themes 38
5.1.6 User-defined Features 38
5.2 Roads and Ferries 40
5.2.1 General Overview 40
5.2.2 Road Element 42
5.2.3 Enclosed Traffic Area 44
5.2.4 Junction 44
5.2.5 Ferry Connection 48
5.2.6 Ferry 48
5.2.7 Road 49
5.2.8 Intersection 53
5.2.9 Aggregated Way 53
5.2.10 Address Area 54
5.2.11 Address Area Boundary Element 54
5.3 Administrative Areas 55
5.3.1 General Overview 55
5.3.2 Boundary Element 56
5.3.3 Boundary Junction 56
5.3.4 Country 58
5.3.5 Order 1 to 7 Areas 58
5.3.6 Order 8 Area 58
5.3.7 Order 9 Area 59
5.4 Settlements and Named Areas 60
5.4.1 General Overview 60
5.4.2 Built-up Areas 60
5.4.3 Named Area 62
5.4.4 District 62
5.5 Land Cover and Use 63
5.5.1 Definition 63
5.5.2 General Overview 63

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

5.5.3 Building 64
5.5.4 Woodland 64
5.5.5 Park/Garden 64
5.5.6 Island 64
5.6 Brunnels 65
5.6.1 General Overview 65
5.6.2 Brunnel 65
5.7 Railways 66
5.7.1 General Overview 66
5.7.2 Railway Element 66
5.7.3 Railway Element Junction 66
5.8 Waterways 68
5.8.1 General Overview 68
5.8.2 Water Element 69
5.8.3 Water Boundary Element 69
5.8.4 Water Boundary Junction 69
5.9 Road furniture 71
5.9.1 General Overview 71
5.9.2 Signpost 71
5.9.3 Traffic Sign 71
5.9.4 Traffic Light 71
5.9.5 Pedestrian Crossing 71
5.10 Services 73
5.10.1 General Overview 73
5.10.2 Features of Services 74
5.11 Public Transport 79
5.11.1 General Overview 79
5.11.2 Route Link 82
5.11.3 Public Transport Junction 82
5.11.4 Public Transport Point 82
5.11.5 Stop Point 83
5.11.6 Route 83
5.11.7 Line 83
5.11.8 Stop Area 84
5.12 General Features 85
5.12.1 General Overview 85
5.12.2 Centre Point of Feature 85

6. ATTRIBUTE CATALOGUE 86
6.1 Generic Specifications 86
6.1.1 Attribute Types 86
6.1.2 Attribute Values 86
6.1.3 Attribute Type Name 86
6.1.4 Simple and composite attributes 86
6.1.5 Composite attributes combined with the restrictive sub-attribute Validity Period. ..87
6.1.6 Composite attributes combined with the restrictive sub-attribute Vehicle Type. 88
6.1.7 Composite attributes combined with restrictive sub-attribute Lane Dependent Validity 88
6.1.8 Names in combination with a Language Code. 89
6.1.9 Default Attribute Values 89
6.1.10 Relation between attributes and features: Segmented Attributes. 89
6.1.11 Attributes of General Purpose Features 90
6.1.12 Attributes of Relationships 90
6.1.13 Attribute Type Codes 91
6.1.14 User-defined Attributes 91
6.1.15 The Data Model for Attributes 91
6.2 Attributes for all Feature Themes 101
6.2.1 Official Name 101
6.2.2 Alternate Name 101
6.2.3 Positional Accuracy 102
6.2.4 Validity Period 102

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-2bdc1b5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

6.3 Attributes for Roads and Ferries 103
6.3.1 Average Vehicle Speed 103
6.3.2 Blocked Passage 103
6.3.3 Chainage Offset 104
6.3.4 Composite Form of Way 104
6.3.5 Construction Status 105
6.3.6 Direction of Traffic Flow 105
6.3.7 Divider 106
6.3.8 Divided Road Element 106
6.3.9 Divider Type 107
6.3.10 Divider Width 107
6.3.11 Emergency Vehicle Lane 108
6.3.12 Enclosed Traffic Area Type 108
6.3.13 External Identifier 109
6.3.14 Ferry Type 110
6.3.15 First House Number Left 110
6.3.16 First House Number Right 111
6.3.17 Form of Way 111
6.3.18 Freeway 116
6.3.19 Frequency of a Traffic Connection 117
6.3.20 Functional Road Class 118
6.3.21 Height of Pass 119
6.3.22 High Occupancy Vehicle 120
6.3.23 House Number Range 120
6.3.24 House Number Structure 121
6.3.25 Intermediate House Number Left 124
6.3.26 Intermediate House Number Right 125
6.3.27 Intersection Type 125
6.3.28 Junction Type 127
6.3.29 Lane Dependent Validity 128
6.3.30 Last House Number Left 129
6.3.31 Last House Number Right 130
6.3.32 Lateral Offset 130
6.3.33 Length of a Road Element 131
6.3.34 Magnetic Anomalies 131
6.3.35 Maximum Height Allowed 132
6.3.36 Maximum Length Allowed 132
6.3.37 Maximum Number of Lanes 133
6.3.38 Maximum Total Weight Allowed 134
6.3.39 Maximum Weight per Axle Allowed 134
6.3.40 Maximum Width Allowed 135
6.3.41 Measured Length 135
6.3.42 Minimum Number of Lanes 136
6.3.43 Minimum Number of Occupants 137
6.3.44 Mountain Pass 137
6.3.45 National Road Class 138
6.3.46 Number of Lanes 138
6.3.47 Number of Passing Vehicles 139
6.3.48 Opening Period 140
6.3.49 Ownership 140
6.3.50 Pass 140
6.3.51 Passing Restrictions 141
6.3.52 RDS/TMC Code 141
6.3.53 Road Conditions 141
6.3.54 Road Display Class 142
6.3.55 Road Gradient 142
6.3.56 Road Inclination 143
6.3.57 Route Number 144
6.3.58 Scenic Value 144
6.3.59 Slip Road Type 145
6.3.60 Special Restrictions 145

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5fbb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

6.3.61 Speed Restrictions 146
6.3.62 Toll Road 146
6.3.63 Traffic Jam Sensitivity 147
6.3.64 Travel Time 147
6.3.65 Vehicle Type 148
6.3.66 Width 149
6.4 Attributes for Administrative Areas 150
6.4.1 CCC Country Code 150
6.4.2 CCC Region Code 150
6.4.3 ISO Country Code 150
6.4.4 Official Code 151
6.4.5 Population 151
6.4.6 Population Class 151
6.5 Attributes for Settlements and Named Areas 152
6.5.1 Population 152
6.5.2 Population Class 152
6.5.3 Postal Code 152
6.5.4 Settlement Type 153
6.6 Attributes for Land Cover and Use 154
6.6.1 Building Class Name 154
6.6.2 Park Type 154
6.7 Attributes for Brunnels 155
6.7.1 Brunnel Type 155
6.8 Attributes for Railways 158
6.9 Attributes for Waterways 159
6.9.1 Water Display Class 159
6.9.2 Water Boundary Element Type 159
6.9.3 Water Element Type 161
6.10 Attributes for Road Furniture 163
6.10.1 Direction 163
6.10.2 Symbol on Traffic Sign 164
6.10.3 Textual Content of a Traffic Sign 166
6.10.4 Traffic Sign Class 166
6.10.5 Traffic Sign Information 167
6.10.6 Value on Traffic Sign 168
6.11 Attributes for Services 169
6.11.1 Accepted Credit Cards 169
6.11.2 Airport 169
6.11.3 Brand Name 169
6.11.4 Breakfast Available 170
6.11.5 Business Lunch 170
6.11.6 Departure/Arrival 170
6.11.7 Destination of Flight Connection 171
6.11.8 Domestic/International 171
6.11.9 Facilities En Suite 172
6.11.10 Flight Info 172
6.11.11 ID of Flight Connection 172
6.11.12 Importance 173
6.11.13 Number of Rooms 173
6.11.14 Opening Period 174
6.11.15 Parking Facilities Available 174
6.11.16 Priceband 174
6.11.17 Restaurant Facilities Available 175
6.11.18 Railway Station Type 175
6.11.19 Snack Served 176
6.11.20 Rating 176
6.11.21 Suitable for Disabled 177
6.11.22 Telefax Number 177
6.11.23 Telephone Number 177
6.11.24 Time Difference of Flight Connection 178
6.11.25 Time of Arrival of Flight Connection 178

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

6.11.26 Time of Departure of Flight Connection 179
6.12 Attributes for Public Transport 180
6.12.1 Type of Public Transport Point 180
6.12.2 Public Transport Mode 180
6.12.3 Route Direction 181

7. RELATIONSHIP CATALOGUE 182
7.1 Generic Specifications 182
7.1.1 Features and their Relationships 182
7.1.2 Relationship types 182
7.1.3 Arity of a Relationship 182
7.1.4 Partners of a Relationship 182
7.1.5 Relationship Type Names and Codes 183
7.1.6 Homogeneous Relationships and their constraints 183
7.2 Relationship Types 186
7.2.1 Road Element in Administrative Area 186
7.2.2 Junction in Administrative Area 186
7.2.3 Building in Administrative Area 186
7.2.4 Service in Administrative Area 186
7.2.5 Built-up Area in Administrative Area 186
7.2.6 District in Administrative Area 187
7.2.7 Enclosed Traffic Area in Administrative Area 187
7.2.8 Road Element in Built-up Area 187
7.2.9 Junction in Built-up Area 187
7.2.10 Building in Built-up Area 187
7.2.11 Service in Built-up Area 188
7.2.12 Enclosed Traffic Area in Built-up Area 188
7.2.13 District in Built-up Area 188
7.2.14 Road Element in District 188
7.2.15 Building along Road Element 188
7.2.16 Service along Road Element 189
7.2.17 Service along Road 189
7.2.18 Service at Junction 189
7.2.19 Service at Intersection 190
7.2.20 Service related to Service 190
7.2.21 Road Element leading to Enclosed Traffic Area 190
7.2.22 Road Element belonging to Service 190
7.2.23 Centre Point of Feature belonging to Feature 190
7.2.24 Divided Junction 190
7.2.25 Road related object related to Road Element 191
7.2.26 Prohibited Manoeuvre 191
7.2.27 Priority Manoeuvre 193
7.2.28 Restricted Manoeuvre 194
7.2.29 Grade Separated Crossing 196
7.2.30 Signpost Information 196
7.2.31 Traffic Sign in + Direction of Road Element 197
7.2.32 Traffic Sign in - Direction of Road Element 197
7.2.33 Traffic Light in + Direction of Road Element 198
7.2.34 Traffic Light in - Direction of Road Element 198
7.2.35 Route Link along Road Element 198
7.2.36 Stop Point along Route 198
7.2.37 Stop Point along Road Element 198
7.2.38 Stop Point at Junction 199
7.2.39 Stop Point located near Service 199
7.2.40 Public Transport Point along Route Link 199

8. FEATURE REPRESENTATION 200
8.1 Generic Specifications 200
8.2 Roads and Ferries 209
8.3 Administrative Areas 211
8.4 Settlements and Named Areas 213

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bde1b5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

8.5 Land Cover and Use 214
8.6 Brunnels 215
8.7 Railways 218
8.8 Waterways 219
8.9 Road Furniture 220
8.10 Services 221
8.11 Public Transport 222
8.12 General Purpose Features 223

9. QUALITY DESCRIPTION SPECIFICATIONS 224
9.1 Introduction 224
9.1.1 Scope of this document 224
9.1.2 Subject to which this Specification applies 224
9.2 Quality Description and Measuring Methods 225
9.2.1 Description of Data Quality 225
9.2.1.1 Introduction 225
9.2.1.2 Descriptive Terms for Data Quality of Geographic Databases 225
9.2.2 Methods for Quality Measurement 226
9.2.2.1 Format Quality Checking 226
9.2.2.2 Semantical Quality Checking 227
9.2.3 Direct Semantical Quality Checking 227
9.2.3.1 Sampling Method 227
9.2.3.2 ISO 2859 "Sampling procedures and tables for inspection by attributes" 228
9.2.3.3 Applying ISO 2859 on Digital Map Databases 228
9.2.3.4 Definition of Checks 230
9.2.3.5 Checking Procedure 232

10. GLOBAL DATA CATALOGUE 234
10.1 Generic Specification 234
10.1.1 Introduction 234
10.1.2 Syntax of the Global Data Description 234
10.1.3 Partitioning of a Dataset 234
10.1.4 Information Units 234
10.1.5 Medium Units 235
10.1.6 Data Quality 235
10.2 Headers and Terminators 236
10.2.1 Volume Header 236
10.2.2 Volume Terminator 238
10.2.3 Dataset Header 239
10.2.4 Section Header 244
10.2.5 Layer Header 253
10.3 Data Dictionary 255
10.3.1 Field Definition 255
10.3.2 Record Definition 259
10.3.3 Feature Definition 260
10.3.4 Attribute Field Definition 261
10.4 Table of Contents 263
10.4.1 Directory 263
10.4.2 Spatial Domain 264
10.5 Default Attribute Values 266
10.5.1 Attribute Type 266
10.5.2 Default Attribute Value 266
10.6 Source Material 267
10.6.1 Source Document 267
10.7 Geodetical Parameters 275
10.7.1 Geodetical Datum 275
10.7.2 Reference Ellipsoid 277
10.7.3 Projection Method 277
10.7.4 National Map Grid 279
10.7.5 Geoid Ondulation 281
10.7.6 Magnetic Declination 282

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-8a1db5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

10.8 Quality Descriptions....284
10.8.1 Feature Quality....284
10.8.2 Attribute Quality....284
10.9 General Comment....287

11. GDF LOGICAL DATA STRUCTURES....288
11.1 Introduction....288
11.1.1 Data Descriptive Language ESN....288
11.1.2 Lists, elements and ranges....289
11.1.3 Summary of the syntax notation....290
11.1.4 Elementary data types....290
11.1.4.1 Attribute type code....290
11.1.4.2 Attribute value code....291
11.1.4.3 Boolean....291
11.1.4.4 Character....291
11.1.4.5 Data type code....291
11.1.4.6 Data unit code....291
11.1.4.7 Datum name....291
11.1.4.8 Day code....291
11.1.4.9 Day in month code....291
11.1.4.10 Day in week code....291
11.1.4.11 Ellipsoid code....291
11.1.4.12 Feature Class Code....292
11.1.4.13 Feature Class Names....292
11.1.4.14 Feature Theme Codes....292
11.1.4.15 FEATURE THEME NAME....292
11.1.4.16 Height level name....292
11.1.4.17 Hour code....292
11.1.4.18 Hour in day code....292
11.1.4.19 ISO country code....292
11.1.4.20 Marc Language code....292
11.1.4.21 Month code....293
11.1.4.22 Month in year code....293
11.1.4.23 No data mark....293
11.1.4.24 Null....293
11.1.4.25 Percentage....293
11.1.4.26 Projection type code....293
11.1.4.27 Relationship kind code....293
11.1.4.28 Relationship code....293
11.1.4.29 Set 1....293
11.1.4.30 Set 1-3....293
11.1.4.31 Set 1-4....293
11.1.4.32 Set 0-59....293
11.1.4.33 Set 00-59....294
11.1.4.34 Set 00-99....294
11.1.4.35 Signed double....294
11.1.4.36 Signed long....294
11.1.4.37 Signed short....294
11.1.4.38 Unsigned long....294
11.1.4.39 Unsigned short....294
11.1.4.40 Year code....294
11.1.4.41 Week Code....294
11.1.4.42 Week in Month Code....294
11.1.4.43 +-....294
11.1.5 Other basic data types....295
11.1.5.2 Country code list....295
11.1.5.3 Date....295
11.1.5.4 Date/hour....295
11.1.5.5 Free text....295
11.1.5.6 Language code list....296
11.1.5.7 Mont/Hour....296

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

11.1.5.8 Short string 296
11.1.5.9 Value domain 296
11.1.5.10 Place 296
11.1.5.11 Place list 296
11.1.5.12 Proper name 296
11.1.5.13 Quality description 297
11.2 Album and Dataset 298
11.2.1 Album 298
11.2.2 Dataset 298
11.3 Data Set Global Data 299
11.3.1 Dataset Header 299
11.3.1.1 Dataset title list 299
11.3.1.2 Dataset title 300
11.3.1.3 Production information list 300
11.3.1.4 Production information 300
11.3.1.5 Theme list 300
11.3.1.6 Theme 300
11.3.2 Data Dictionary 300
11.3.2.1 Field definition list 300
11.3.2.2 Field Definition 301
11.3.2.3 Record definition list 301
11.3.2.4 Record definition 301
11.3.2.5 Feature definition list 301
11.3.2.6 Feature definition 301
11.3.2.7 Attribute definition list 302
11.3.2.8 Attribute definition 302
11.3.3 Directory 302
11.3.3.1 Directory list 302
11.3.3.2 Directory 302
11.3.4 Spatial Domain 302
11.3.4.1 Spatial domain list 303
11.3.4.2 Spatial domain 303
11.3.5 Source 303
11.3.5.1 Source list 303
11.3.5.2 Source 303
11.3.5.3 Document title list 304
11.3.5.4 Document title 304
11.3.5.5 Volume name list 304
11.3.5.6 Host document relation 304
11.3.6 Default Attribute 304
11.3.6.1 Default attribute list 304
11.3.6.2 Default Attribute 304
11.3.7 Geodetical Parameters 305
11.3.7.1 Geodetical Datum 305
11.3.7.2 Orthometric Height Reference 306
11.3.7.3 Projection Method 306
11.3.7.4 National Map Grid 307
11.3.7.5 Geoid Ondulation 307
11.3.7.6 Magnetic Declination 307
11.3.8 Feature Quality 308
11.3.8.1 Feature quality list 308
11.3.8.2 Feature quality 308
11.3.9 Attribute Quality 308
11.3.9.1 Attribute quality list 308
11.3.9.2 Attribute Quality 309
11.4 Section and layer 310
11.4.1 Section 310
11.4.1.1 Section list 310
11.4.1.2 Section 310
11.4.1.3 Section header 310
11.4.1.4 XY Control point list 311

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdcfb5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

11.4.1.5 XY Control point 311
11.4.1.6 Z Control point list 311
11.4.1.7 Z Control point 311
11.4.2 Layer Header 312
11.4.2.1 Layer list 312
11.4.2.2 Layer 312
11.4.2.3 Layer header 312
11.4.2.4 Theme code list 312
11.5 Feature Data 313
11.5.1 Geometry 313
11.5.1.1 Geometry list 313
11.5.1.2 Geometry 313
11.5.1.3 Coordinate list 313
11.5.2 Nodes 313
11.5.2.1 Node list 313
11.5.2.2 NODE 314
11.5.2.3 Incident edge list 314
11.5.2.4 Incident edge 314
11.5.3 Edges 314
11.5.3.1 Edge list 314
11.5.3.2 Edge 314
11.5.4 Face 315
11.5.4.1 Face list 315
11.5.4.2 Face 315
11.5.4.3 Bounding edge list 315
11.5.4.4 Bounding edge 315
11.5.5 Name 315
11.5.5.1 Name list 315
11.5.5.2 Name 315
11.5.6 Time Domain 316
11.5.6.1 Time domain list 316
11.5.6.2 Time domain 316
11.5.6.3 Composite time domain 316
11.5.6.4 Basic time domain 316
11.5.6.5 Starting date 317
11.5.6.6 Time duration 317
11.5.7 Attribute 317
11.5.7.1 Attribute set list 317
11.5.7.2 Attribute set 317
11.5.7.3 Attribute list 317
11.5.7.4 Attribute 317
11.5.7.5 Composite attribute 318
11.5.7.6 Simple attribute 318
11.5.8 Point Feature 318
11.5.8.1 Point feature list 318
11.5.8.2 POINT FEATURE 318
11.5.9 Line Features 318
11.5.9.1 Line feature list 318
11.5.9.2 Line feature 319
11.5.9.3 Edge reference list 319
11.5.9.4 Edge reference 319
11.5.10 Area Features 319
11.5.10.1 Area feature list 319
11.5.10.2 Area Feature 319
11.5.11 Complex Features 320
11.5.11.1 Complex feature list 320
11.5.11.2 Complex feature 320
11.5.11.3 Composing feature list 320
11.5.11.4 Composing feature 320
11.6 Conversion 321
11.6.1 Conversion list 321

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b51eb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

11.6.2 Conversion 321
11.7 Semantic relationship 322
11.7.1 Relationship list 322
11.7.2 Semantic relationship 322
11.7.3 Partner list 322
11.7.4 Partner 322
11.8 Album and Volume 323
11.8.1 Structure of an Album 323
11.8.2 Album 323
11.8.3 Structure of a Volume 323
11.8.4 Volume 323
11.8.4.1 Volume header 324
11.8.4.2 Volume data 324
11.8.4.3 Volume Terminator 324

12. MEDIA RECORD SPECIFICATIONS 330
12.1 General Specifications 330
12.1.1 Introduction 330
12.1.2 Logical Record 330
12.1.3 Media Record 330
12.1.4 Continuation Record 330
12.1.5 Null Record 330
12.1.6 Fields of Variable Length, Fixed Length 330
12.1.7 Repeating Fields 330
12.1.8 Repeating Field Groups 330
12.1.9 Packing 331
12.1.10 Justification 331
12.1.11 Order of Records 331
12.1.12 Order of subrecords 332
12.1.13 Links between data records 333
12.2 Field Specifications 336
12.2.1 Field Name 336
12.2.2 Record Control Fields 336
12.2.3 Common fields 339
12.2.4 Fields in Global Records 340
12.2.5 Fields in Data Records 341
12.3 Additional Constraints 344
12.3.1 Order of Edges in line features and Faces 344
12.3.2 Order of Co-ordinate triplets in Coordinates Records 344
12.3.3 Order of Features in Relationship Records 344
12.4 Global Records 345
12.4.1 Volume Header Record [VOLHDREC] 345
12.4.2 Dataset Header Record [DSHDREC] 346
12.4.3 Field Definition Record [FIELDEFREC] 349
12.4.4 Record Definition Record [RECDEFREC] 350
12.4.5 Attribute Definition Record [ATDEFREC] 351
12.4.6 Feature Definition Record [FEATDEFREC] 352
12.4.7 Directory Record [DIREC] 352
12.4.8 Spatial Domain Record [SPADOREC] 353
12.4.9 Source Record [SRCEREC] 354
12.4.10 Default Attribute Record [DATTVALREC] 357
12.4.11 Geodetical Parameter Records 358
12.4.12 Feature Quality Record [FEAQUALREC] 364
12.4.13 Attribute Quality Record [ATQUALREC] 365
12.4.14 Section Header Record [SECHREC] 366
12.4.15 Layer Header Record [LAYHREC] 372
12.4.16 Comment Record [COMMENTREC] 373
12.4.17 Volume Termination Record [VOLTERMREC] 373
12.5 Data Records 374
12.5.1 Coordinates Record [XYZREC] 374
12.5.2 New Node Record [KNOTREC] 375

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdcfb5feb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

12.5.3 Edge Record [NEDGEREC] 376
12.5.4 Face Record [FACEREC] 377
12.5.5 Point Feature Record [POFEREC] 378
12.5.6 Line Feature Record [LINFREC] 379
12.5.7 Area Feature Record [ARFEREC] 380
12.5.8 Complex Feature Record [COMPFEREC] 381
12.5.9 Name Record [NAMEREC] 382
12.5.10 Segmented Attribute Record [DSATREC] 383
12.5.11 Conversion Record [CONVERTREC] 384
12.5.12 Relationship Record [RELATREC] 385
12.5.13 Time Domain Record [TIMEREC] 386

A1. APPENDIX 387
A1.1 Feature Theme And Feature Class Codes 387
A1.2 Administrative Area Type Names for a Number of European Countries 391
A1.3 RULES FOR THE FORMATION OF LEVEL 2 ROADS And INTERSECTIONS 392
A1.3.1 Basic Guidelines 392
A1.3.2 More guidelines 393
A1.4 Attribute Type Codes 403
A1.4.1 Attributes for all Themes 403
A1.4.2 Attributes for Roads and Ferries 403
A1.4.3 Attributes for Administrative Areas 404
A1.4.4 Attributes for Settlements and Named Areas 404
A1.4.5 Attributes for Land Cover and Use 404
A1.4.6 Attributes for Brunnels 405
A1.4.7 Attributes for Railways 405
A1.4.8 Attributes for Waterways 405
A1.4.9 Attributes for Road Furniture 405
A1.4.10 Attributes for Services 406
A1.4.11 Attributes for Public Transport 406
A1.4.12 User-defined Attributes 406
A1.5 Attribute Value Codes 407
A1.5.1 Attribute Value Codes For Roads And Ferries 407
A1.5.2 Attribute Value Codes For Administrative Areas 411
A1.5.3 Attribute Value Codes For Settlements 426
A1.5.4 Attribute Value Codes For Land Cover And Use 426
A1.5.5 Attribute Value Codes For Brunnels 426
A1.5.6 Attribute Value Codes For Railways 426
A1.5.7 Attribute Value Codes For Waterways 427
A1.5.8 Attribute Value Codes For Road Furniture 428
A1.5.9 Attribute Value Codes For Services 429
A1.5.10 Attribute Value Codes For Public Transport 431
A1.6 Relationship Type Codes 432
A1.6.1 Defined Type Codes 432
A1.6.2 User-Defined Codes 434
A1.7 Marc Language Codes Of European Languages 435
A1.8 Iso 3166 Alpha 3 Codes Of European Countries 436
A1.9 European Horizontal Datums (Excl. Ussr) 438
A1.10 European Grid Systems (Excl. Ussr) 440
A1.11 European Vertical Datums (Excl. Ussr) 442
A1.12 List Of Projection Types And Parameters Required For Each 444
A1.13 Reference Codes For Ellipsoids 446
A1.14 Reference Codes For Projections 447
A1.15 Syntax For Time Domains 448
A1.15.1 General Description 448
A1.15.2 Starting Date syntax 448
A1.15.3 Valid format combinations and default values for Starting Dates 449
A1.15.4 Time interval syntax 452
A1.15.5 Valid format combinations and default values for Time Durations 453
A1.15.6 Time Domain examples 453

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5fb47f7a-b7de-4631-b5b4-3fde16a1eb02/sist-env-iso-14825-2003

SIST ENV ISO 14825:2003

A1.15.7 Time Domain combinations 454
A1.15.8 Resolution of a Time Equation 455
A1.16 Sectioning Gdf Datasets....457
A1.16.1 Goal of Sectioning 457
A1.16.2 Definitions....457
A1.16.3 Rules of Sectioning....457
A1.16.4 Relationship between sections and datasets 459

B1. APPENDIX....460
B1.1 Examples On Application Data Content And Quality 460
B1.1.1 Introduction....460
B1.1.2 Data Content and Quality of Digital Maps for Car Navigation Systems....460
B1.1.3 Data Content and Quality of Digital Maps for Fleet and Freight Management Systems....461

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST ENV ISO 14825:2003
https://standards.iteh.ai/catalog/standards/sist/5f64797a-b7de-4631-b5b4-3bdc1b5feb02/sist-env-iso-14825-2003