SLOVENSKI STANDARD

SIST EN 60603-7-7:2003

oktober 2003

Connectors for electronic equipment - Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 600 MHz (category 7, shielded) (IEC 60603-7-7:2002)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60603-7-7:2003</u> https://standards.iteh.ai/catalog/standards/sist/aa212bef-9d45-4be2-ae6a-e9025ce9f780/sist-en-60603-7-7-2003

ICS 31.220.10

Referenčna številka SIST EN 60603-7-7:2003(en)

EUROPEAN STANDARD

EN 60603-7-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2002

ICS 31.220.10

English version

Connectors for electronic equipment Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 600 MHz (category 7, shielded)

(IEC 60603-7-7:2002)

Connecteurs pour équipement électronique

Partie 7-7: Spécification particulière pour

connecteur écranté, libre ou fixé, à huit ARI voies pour transmission de données

à des fréquences inférieures à 600 MHz (Kategorie 7, geschirmt)

(catégorie 7, écranté) (CEI 60603-7-7:2002) Steckverbinder für elektronische Einrichtungen

Teil 7-7: Bauartspezifikation für

pgeschirmte freie und feste Steckverbinder, 8polig, für Datenübertragungen bis

(IEC 60603-7-7:2002)

SIST EN 60603-7-7:2003

https://standards.iteh.ai/catalog/standards/sist/aa212bef-9d45-4be2-ae6ae9025ce9f780/sist-en-60603-7-7-2003

This European Standard was approved by CENELEC on 2002-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 48B/1166 + 1166A/FDIS, future edition 1 of IEC 60603-7-7, prepared by SC 48B, Connectors, of IEC TC 48, Electromechanical components and mechanical structures for electronic equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60603-7-7 on 2002-07-01.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2003-04-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2005-07-01

Annexes designated "normative" are part of the body of the standard. In this standard, annexes A, B, C, D, E, F, G, H, I, J, K, L, M, N and ZA are normative. Annex ZA has been added by CENELEC.

The International Electrotechnical Commission (IEC) and CENELEC draw attention to the fact that it is claimed that compliance with this International Standard/European Standard may involve the use of patent(s).

The IEC and CENELEC take no position concerning the evidence, validity and scope of this patent right.

(standards.iteh.ai)

The holder of this patent right has assured the IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC. Information may be obtained from:

Nexans 16, rue de Monceau 75008 Paris France

Attention is drawn to the possibility that some of the elements of this International Standard/European Standard may be the subject of patent rights other than those identified above. IEC and CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60603-7-7:2002 was approved by CENELEC as a European Standard without any modification.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	- 1)	Environmental testing Part 1: General and guidance	EN 60068-1	1994 ²⁾
IEC 60068-2-14	_ 1)	Part 2: Tests - Test N: Change of temperature	EN 60068-2-14	1999 ²⁾
IEC 60068-2-38	-iTe	Part 2: Tests - Test Z/AD: Composite F temperature/humidity cyclic test	L N 60068-2-38	1999 ²⁾
IEC 60169-16	- 1)	(standards.iteh.ai) Radio-frequency connectors Part 16: R.F. coaxial connectors with	-	-
1	nttps://stan	inner diameter of outer conductor	·2-ae6a-	
IEC 60352-2	1990	Solderless connections Part 2: Solderless crimped connections - General requirements, test methods and practical guidance	EN 60352-2	1994
IEC 60352-3	1993	Part 3: Solderless accessible insulation displacement connections - General requirements, test methods and practical guidance	EN 60352-3	1994
IEC 60352-4	1994	Part 4: Solderless non-accessible insulation displacement connections - General requirements, test methods and practical guidance	EN 60352-4	1994
IEC 60352-5	2001	Part 5: Press-in connections - General requirements, test methods and practical guidance	EN 60352-5	2001

¹⁾ Undated reference.

²⁾ Valid edition at date of issue.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60352-6	1997	Part 6: Insulation piercing connections - General requirements, test methods and practical guidance	EN 60352-6	1997
IEC 60512	Series	Connectors for electronic equipment - Tests and measurements	EN 60512	Series
IEC 60512-1-100	_ 1)	Connectors for electronic equipment - Tests and measurements Part 1-100: General - Applicable publications	EN 60512-1-100	2001 ²⁾
IEC 60603-7	_ 1)	Connectors for frequencies below 3 MHz for use with printed boards Part 7: Detail specification for connectors, 8-way, including fixed and free connectors with common mating features, with assessed quality	EN 60603-7	1997 ²⁾
IEC 60603-7-1	_ 1)	Part 7-1: Detail specification for 8-way, shielded free and fixed connectors with common mating features, with assessed quality	EN 60603-7-1	2002 2)
IEC 60807-1	iTe	Rectangular connectors for frequencies below 3 MHz ards.iteh.ai Part 1: Generic specification - General requirements and guide for the preparation of detail specifications for	2-ae6a-	-
IEC 61076-1	1995	Connectors with assessed quality, for use in d.c., low frequency analogue and in digital high-speed data applications Part 1: Generic specification - Capability approval	EN 61076-1	1995
IEC/PAS 61076-3-110	_ 1)	Part 3-110: Detail specification for 8 way connectors for frequencies up to 600 MHz	-	-
IEC 61156	Series	Multicore and symmetrical pair/quad cables for digital communications	-	-
IEC 61196	Series	Radio-frequency cables	EN 61196	Series
ISO/IEC 11801	_ 1)	Information technology - Generic cabling for customer premises	-	-
ISO 1302	_ 1)	Technical drawings - Method of indicating surface texture	-	-
ITU-T Recommendation G.117	_ 1)	Transmission aspects of unbalance about earth	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
ITU-T Recommendation K.20	_ 1)	Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents	-	-
ITU-T Recommendation O.9	_ 1)	Measuring arrangements to assess the degree of unbalance about earth	-	-
-	-	Communication cables - Specifications for test methods Part 1-6: Electrical test methods - Electromagnetic performance	EN 50289-1-6	_ 1)

INTERNATIONAL **STANDARD**

IEC 60603-7-7

First edition 2002-04

Connectors for electronic equipment -

Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 600 MHz (category 7, shielded)h.ai)

SIST EN 60603-7-7:2003 https://standards.iteh.ai/catalog/standards/sist/aa212bef-9d45-4be2-ae6ae9025ce9f780/sist-en-60603-7-7-2003

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland



W

PRICE CODE

CONTENTS

FO	REWO	DRD	/
	_	en e	9
1		sral Scope	9
	1.1	Normative references	9
	1.2	Normative references	11
2		ype designation	12
	2.1	Terminology	12
	2.2	Marking	12
	2.3	Main functions	12
	2.4	Interchangeability	14
3	Com	mon features and isometric view	1/
	3.1	Isometric view	15
	3.2	Mating information	22
4	Dime	nsions	22
	4.1	General	22
	4.2	Type C free connectors – switch actuator dimensions	2
	4.3	Terminations – fixed and free connectors	23
5	Gaug	jes iTeh STANDARD PREVIEW	23
	5.1	Fixed connectors (Standards.iteh.ai) Free connectors	23
	5.2	Free connectors	27
	5.3	Switch actuator gaugesSIST EN:60603-7-7:2003	29
6	Char	acteristicsns://standards.teh.avcatalog/standards/sist/aa2+2het-9d45-4he2-ae6a	
	6.1	General e9025ce9f780/sist-en-60603-7-7-2003	29
	6.2	Classification into climatic categories	29
	6.3	Creepage and clearance distance	30
	6.4	Electrical characteristics	30
	6.5	Transmission characteristics, category 7	32
	6.6	Mechanical characteristics	33
7	Test	s and test schedule	34
	7.1	General	34
	7.2	Test procedures and measuring methods	34
	7.3	Preconditioning	34
	7.4	Wiring and mounting of specimens	34
	7.5	Test schedules	36
An	nex A	(normative) Gauging requirements	43
Α.	1 Fix	red connectors	43
A.2	2 Fr	ee connectors	43
An	nex B	(normative) Locking device mechanical operation – Test procedure and	л л
red	guiren	nents	44
В.	1 Ol	piect	44
В.:	2 Pr	eparation of the specimens	44
В.:	3 Te	est method	44
В	4 Fi	nal measurements	44

Ar	nnex C (normative) High frequency (category 7) transmission interoperability tes	tina 45
C.	1 Object	ing45
C.:	2 Test equipment	45
С.:	Free connector precision test fixture construction	45
C.4	Fixed connector precision test fixture construction	45
C.5	5 Alternate fixed or free connector test fixture	46
C.6	7 Test fixture requirements	46
C.7	7 Test procedure	46
		46
Anı	nex D (normative) General requirements for the measurement set-up	
D.1	Test instrumentation	47
D.2	Coaxial cables and test leads for network analysers	47
D.3	Measurement precautions	47
D.4	Balun requirements	47
D.5	Reference components for calibration	48
D.6	Termination loads for termination of conductor pairs	49
D.7	Termination of screens	49
D.8	Test specimen and reference planes	50
		50
Ann	ex E (normative) Insertion loss	
E.1	ex E (normative) Insertion loss Object (standards.iteh.ai)	52
E.2.	Test method	52
E.3	Test set up	52
E.4	Test method Test set up SIST EN 60603-7-7:2003 https://standards.iteh.a/catalog/standards/sist/aa212bef-9d45-4be2-ae6a e9025ce9f780/sist-en-60603-7-7-2003 Test report	52
E.5	Test report	60
E.6	Accuracy	53
		53
Anne	ex F (normative) Return loss	F.4
F.1	Opiect	
F.2	Test method	54
F.3	Test set-up	54
F.4	Procedure	54
F.5	Test report	54
F.6	Accuracy	54
		54
Anne	x G (normative) Near end cross talk	
G.1	Object	56
G.2	Test method.	56
3 .3	Test set-up	56
3.4	Procedure	56
3.5	Test report	57
3.6	Accuracy	58
	,	58
nne	x H (normative) Far end cross talk	
1.1	Object	59
1.2	Test method	
		ΕO

H.3	Test set-up	59
H.4	Procedure	60
H.5	Test report	61
H.6	Accuracy	61
Anne	ex I (normative) Longitudinal conversion loss	62
1.1	Object	62
1.2	Test method	62
1.3	Test set-up	62
1.4	Procedure	63
1.5	Test report	63
I.6	Accuracy	63
Anne	ex J (normative) Transfer impedance	64
J.1	Object	64
J.2	Test method	64
J.3	Definitions	64
J.4	Test set-up	65
J.5	ProcedureiTeh STANDARD PREVIEW	68
J.6	Test report (standards.iteh.ai)	69
J.7	AccuracyStandards.item.ai,	69
	SIST EN 60603-7-7:2003	· 70
Ann	SIST EN 60603-7-7:2003 ex K (normative), Coupling attenuation ex K (normative), Coupling attenuation	70
K.1	Object e9025ce9f780/sist-ep-60603-7-7-2003	
K.2	Test method	70
K.3	Test equipment and set-up	71
K.4	Procedure	71
K.5	Test report	
Ann	ex L (normative) Termination of balun	73
L.1	Termination of balun with low return loss for common mode	73
Ann	ex M (normative) Gauge dimensions supplement for switch actuator for use with	7.4
star	ndard IEC 60603-7 series connectors	74
M.1	Fixed connectors	74
M.2	Free connectors	/ /
Ann	nex N (normative) Switch function	79
N.1	Basic switch function	79
N.2	Alternate switch function	80
Figi	ure 1 – Examples fixed and free connectors, free connector shown with both switch	4.4
nos	itions	14
Fig	ure 2 – Physical interface, contacts interface, see table 1	۱۵
Fig	ure 3 – Physical interface, switch actuator, see table 1	10
Fig	ure 4 – Physical interface, fixed connector contacts, front view, see table 2	18

Figure 5 – Physical interface, fixed connector contacts, side view, see table 2	18
Figure 6 – Physical interface, free connector contacts, see table 3	20
Figure 7 – Free connector, switch actuator dimensions, see table 4	22
Figure 8 – Fixed connector GO gauge, see table 5	24
Figure 9 – Fixed connector NO-GO gauges, see table 5	25
Figure 10 – Free connector NO-GO gauges, see table 6	27
Figure 11 – Free connector GO gauges, see table 7	28
Figure 12 – Connector derating curve	31
Figure 13 – Arrangement for contact resistance measurement	35
Figure 14 – Arrangement for dynamic stress tests	36
Figure C.1 – Free connector precision test fixture	45
Figure C.2 – Fixed connector precision test fixture	46
Figure D.1 – 180° hybrid used as a balun	48
Figure D.2 – Calibration of reference loads	49
Figure D.3 – Resistor load	50
Figure D.4 – Definition of reference planes	51
Figure E.1 – Calibration	E0
Figure E.2 – Measuring set-up	53
Figure G.1 – NEXT measurement for differential mode only terminations	56
Figure G.2 – NEXT measurement differential and common mode terminations	57
Figure H.1 – FEXT measurement for differential mode only terminations	57 50
Figure H.2 – FEXT measurement for differential and common mode terminations	
Figure J.1 – LCL measurement SIST EN 60603-7-7:2003 https://standards.iteh.ai/catallog/standards/sist/aa212bef-9d45-4be2-ae6a-	62
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	65
Figure J.2 – Triaxial test set-up	66
Figure J.3 – Impedance matching for R_1 < 50 Ω	67
Figure J.4 – Impedance matching for R_1 >50 Ω	07
Figure L.1 – Balanced attenuator for balun centre tap grounded	08
Figure L.2 – Balanced attenuator for balun centre tap open	/3
Figure M.1 – Fixed connector switch GO gauge, see table M.1	/3
Figure M.2 – Fixed connector switch NO-GO gauges, see table M.1	/ 4
Figure M.3 – Free connector switch NO-GO gauges, see table M.2	/ 5
Figure M.4 – Free connector switch GO gauges, see table M.2	/ /
Figure N.1 – Basic switch function	78
Figure N.2 – Alternate switch function	79
5	.80
Table 1 – Physical interface contacts interface and switch actuator dimensions	
Table 2 – Physical interface, fixed connector contacts dimensions	.17
Fable 3 – Physical interface, free connector contact dimensions	.19
Fable 4 – Free connector, switch actuator dimensions	.21
Table 5 – Fixed connector gauge dimensions	.22
Table 5 – Fixed connector gauge dimensions	.26
Table 6 – Free connector NO-GO gauges dimensions	.28
Table 7 – Free connector GO gauges dimensions	.29
Table 8 – Climatic categories – selected values	.30
able 9 – Minimum distances able 10 – Test group P	.30
able to - rest group P	27

Table 11 – Test group AP	38
Table 12 – Test group BP	
Table 13 – Test group CP	
Table 14 – Test group DP	
Table 15 – Test group EP	
Table 16 – Test group FP	42
Table D.1 – Test balun performance characteristics	
Table F.1 – Uncertainty band of return loss measurement at frequencies below 100 MHz	55
Table M.1 – Fixed connector switch gauge dimensions	76
Table M.2 – Free connector switch gauge dimensions	78

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT -

Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 600 MHz (category 7, shielded)

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To entrusted to technical committees; any IEC National Committee interested in the subject dealt with may with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any indicated in the latter, https://standards.iteh.ai/catalog/standards/sist/aa212bef-9d45-4be2-ac6a-
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of patent(s).

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC. Information may be obtained from:

Nexans 16, rue de Monceau 75008 Paris France

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60603-7-7 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting	
48B/1166, 1166A/FDIS	48B/1214/RVD	

Full information for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.