

SLOVENSKI STANDARD SIST-TS CEN ISO/TS 17263:2003

01-oktober-2003

Samodejna identifikacija vozil in opreme – Intermodalni prevoz blaga – Sistemski parametri (ISO/TS 17263:2003)

Automatic vehicle and equipment identification - Intermodal goods transport - System parameters (ISO/TS 17263:2003)

Automatische Identifizierung von Fahrzeugen und Ausrüstungen - Kombinierter Güterverkehr - Systemparameter (ISO/TS 17263:2003) EVIEW

Identification automatique des véhicules et des équipements - Transport intermodal de marchandises - Parametres des systemes (ISO/TS 17263:2003)

https://standards.iteh.ai/catalog/standards/sist/ac64edfe-d9a9-4de9-b714-

en

Ta slovenski standard je istoveten z: CEN ISO/TS 17263-2003

ICS:

03.220.20 Cestni transport 35.240.60 Uporabniške rešitve IT v transportu in trgovini

Road transport IT applications in transport and trade

SIST-TS CEN ISO/TS 17263:2003

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST-TS CEN ISO/TS 17263:2003 https://standards.iteh.ai/catalog/standards/sist/ac64edfe-d9a9-4de9-b714ec3a175401a2/sist-ts-cen-iso-ts-17263-2003

SIST-TS CEN ISO/TS 17263:2003

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN ISO/TS 17263

June 2003

ICS 35.240.60

English version

Automatic vehicle and equipment identification – Intermodal goods transport – System parameters (ISO/TS 17263:2003)

Identification automatique des véhicules et des équipements – Transport intermodal de marchandises – Paramètres des systèmes (ISO/TS 17263:2003)

This Technical Specification (CEN/TS) was approved by CEN on 25 November 2002 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy/Luxembourg; Malta, Netherlands, Norway; (Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom. ec3a175401a2/sist-ts-cen-iso-ts-17263-2003



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2003 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CEN ISO/TS 17263:2003 E

SIST-TS CEN ISO/TS 17263:2003

CEN ISO/TS 17263:2003 (E)

Contents

1 Scope	
1.1 General	4
1.2 Aim	4
1.3 Pre-requisite	
2 Normative references	5
3 Terms and definitions	6
4 Symbols and abbreviations	7
5 System architecture and specification	7
5.1 Generic specification	
5.2 Architecture and data structure of elements	
6 Requirements and parameters	8
6.1 Basic rules	
6.1.1 Purpose	
6.1.2 Data capture system categories	
6.1.3 User requirements; technical and electronic features	
6.2 System operational parameters and requirements	
6.2.1 Basic requirements and performance criteria	
 6.2.2 Reliability and Security. 6.3 Specific parameters and performance criteria for the reader	10
6.3.1 General	10
 6.3.1 General 6.3.2 Application related performance Siteria dards.tteh.al) 	10
6.3.3 Protection and safety	
6.4 Specific operational parameters and performance criteria for tago?	
6.4.1 Data contents and storage capacity/catalog/standards/sist/ac64cdfe-d9a9-4de9-b714-	
6.4.2 Mounting conditions	12

Foreword

This Technical Specification (CEN ISO/TS 17263:2003) has been prepared by Technical Committee CEN/TC 278, "Road Transport and Traffic Telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204, "Transport information and control systems".

This is the third part of a series of Technical Specifications defining Intermodal Goods Transport for AVI/AEI, and is the result from CEN/TC 278 Work Item 00278089. The following documents are published to form a series of standards for for AVI/AEI in intermodal goods transport AVI/AEI:

- CEN ISO/TS 17261 Architecture and terminology (under preparation)
- CEN ISO/TS 17262
 Numbering and data structures
- CEN ISO/TS 17263 System parameters
- CEN ISO/TS 17264
 AVI/AEI interfaces (under preparation)

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovak Republic, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST-TS CEN ISO/TS 17263:2003</u> https://standards.iteh.ai/catalog/standards/sist/ac64edfe-d9a9-4de9-b714ec3a175401a2/sist-ts-cen-iso-ts-17263-2003

Introduction

This Technical Specification specifies parameters for a system for the automatic identification of equipment, vehicles and items (AEI) used in intermodal transport chains. This Technical Specification is designed to enable users and suppliers of AEI-Systems to specify or use a system or components of a system that will enable interoperability. Such systems are designed to read and transfer the identity and some further important data of equipment, vehicles and items used in intermodal transport to other partners in each possible transport chain to minimise the expenditure and to automate the process of transport observation and control. This pre standard is a part of a family of Standards for that purpose.

AEI systems are necessary as a basic tool for RTTT/TICS applications in intermodal transport operation. These information systems need real-time highly reliable data about the identity, status, time, location, etc. of the equipment, vehicles or items during the transport operation. The characteristics of an Intermodal Transport chain is that pieces of equipment or items will be loaded or unloaded more than once from *other* pieces of equipment or vehicles. AEI systems in such applications shall also be able to provide the identity of both units at the loading and unloading process. The purpose is to capture the event so that the information system reflects the real world.

1 Scope

1.1 General

This Technical Specification establishes an AEI-System based on radio frequency technologies. This system is intended for general application in RTTT/TICS. It allows the transfer of the identification codes and further information about equipment and vehicles used in intermodal transport into such RTTT/TICS and information systems related to Intermodal Transport processes. Within the intermodal context of the RTTT/TICS Sector, AEI systems have the specific objective of achieving an unambiguous identification of an ITU or related equipment or vehicle or item used in intermodal transport, and to make that identification automatically. Vehicles will be considered and handled under Intermodal aspects as "Intermodal Equipment". Therefore a differentiation between AEI and AVI systems under the purpose of this standard is not required. 6-9a9-4dc9-b714-

This Technical Specification is specifically aimed at DSRC-type air interfaces. The requirement and test methods may not apply for Intermodal AEI systems using long range communications such as Cellular Networks or Satellite, or vicinity communication such as inductively coupled antennas. The interoperability across the air interface (reference point Delta) is outside the scope of this Technical Specification. Please see CEN ISO/TS 17264 *Automatic Vehicle and Equipment Identification (AVI/AEI) - AVI/AEI Interfaces* (under preparation).

1.2 Aim

The aim of this standard is to define, describe and specify the System Parameters related to an intermodal AEI system to provide an enabling Standard, which, whilst allowing the system specifier to determine the performance levels and operating conditions, provides a framework for interoperability. Therefore this Technical Specification specifies:

- a) parameters and requirements of the identification system itself
- b) performance criteria necessary to ensure consistent and reliable operation of AEI systems within international transport processing
- c) requirements of the performance and the position of the electronic devices (tag) when installed on intermodal equipment
- d) requirements for the installation of readers, and performance data related to these components.

NOTE: These parameters of an AEI system shall be identical, compatible or interoperable world-wide in respect of systems complying to this Pre-Standard. Yet it is recognised that, at the implementation level, there may be requirements for regional or operational differences in the performance levels achieved against these parameters.

1.3 Pre-requisite

Any system to read identity and related data has to be based on a standardised system to allocate an unambiguous identity to each item, vehicle, load unit or equipment as defined in CEN ISO/TS 17262 Automatic vehicle and equipment identification - Intermodal goods transport - Numbering and data structures.

2 Normative references

This Technical Specification incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this Technical Specification only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 13044, Swap Bodies - Coding, Identification and Marking

ISO 10374, Freight containers - Automatic identification

ISO/IEC 8824-1, Information processing systems - Open Systems Interconnection - Specification of abstract syntax notation one (ASN.1) - Part 1: Specification of the Basic Notation

ISO/IEC 8824-2, Information processing systems - Open Systems Interconnection - Specification of abstract syntax notation one (ASN.1) - Part 2: Information Object Specification

ISO/IEC 8824-3, Information processing systems - Open Systems Interconnection - Specification of abstract syntax notation one (ASN.1) - Part 3: Constraint Specification

ISO/IEC 8824-4, Information processing systems - Open Systems Interconnection - Specification of abstract syntax notation one (ASN.1) - Part 4: Parameterisation of the ASN.1 Specifications

(standards.iteh.ai) ISO/IEC 8825-1, Information processing systems - Open Systems Interconnection - Specification of ASN.1 Encoding Rules – Part 1: Basic Encoding Rules

ISO/IEC 8825-2, Information processing systems - Open Systems Interconnection - Specification of ASN.1 Encoding Rules - Part 2: Packed Encoding Rules en-iso-ts-17263-2003

ISO/IEC 8825-3, Information processing systems - Open Systems Interconnection - Specification of ASN.1 Encoding Rules – Part 3: Distinguished Encoding Rules

ENV ISO 14815, Road Traffic and Transport Telematics - Automatic Vehicle and Equipment Identification – System specification

CEN ISO/TS 17261: Road Transport and Traffic Telematics - Automatic vehicle and equipment identification - Intermodal goods transport - Architecture and terminology

CEN ISO/TS 17262: Road Transport and Traffic Telematics – Automatic vehicle and equipment identification - Intermodal goods transport - Numbering and data structures

CEN ISO/TS 17264: Road Transport and Traffic Telematics - Automatic Vehicle and Equipment Identification (AVI/AEI) - AVI/AEI Interfaces

CEN ISO/TS 17263:2003 (E)

3 Terms and definitions

For the purposes of this Technical Specification, the following terms and definitions apply:

3.1

AEI Reader

complete equipment even if it consist of more than one components required to interrogate, receive and interpret the data in the tag in order to present the identification.

3.2

AEI System

AEI application in a RTTT/TICS system either as a stand-alone system or as part of a RTTT/TICS application.

3.3

category

grouping of common class requirements to support interoperability between AEI systems of common purpose

EXAMPLE: a "Ruggedised" category versus a "Standard" category.

3.4

class

term used to differentiate between system components with different "grades" of requirements for parameters.

3.5

intermodal Transport

movement of goods in one and the same loading unit or vehicle which uses successively several modes of transport without handling of the goods themselves when changing modes.

3.6

interoperability

iTeh STANDARD PREVIEW

interoperability stands for "Application Area Interoperability" in a region spanning two or more areas with cross-border operation between operator domains, districts or nations. The capability for an AEI Reader to operate with a AEI System tag. SIST-TS CEN ISO/TS 17263:2003

3.7

https://standards.iteh.ai/catalog/standards/sist/ac64edfe-d9a9-4de9-b714-

load unit

ec3a175401a2/sist-ts-cen-iso-ts-17263-2003

containers, swap bodies and semi-trailers suitable for intermodal transport.

3.8

transport means

vehicle used for the transport of goods, e.g. vessel, train, truck.

3.9

operational parameter

term used to describe different operational component properties/specifications

3.10

shadowing

condition where the close proximity of a vehicle/equipment interposed between Reader and tag obscures the signals thus preventing a successful AEI transaction.

3.11

small container unit

Intermodal Transport Units which are smaller than a standard 20-foot-ISO-Standard container or CEN-swap body. Small containers are also called medium containers or "less than container" (LCU). The size of such LCU's will be at least one ISO- or Euro- palette.

3.12

taq

equipment fitted to the unit, vehicle or item to be identified and containing the unambiguous identification, and if required some further data. For special purposes the tag can be installed in a fixed position with a mobile reader.

CEN ISO/TS 17263:2003 (E)

Symbols and abbreviated terms 4

The following abbreviations are used in this Technical Specification:

4.1

AEI

Automatic Equipment Identification

4.2

ASN.1

Abstract Syntax Notation number One

4.3

DSRC

Dedicated Short Range Communication

4.4

ITU

Intermodal Transport Unit

4.5

LCU

Small container ("Less than Container Unit:")

4.6

RTTT

Road Transport and Traffic Telematics (CEN TC278)

4.7

(standards.iteh.ai)

TICS Transport Information and Control Systems (ISO TC204)

SIST-TS CEN ISO/TS 17263:2003

System architecture and specification 5

ts-cen-iso-ts-17263-2003

5.1 Generic specification

This Technical Specification is designed to enable users and suppliers of AEI systems to define a system specification including system requirements to enable international interoperability based on harmonised DSRC links.

NOTE: The interoperability across the air interface (reference point Delta) is outside the scope of prCEN ISO/TS 17263. Please see prCEN ISO/TS 17264.

The term "AEI" is used both to describe "independently functioning AEI systems" and as "the function of identification within other RTTT/TICS applications". Both such uses are supported by this Technical Specification where no other application or sector standard applies.

The Generic System specification for AEI Systems in the Intermodal Transport world in terms of functions supported, the interface requirements, the structure of the information and data related to system components and the data exchange shall be in accordance to the specification described in the following standards:

- prCEN ISO/TS 17261 Architecture and terminology
- prCEN ISO/TS 17262 Numbering and data structures
- prCEN ISO/TS 17264 **AVI/AEI** interfaces

in order to guarantee the interoperability of equipment, vehicles or items used at the same time in regular and in intermodal environment.