



SLOVENSKI STANDARD

SIST-TS CEN/TS 14821-6:2003

01-oktober-2003

Dfca YfbY]b'dclcj UbY]bZcfa UWY'fHHK!'Gdcfc]UHH=dfY_'W] b] 'ca fYj]^E' " XY.'Ni bUb'Y'ghcf]lj Y

Traffic and Travel Information (TTI) - TTI messages via cellular networks - Part 6:
External services

Verkehrs- und Reiseinformationen (TTI)-TTI-Nachrichten über mobile Netzwerke - Teil 6:
Externe Dienste

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1225037a5a0/sist-ts-cen-ts-14821-6-2003)

Ta slovenski standard je istoveten z: **CEN/TS 14821-6:2003**

ICS:

35.240.60	Uporabniške rešitve IT v transportu in trgovini	IT applications in transport and trade
-----------	--	---

SIST-TS CEN/TS 14821-6:2003 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 14821-6:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 14821-6

May 2003

ICS 35.240.60

English version

**Traffic and Travel Information (TTI) - TTI messages via cellular
networks - Part 6: External services**

This Technical Specification (CEN/TS) was approved by CEN on 10 May 2001 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

(standards.iteh.ai)

[SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Table of contents

	PAGE
TABLE OF CONTENTS	2
FOREWORD	4
INTRODUCTION	5
1. SCOPE	6
2. NORMATIVE REFERENCES	7
3. DEFINITIONS AND ABBREVIATIONS	7
3.1 Definitions	7
3.2 Abbreviations	10
4. SPECIFICATION OF EMERGENCY SERVICE AND BREAKDOWN ASSISTANCE	16
4.1 Introduction	16
4.2 General Procedures	17
4.3 Description of services	20
4.4 Terminal Requirements	30
5. ADP FOR EMERGENCY SERVICES AND BREAKDOWN ASSISTANCE	33
5.1 Assistance Message	33
5.2 Text Message	35
5.3 Acknowledge Message	35
5.4 Calling Request Message	36
5.5 Specification in ASN.1	37
6. SPECIFICATION OF INTERACTIVE TRAFFIC INFORMATION SERVICES	40
6.1 Introduction	40
6.2 General Handling Sequences	40
6.3 Basic Traffic Information Services	53
6.4 Bypass Information Service	60
6.5 Support Services	64
6.6 Service specific Terminal Requirements	67
6.7 Service specific Error Handling	68
7. SPECIFICATION OF BROADCAST TRAFFIC INFORMATION SERVICES	69
7.1 Introduction	69
7.2 Basic Handling Sequences	69
7.3 Broadcast of Other Downlink Messages	77
7.4 Service specific Terminal Requirements	78
7.5 Service-specific Error Handling	78
8. ADP FOR TRAFFIC INFORMATION SERVICES	79
8.1 Downlink Messages	79
8.2 Uplink Messages	82
8.3 TINFO Type 1	90
8.4 TINFO Type 2 (TMC coded)	100
8.5 Building Blocks	103
8.6 Definition of Semantics for Location Block within TINFO	111
8.7 Specification in ASN.1	112

9.	SPECIFICATION OF NAVIGATION SERVICES	138
9.1	Introduction	138
9.2	General Procedures	139
9.3	Address Localization	144
9.4	Description of Services	148
9.5	Error Handling	162
9.6	Technical Requirements for Terminal Devices	164
10.	ADP FOR NAVIGATION SERVICES	166
10.1	General Definitions and Information Elements	166
10.2	Specification of Message Types	166
10.3	Specification of Information Blocks	175
10.4	Specification in ASN.1	192
11.	SPECIFICATION OF FLOATING CAR DATA	203
11.1	Introduction	203
11.2	Description of the FCD procedure	203
11.3	System architecture and interfaces	206
11.4	Functions of the FCD production cycle	212
11.5	Technical Requirements	219
11.6	Data protection and security	223
12.	ADP FOR FLOATING CAR DATA	226
12.1	Overview	226
12.2	Specification of Message Types	228
12.3	Coding of Basic Information Elements	256
12.4	Specification in ASN.1	261
13.	SPECIFICATION OF OPERATOR SERVICES	281
13.1	Introduction	281
13.2	Description of Procedure	281
13.3	Service-Specific Error Handling	284
13.4	Service specific parameters	285
14.	ADP FOR OPERATOR SERVICES	286
14.1	Operator Service List Request Message	286
14.2	Operator Service List Message	286
14.3	Operator Request Message	286
14.4	Specification in ASN.1	287
15.	SPECIFICATION OF GENERAL INFORMATION SERVICES	289
15.1	Introduction	289
15.2	Service Structure	289
15.3	Description of Procedure	290
15.4	Service-Specific Error Handling	297
15.5	Data Types	299
15.6	Service specific parameters	303
16.	ADP FOR GENERAL INFORMATION SERVICES	304
16.1	Message Types	304
16.2	Data Types	312
16.3	Specification in ASN.1	316
	BIBLIOGRAPHY	325

CEN/TS 14821-6:2003 (E)**Foreword**

This document (CEN/TS 14821-6:2003) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Transport information and control systems".

This CEN/TS was prepared by Working Group 7 of CEN TC278. In the field of Traffic and Traveller Information, the innovative rate is high, with many research and development projects under way in many countries, and there is a need to establish prospective standards which allow manufacturers to introduce competitive products to the market in the knowledge that they can accommodate the future issues of the standard(s) without fundamental change to equipment.

In accordance with the CEN/CENELEC "Internal Regulations Part 2: Common Rules for standards work, 04-1996" the original copyright holders on the complete set of documents are Mannesmann Autocom GmbH and TEGARON Telematics GmbH. The original copyright holders hereby grant CEN all necessary rights with regard to said original copyrights to execute the standardisation process as described below.

No known national technical specifications (identical or conflicting) exist on this subject.

CEN/TS 14821 consists of eight parts; one part describing the framework and seven parts providing detailed specifications of all components, protocols and services that are within the scope of CEN/TS 14821.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this CEN Technical Specification: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>

Introduction

Traffic and Traveller Information (TTI) may be disseminated through a number of services or means of communication, covering static displays, portable terminals and in-vehicle equipment.

For all such services, the data to be disseminated, and the message structure involved in the various interfaces, require clear definition and standards formats in order to allow competitive products to operate with any received data.

This CEN/TS focuses on an application data specification whereby data is produced at a central location and is disseminated via a cellular radio network. It addresses the data specifications for both downlink and uplink existing between a central location and randomly located vehicles. It enables messages to be exchanged between different systems and service providers adopting a variety of applications specifications.

Other technical specifications are being produced by the CEN TC278 Working Group 4 to cover TTI dissemination via other means or services. This set of specifications is named GATS (Global Automotive Telematics Standard). GATS provides the modular framework for implementing such traffic telematics services on an open technology platform and is network - independent. In many details definitions are necessary to ensure interoperability. Therefore, those detailed definitions are given in a network-specific part (CEN/TS 14821-8). With the development of future mobile communication systems towards UMTS / IMT2000 the bottleneck of narrow-band data communication might fade. Due to its modular structure, the GATS framework and applications are prepared for that due to its network-independence. The same holds for emerging technologies for positioning which today is almost exclusively based on GPS.

Other relevant standard developments are, independent from telematics, the application-independent Wireless Application Protocol (WAP), enabling mobile access to the Internet. It is understood that these emerging technologies might fit into the framework of telematics applications in future WAP-versions. For the time being, GATS already today independently from WAP enables access to telematics services. Utilisation of GATS on a WAP protocol stack and identifying necessary adaptation of WAP specifications (if any) is currently under investigation of the appropriate groups within WAP-Forum and GATS-Forum.

[SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>

CEN/TS 14821-6:2003 (E)

1. Scope

This CEN/TS defines the specific interfaces and functionality of traffic telematics (TT) services based on the use of cellular networks. Device manufacturers are enabled to develop terminal equipment compatible to services based on this CEN/TS. This will allow for interoperability of different terminal equipment and service providers which allows competition between service providers and terminal manufacturers. Furthermore it sets the scene for international availability of these services.

This CEN/TS specifies

- TT-specific interfaces between terminal and service centre. This especially incorporates the message sets of the application data protocols and the service-independent communication handling (including conditional access and transport protocols).
- Functionality, procedures and requirements of basic terminal components as well as their interaction with the service centre. This especially comprises conditional access and security mechanisms.
- Service Specifications, which are essential to ensure consistent behaviour of terminal and service centre.

The services incorporated within this issue comprise:

- breakdown and emergency services
- interactive traffic information services
- broadcast traffic information services
- navigation services (route assistance, route advice, homing)
- operator services
- general information services
- floating car data collection

It is envisaged that future research and development will lead to improvements on the services listed above as well as to the creation of new services. Nevertheless this CEN/TS provides the framework for seamless integration of new features and services into the existing architecture.

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>

2. Normative references

This CEN/TS incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this CEN/TS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN ISO 14819 Traffic and traveller Information (TTI) - TTI Messages via Traffic Message Coding

3. Definitions and abbreviations

3.1 Definitions

For the purpose of this CEN/TS, the following definitions apply:

3.1.1 Attribute (of a Traffic Information Message)

A Traffic Information Message is made up of separate parts that can be called attributes. This includes, for example, an item of information and a length of validity.

3.1.2 Authorisation

Reciprocal proof that the identity provided by the communications partner is valid

3.1.3 Broadcast Service

Data service within a cellular wireless network that allows for mono-directional dissemination of data from a service centre to multiple users in the area of signal reception

3.1.4 Bypass Description

Representation of a Bypass, consisting of a Bypass Hint and/or a Bypass Route.

3.1.5 Bypass Hint

Representation of a hint for a Bypass

3.1.6 Bypass Link

Prominent waypoints on a Bypass Route

3.1.7 Bypass Route

Representation of the route for a Bypass

3.1.8 Cell Broadcast

Broadcast service of the GSM network

3.1.9 Customer

User of the terminal device (onboard unit) (see User)

3.1.10 Data telegram

Digital message exchanged between two systems

CEN/TS 14821-6:2003 (E)**3.1.11 Delivery Notification**

Network acknowledgement for successful/ unsuccessful delivery of a message to the mobile device

3.1.12 FCD Message

The message transmitted by an onboard unit (OBU) to the FCD server.

3.1.13 FCD Server

The collection point for incoming FCD messages.

3.1.14 Floating Car

A vehicle which is equipped with an intelligent onboard unit for assessment of the traffic situation.

Note : Onboard units are referred to as « intelligent » if they are capable of collecting, pre-interpreting and transmitting vehicle-specific measured data to the FCD server. Vehicles equipped with onboard units which are « only » capable of retrieving service information and not collecting data for traffic situation analysis are not referred to as floating cars.

3.1.15 Floating Car Data

Measured data which are collected in floating cards on a certain time cycle and which contain data on the trip profile and derived quantities.

3.1.16 Functional Road Class

A classification based on the importance of the road element in the connectivity of the total road network

3.1.17 Functional Road Class 0

Motorways

3.1.18 Functional Road Class 1

All non-Motorways that are part of a connection used for nation wide traffic and transport

3.1.19 Geocode

Geocodes are unique identifiers unmistakably defining important points on road networks. Geocodes can be derived from / converted into WGS84 co-ordinates by the algorithm described in CEN/TS 14821-3.

3.1.20 Hardware service agents

Partner companies of the traffic telematics service providers who are authorised to install onboard equipment into vehicles and to maintain it

3.1.21 Homing

Simple form of guidance to destination, in which the direction and straight-line distance of the destination are indicated

3.1.22 Information Element

Information unit of a message

3.1.23 Intersection

Junction of two or more roads

3.1.24 Job

A request to the FCD server which may comprise both the collection of additional measured data from a specific geographical area and the cancellation of a previous request.

Note : collection jobs are converted into control information by the FCD server and relayed to the floating cars.

3.1.25 Length of a Speech Report

Length of a Speech Report, including pauses, in tenths of a second

3.1.26 Mobile Originated

Data telegram sent from the onboard equipment to the Service Centre.

3.1.27 Mobile Terminated

Data telegram sent by the Service Centre to the onboard equipment.

3.1.28 Onboard equipment

A system, generally mobile, interacting with the service centre to handle traffic telematics services

3.1.29 Parameter message

A message transmitted by the FCD server to the floating cars and containing onboard-unit specific parameters.

3.1.30 Road Junction

Intersection of two or more roads

ITeH STANDARD PREVIEW
(standards.iteh.ai)

3.1.31 Route description

Description of a route showing the geometry of street intersections, manoeuvre instructions, street and place names, and geographical co-ordinates

SIST-TS CEN/TS 14821-6:2003

<https://standards.iteh.ai/catalog/standards/sist/14821-6-2003>

42223037a3a0/sist-ts-cen-ts-14821-6-2003

3.1.32 Service centre

System produced by the traffic telematics operators / service providers to handle traffic telematics services

3.1.33 Short Message Service

Packet-based form of data transfer within the GSM network

3.1.34 Speech connection

Communications channel between two systems for the bi-directional transmission of speech

3.1.35 Speech Report

Traffic Information Report transmitted by a speech system

3.1.36 Terminal Device

Generally mobile system interacting with the service centre for implementation of telematics services

3.1.37 TINFO

Traffic Information Report

CEN/TS 14821-6:2003 (E)**3.1.38 TINFO Version**

Unique identification of a Traffic Message, consisting of a number and a time stamp

3.1.39 Traffic Data

Data for qualification of Traffic Events. This includes:

- Values: speed, traffic flow, traffic density
- Places: position, place designation
- Facts: description of situation

3.1.40 Traffic Event

An occurrence on a road or in an area that is worthy of reporting, such as a traffic jam, wrong-way driver, or fog.

3.1.41 Traffic Information

Technical representation of a Traffic Situation within the onboard equipment, accomplished by a number of Traffic Information Reports.

This Traffic Information can be displayed to the customer via suitable terminals.

3.1.42 Traffic Information Report

Technical representation of a Traffic Event produced by processing traffic data. Each Traffic Reports uniquely identified by a number, the TINFO ID, a time stamp, the TINFO version.

Note: If the Traffic Event changes, the time stamp changes, but the TINFO ID number does not.

3.1.43 Traffic Situation

The total number of all Traffic Events taking place that deserve reporting within an area. The Traffic Situation is always linked to an area. Thus, for example, an area could be a conurbation or a geometrically demarcated area; an example is the radius around a point.

3.1.44 User

User of the terminal device (onboard unit) (see Customer)

3.1.45 Voice connection

Circuit-switched channel between two systems for bi-directional voice transmission

3.1.46 Waypoint

Significant points on the route

3.2 Abbreviations

For the purpose of this CEN/TS, the following abbreviations apply:

3.2.1 % ott

percent of the time

3.2.2 ADP

Application Data Protocol, i.e. a message set for a telematics service

3.2.3 AM

Acknowledge Message

3.2.4 ASN.1

Abstract Syntax Notation

3.2.5 BC

Broadcast

3.2.6 BCS

Broadcast Service

3.2.7 CA

Conditional Access

3.2.8 CAS

Conditional Access and Security

3.2.9 CB

Cellular Broadcast

3.2.10 CBC

Cipher Block Chaining

3.2.11 CLI

Calling Line Identification

3.2.12 CRM

Calling Request Message

3.2.13 CSD

Circuit Switched Data

3.2.14 DES

Data Encryption Standard: symmetrical encryption procedure

3.2.15 DRM

Digital Road Map

3.2.16 DSC

Data Service Centre: depending on the mobile communication network

3.2.17 ELB

Extended Location Block

3.2.18 FCD

Floating Car Data

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>

CEN/TS 14821-6:2003 (E)**3.2.19 FCDGM**

FCD General Message

3.2.20 FCDPM

FCD Parameter Message

3.2.21 FCDNSM

FCD Notification Set-up Message

3.2.22 FCDRM

FCD Revoke Message

3.2.23 FCDVDSUM

FCD Virtual Detection Site Update Message

3.2.24 GATS

Global Automotive Telematics Standard

3.2.25 GEM

General Error Message

3.2.26 GPS

Global Positioning System NAVSTAR GPS

3.2.27 GSMGlobal System for Mobile Communication [SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>

3.2.28 IE

Information Element

3.2.29 IEG

Information Element Group

3.2.30 ICV

Initial Chaining Value

3.2.31 L_maxMax. length of transferable data in **one** data transaction**3.2.32 MAC**

Message Authentication Code

3.2.33 MNA

Mobile Network Address

3.2.34 MF

Mandatory Fixed

ITeH STANDARD PREVIEW
(standards.iteh.ai)

3.2.35 MO

Mobile Originated Message

3.2.36 MT

Mobile Terminated Message

3.2.37 MV

Mandatory Variable

3.2.38 N_min

Minimum number of ELB waypoints

3.2.39 OBU

Onboard Unit, synonymously used : telematics device, telematics terminal

3.2.40 OD

Origin/Destination

3.2.41 OF

Optional Fixed

3.2.42 OV

Optional Variable

3.2.43 PDU

Protocol Data Unit

3.2.44 PFA

Probability of false alarm (i.e. estimated error is too large)

3.2.45 PMD

Probability of missed detection (i.e. estimated error is too small)

3.2.46 Ptp

Point to point

3.2.47 RSA

Asymmetrical encryption procedure by Rivest, Shamir and Adleman

3.2.48 SAE

Society of Automotive Engineers, Inc.

3.2.49 SDI

Data Item

3.2.50 SMS

Short Message Service

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 14821-6:2003](https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003)

<https://standards.iteh.ai/catalog/standards/sist/7acce99c-4676-45e3-8128-d1223037a3a0/sist-ts-cen-ts-14821-6-2003>