

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

AMENDMENT 1  
AMENDEMENT 1

**Specification for insulating materials based on mica –  
Part 3: Specifications for individual materials – Sheet 6: Glass-backed mica  
paper with a B-stage epoxy resin binder**

**Spécification pour les matériaux isolants à base de mica –  
Partie 3: Spécifications pour matériaux particuliers – Feuille 6: Papier de mica  
renforcé de verre avec un agglomérant en résine époxyde à l'état B**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2006 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

AMENDMENT 1  
AMENDEMENT 1

**Specification for insulating materials based on mica –  
Part 3: Specifications for individual materials – Sheet 6: Glass-backed mica  
paper with a B-stage epoxy resin binder**

**Spécification pour les matériaux isolants à base de mica –  
Partie 3: Spécifications pour matériaux particuliers – Feuille 6: Papier de mica  
renforcé de verre avec un agglomérant en résine époxyde à l'état B**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

**F**

ICS 29.035.50

ISBN 978-2-88910-180-1

## FOREWORD

This amendment has been prepared by IEC technical committee 15: Standards on specifications for electrical insulating materials.

This bilingual version, published in 2009-09, corresponds to the English version.

The text of this amendment is based on the following documents:

| FDIS        | Report on voting |
|-------------|------------------|
| 15/333/FDIS | 15/348/RVD       |

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The French version of this amendment has not been voted upon.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/ad05e314-9482-4449-bcc6-e08d5c1f5dd6/iec-60371-3-6-1992-amd1-2006>

Page 7

## INTRODUCTION

*Replace the existing text by the following new text:*

This International Standard is one of a series which deals with insulating materials for use in electrical equipment built up from mica splittings or mica paper, with or without reinforcement, and with mica paper in its pure state.

The series consists of the following three parts:

- Part 1: Definitions and general requirements (IEC 60371-1)
- Part 2: Methods of test (IEC 60371-2)
- Part 3: Specifications for individual materials (IEC 60371-3)

This standard contains one of the sheets comprising part 3, as follows:

Sheet 6: Glass-backed mica paper with a B-stage epoxy resin binder.

Page 9

## 1 Scope

*Insert the following two paragraphs after the existing paragraphs:*

Materials which conform to this specification meet established levels of performance. However, the selection of materials by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application and not based on this specification alone.

### **Safety warning:**

It is the responsibility of the user of the methods contained or referred to in this document to ensure that they are used in a safe manner.

## 2 Normative references

*Replace the existing references by the following:*

IEC 60243-1:1998, *Electric strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60371-2:2004, *Specification for insulating materials based on mica – Part 2: Methods of test*

IEC 60371-3-2:2005, *Insulating materials based on mica – Part 3: Specifications for individual materials – Sheet 2: Mica paper*

## 3 Designation

*Replace the existing first two paragraphs by the following new paragraphs:*

When ordering materials to this specification, only the specification and type numbers need be quoted (see Table 1).

*Example:* IEC 60371-3-6: type 6.1.01

The type number is derived from:

- the specification sheet number 6
- followed by the sheet table number 1
- followed by the number of the product in the sheet table 01

Thus giving type number 6.1.01.

*The final paragraph and note remain unchanged.*

Page 11

**Table 1**

*Replace the title of Table 1 by the following new title:*

**Composition for calcinated muscovite mica paper (IEC 60371-3-2, classes 1 and 2)**

Page 13

**Table 2**

*Replace the title of Table 2 by the following new title:*

**Composition for uncalcinated muscovite and phlogopite mica papers (IEC 60371-3-2, classes 3 and 4)**

**4.1 Mica paper**

*Replace the text of this subclause by the following new text:*

Mica paper referred to in this specification shall comply with the requirements of IEC 60371-3-2.

**5 Requirements: compositions and tolerances**

*Replace the text of this clause by the following new text:*

When tested by the method of Clause 7 of IEC 60371-2, the composition of the products shall lie within the limits of Table 1 and 2 for the appropriate grade of mica paper.

Page 15

**6.3 Thickness**

*Replace the first sentence of this subclause by the following new sentence:*

Measure the thickness in accordance with Clause 4 of IEC 60371-2, using the apparatus given in 4.1.1 of that standard, making 10 measurements of one thickness of material.

Page 17

**6.7 Tensile strength**

*Replace the first paragraph by the following new paragraph:*

When tested by the method of Clause 8 in IEC 60371-2, the tensile strength in the warp and weft directions shall be as shown in Table 4.

## 6.8 Stiffness

*Replace the text of this subclause by the following new text:*

The stiffness of the material should be subject to the purchase contract. When the stiffness is specified, the material should be tested by the method of Clause 11 in IEC 60371-2.

## 6.9 Resin flow

*Replace the text of this subclause by the following new text:*

When tested at  $(160 \pm 2)^\circ\text{C}$  by the method of Clause 14 of IEC 60371-2, resin flow shall be between 40 % and 70 %.

## 7.1 General

*Replace the first sentence of the second paragraph by the following new sentence:*

For the following tests, the specimens shall be prepared in accordance with method 1 of Clause 3 of IEC 60371-2, the number of layers being chosen to give a final thickness as required for the measurement of properties after curing.

Page 19

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

## 7.2 Density

*Replace the text of this subclause by the following new text:*

When tested by the method of Clause 5 of IEC 60371-2, the density shall be between  $1,8 \text{ g/cm}^3$  and  $2,2 \text{ g/cm}^3$ .

## 7.3 Flexural strength

*Replace the text of this subclause by the following new text:*

When tested by the method of Clause 9 of IEC 60371-2, the flexural strength shall be not less than 150 MPa at  $(23^\circ\text{C} \pm 2 \text{ K})$  nor less than 100 MPa at  $(155^\circ\text{C} \pm 5 \text{ K})$ .

## 7.4 Elastic modulus

*Replace the text of this subclause by the following new text:*

When tested by the method of Clause 9 of IEC 60371-2, the elastic modulus shall be not less than 30 GPa.

## 7.5 Electric strength

*Replace the text of this subclause by the following new text:*

When tested by the method of Clause 16 of IEC 60371-2 with electrodes according to 4.1.1.1 (25/75 mm diameter) of IEC 60243-1, the electric strength shall be not less than 30 kV/mm.

## 7.6 Dissipation factor/temperature characteristics at 48–62 Hz

*Replace the first sentence by the following new sentence:*

When tested by the method of Clause 17 of IEC 60371-2, the dissipation factor shall not exceed the values stated in Table 5 at the temperature given.

### **7.7 Thermal endurance**

*Replace the first paragraph by the following new paragraph:*

This shall be tested in accordance with Clause 21 of IEC 60371-2 using flexural strength at (23 °C ± 2 K) as the property with reduction of 50 % of the original value as the end point criterion.

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[IEC 60371-3-6:1992/AMD1:2006](https://standards.iteh.ai/catalog/standards/sist/ad05e314-9482-4f49-bec6-e08d5c1f5dd6/iec-60371-3-6-1992-amd1-2006)

<https://standards.iteh.ai/catalog/standards/sist/ad05e314-9482-4f49-bec6-e08d5c1f5dd6/iec-60371-3-6-1992-amd1-2006>



**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[IEC 60371-3-6:1992/AMD1:2006](https://standards.iteh.ai/catalog/standards/sist/ad05e314-9482-4f49-bec6-e08d5c1f5dd6/iec-60371-3-6-1992-amd1-2006)

<https://standards.iteh.ai/catalog/standards/sist/ad05e314-9482-4f49-bec6-e08d5c1f5dd6/iec-60371-3-6-1992-amd1-2006>