SLOVENSKI STANDARD

SIST EN 61131-2:2004

marec 2004

Programmable controllers - Part 2: Equipment requirements and tests

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61131-2:2004</u> https://standards.iteh.ai/catalog/standards/sist/06853d85-84aa-4300-848d-e1c6d78da395/sist-en-61131-2-2004

ICS 25.040.40; 35.240.50

Referenčna številka SIST EN 61131-2:2004(en)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61131-2:2004

https://standards.iteh.ai/catalog/standards/sist/06853d85-84aa-4300-848d-e1c6d78da395/sist-en-61131-2-2004

EUROPEAN STANDARD

EN 61131-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2003

ICS 35.240.50; 25.040.40

Supersedes EN 61131-2:1994 + A11:1996 + A12:2000 Incorporates Corrigendum August 2003

English version

Programmable controllers Part 2: Equipment requirements and tests

(IEC 61131-2:2003)

Automates programmables Partie 2: Spécifications et essais des équipements (CEI 61131-2:2003) Speicherprogrammierbare Steuerungen Teil 2: Betriebsmittelanforderungen und Prüfungen (IEC 61131-2:2003)

iTeh STANDARD PREVIEW (standards.iteh.ai)

This European Standard was approved by CENELEC on 2003-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Lithuania, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 65B/470A/FDIS, future edition 2 of IEC 61131-2, prepared by SC 65B, Devices, of IEC TC 65, Industrial-process measurement and control, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61131-2 on 2003-05-01.

This European Standard supersedes EN 61131-2:1994 + A11:1996 + A12:2000.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2004-02-01

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2006-05-01

Annexes designated "normative" are part of the body of the standard.

Annexes designated "informative" are given for information only.

In this standard, annexes C and ZA are normative and annexes A, B, D and E informative.

Annex ZA has been added by CENELEC.

The contents of the corrigendum of August 2003 have been included in this copy.

iTeh STANDARD PREVIEW

(standards.iteh.ai) Endorsement notice

SIST EN 61131-2:2004

The text of the International Standard IEC 61/13142:2003 Was approved by CENELEC as a European Standard without any modification. e1c6d78da395/sist-en-61131-2-2004

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60038	NOTE	Harmonized as HD 472 S1:1989 (modified)
IEC 60112	NOTE	IEC 60112:2003 is harmonized as EN 60112:2003 (not modified)
IEC 60445	NOTE	Harmonized as EN 60445:2000 (not modified)
IEC 60947-5-2	NOTE	Harmonized as EN 60947-5-2:1998 (modified)
IEC 61140	NOTE	Harmonized as EN 61140:2002 (not modified)
IEC 62079	NOTE	Harmonized as EN 62079:2001 (not modified)

Corrigendum to IEC 61131-2:2003:

In Table 41, replace "Table 64" by "Table D.2".

In Table 56, replace "Figure 13" by "Figure 12".

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60068-2-1	1990	Environmental testing Part 2: Tests - Tests A: Cold	EN 60068-2-1	1993
IEC 60068-2-2	1974	Part 2: Tests - Test B: Dry heat	EN 60068-2-2 ¹⁾	1993
IEC 60068-2-6 + corr. March	1995 19 9 5	Part 2: Tests - Test Fc: Vibration (sinusoidal) NDARD PREVI	EN 60068-2-6	1995
IEC 60068-2-14	1984	Part 2: Test N: Change of i temperature	EN 60068-2-14 ²⁾	1999
IEC 60068-2-27	1987 https://sta	Part 2: Tests - Test Ea and guidance: n brds jieh.avcatalog/standards/sist/08833d85-84aa-4 Shock e1c6d78da395/sist-en-61131-2-2004	EN 60068-2-27 300-848d-	1993
IEC 60068-2-30	1980	Part 2: Tests - Test Db and guidance: Damp heat, cyclic (12 + 12 hour cycle)	EN 60068-2-30 ³⁾	1999
IEC 60068-2-31	1969	Part 2: Tests - Test Ec: Drop and topple, primarily for equipment-type specimens	EN 60068-2-31 ⁴⁾	1993
IEC 60068-2-32	1975	Part 2: Tests - Test Ed: Free fall	EN 60068-2-32 ⁵⁾	1991
IEC 60417	series	Graphical symbols for use on equipment	EN 60417	series
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr May	1991 1993

-

¹⁾ EN 60068-2-2 includes IEC 60068-2-2A:1976.

²⁾ EN 60068-2-14 includes A1:1986 to IEC 60068-2-14.

³⁾ EN 60068-2-30 includes A1:1985 to IEC 60068-2-30.

⁴⁾ EN 60068-2-31 includes A1:1982 to IEC 60068-2-31.

⁵⁾ EN 60068-2-32 includes A2:1990 to IEC 60068-2-32.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60664-1	1992	Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests	EN 60664-1 ⁶⁾	2003
IEC 60664-3	1992	Part 3: Use of coatings to achieve insulation coordination of printed board assemblies	HD 625.3 S1 ⁷⁾	1997
IEC 60695-2-1/x	series	Fire hazard testing Part 2: Test methods – Section 1: Glowwire test and methods	EN 60695-2-1/x ⁸⁾	series
IEC 60707	1999	Flammability of solid non-metallic materials when exposed to flame sources - List of test methods	EN 60707	1999
IEC 60947-5-1	1997	Low-voltage switchgear and controlgear Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices	EN 60947-5-1 + A12	1997 1999
IEC 60947-7-1	2002 iT	Part 7-1: Ancillary equipment - Terminal blocks for copper conductors	EN 60947-7-1	2002
IEC 60950-1 (mod)	2001	Information technology equipment : Safety Part 1: General requirements	EN 60950-1	2001
IEC 61000-4-2	http://sta	Electromagnetic compatibility (EMC) 44a-4 Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	³ EN 61000-4-2	1995
IEC 61000-4-3	2002	Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2002
IEC 61000-4-4	1995	Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	1995
IEC 61000-4-5	1995	Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	1995
IEC 61000-4-6	1996	Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	1996

_

⁶⁾ EN 60664-1 includes A1:2000 + A2:2002 to IEC 60664-1.

 $^{^{7)}}$ HD 625.3 S1 is superseded by EN 60664-3:2003, which is based on IEC 60664-3:2003.

 $^{^{8)}}$ EN 60695-2-1/x are superseded by EN 60695-2-10 to EN 60695-2-13:2001, Fire hazard testing, Part 2-1X: Glowing/hot-wire based test methods.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61000-4-8	1993	Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	1993
IEC 61000-4-12	1995	Part 4-12: Testing and measurement techniques - Oscillatory waves immunity test	EN 61000-4-12	1995
IEC 61010-1	2001	Safety requirements for electrical equipment for measurement, control, and laboratory use Part 1: General requirements	EN 61010-1 + corr June	2001 2002
CISPR 11 (mod)	1997	Industrial, scientific and medical (ISM) radio-frequency equipment - Radio disturbance characteristics - Limits and methods of measurement	EN 55011	1998
A1	1999	methods of medsdrement	A1	1999
CISPR 16-1	1999	Specification for radio disturbance and immunity measuring apparatus and methods Part 1: Radio disturbance and immunity measuring apparatus RD PREVI	<u>-</u> E W	-
CISPR 16-2	1996	Part 2: Methods of measurement of	-	-
A1	1999	disturbances and immunity SIST EN 61131-2:2004	-	-

https://standards.iteh.ai/catalog/standards/sist/06853d85-84aa-4300-848d-e1c6d78da395/sist-en-61131-2-2004

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61131-2:2004

https://standards.iteh.ai/catalog/standards/sist/06853d85-84aa-4300-848d-e1c6d78da395/sist-en-61131-2-2004

INTERNATIONAL STANDARD

IEC 61131-2

Second edition 2003-02

Programmable controllers -

Part 2:

Equipment requirements and tests

Automates programmables -

Partie 2:

Spécifications et essais des équipements

iTeh STANDARD PREVIEW (standards.iteh.ai)

© IEC 2003 — Copyright fall rights reserved

https://standards.itch.ai/catalog/standards/sist/06853d85-84aa-4300-848d-No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



 \rangle

Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия

PRICE CODE



CONTENTS

FO	REWO	RD	7
INT	RODU	CTION	9
1	Gene	ral	10
	1.1	Scope and object	10
	1.2	Compliance with this standard	11
	1.3	Normative references	11
2	Туре	tests	13
	2.1	Equipment to be tested (equipment under test/EUT)	13
	2.2	Special features for immunity and EMC tests	15
	2.3	Withstand test conditions	16
	2.4	Verification procedure	16
	2.5	Requirements for test programmes and proper functioning verification procedures (PFVPs) to be provided by the manufacturer	16
	2.6	General conditions for tests	17
3	Term	s and definitions	17
4	Norm	al service conditions and requirements	24
	4.1	Climatic conditions and requirements	24
	4.2	Mechanical service conditions and requirements	
	4.3	Transport and storage conditions and requirements	26
	4.4	Electrical service conditions and requirements	27
	4.5	Special conditions and requirements	28
5	Func	tional requirements	28
	5.1	Functional power supply and memory back-up requirements	30
	5.2	Digital I/Os	31
	5.3	Analogue I/Os	38
	5.4	Communication interface requirements	39
	5.5	Main processing unit(s) and memory(ies) of the PLC-system requirements	39
	5.6	Remote input/output stations (RIOSs) requirements	
	5.7	Peripherals (PADTs, TEs, HMIs) requirements	
	5.8	PLC-system self-tests and diagnostics requirements	
	5.9	Functional earthing S.T.A.N.D.A.R.D. P.R.E.V.I.E.W.	40
	5.10	Mounting requirements General marking requirements ards.iteh.ai	40
	5.11		
	5.12	Requirements for normal service and functional type tests and verifications	
•	5.13	Requirements for information on normal service and function	41
6	Norm	https://standards.iteh.ai/catalog/standards/sist/06853d85-84aa-4300-848d- nal service and functional type tests and verifications e1c6d/8da395/sist-en-61131-2-2004	41
	0.1	Climatic tests	41
	6.2	Mechanical tests	43
	6.3	Verification of special functional requirements for power ports and memory back-up – Special immunity limits for power ports	
	6.4	Verification of input/output requirements	
	6.5	Verification of communication interface requirements	
	6.6	Verification of MPU requirements	
	6.7	Verification of remote I/O stations	
	6.8	Verification of peripheral (PADTs, TEs, HMIs) requirements	
	6.9	Verification of PLC-system self-tests and diagnostics	54

こうこうに ショラミニラン

	6.10	Verification of markings and manufacturer's documentation	.54
7	Gene	ral information to be provided by the manufacturer	54
	7.1	Information on type and content of documentation	54
	7.2	Information on compliance with this standard	55
	7.3	Information on reliability	55
	7.4	Information on other conditions	
	7.5	Information on shipping and storage	
	7.6	Information on a.c. and d.c. power supply	
	7.7	Information on digital inputs (current sinking)	
	7.8	Information on digital outputs for alternating currents (current sourcing)	
	7.9	Information on digital outputs for direct current (current sourcing)	
	7.10	Information on analogue inputs	
	7.11	Information on analogue outputs	
		Information on communication interfaces	
		Information on main processing unit(s) and memory(ies) of the PLC-system	
		Information on remote input/output stations (RIOSs)	
	7.15	Information on peripherals (PADTs, TEs, HMIs)	
_		Information on self-tests and diagnostics	
8		romagnetic compatibility (EMC) requirements	
	8.1	General	
	8.2	Emission requirements	
	8.3	EMC immunity requirements	
	8.4	Requirements for EMC tests and verifications	
	8.5	Requirements for information on EMC	
9		romagnetic compatibility (EMC) type tests and verifications	
	9.1	Electromagnetic compatibility-related tests	
	9.2	Test environment	
	9.3	Measurement of radiated interference	
	9.4	Measurement of conducted interference	
	9.5	Electrostatic discharge	
	9.6	Radiofrequency electromagnetic field – Amplitude modulated	
	9.7	Power-frequency magnetic fields	
	9.8	Fast transient bursts High-energy surges h STANDARD PREVIEW	72
	9.9	High-energy surges	73
	9.10	Conducted radiofrequency interference desirteh ai	74
	9.11	Damped oscillatory wave (for zone C only)	/5
40		Voltage drops and interruptions Power port type tests and verifications	/5
10		tromagnetic compatibilitys(EMC)ainformation/sto/be/provided-by(the48d- ufacturere1c6d78da395/sist-en-61131-2-2004	76
11		ty requirements	
11			
		Protection against electrical shock	
		Protection against the spread of fire	
		Limited power circuits	
		Clearance and creepage distances requirements	
		Flame-retardant requirements for non-metallic materials Temperature limits	
	11.6	Enclosures	
		Field-wiring terminals constructional requirements	
	11.0	i ieid-vannig terminais constructional requirements	

	11.9 Provisions for protective earthing	
	11.10 Wiring	
	11.11 Switching devices	
	11.12 Components	
	11.13 Battery requirements	
	11.14 Maximum voltage and minimum voltage	
	11.15 Markings and identification	
	11.16 Requirements for safety type tests and verifications	
	11.18 Requirements for information on safety	
12	Safety type tests and verifications	
	12.1 Safety-related mechanical tests and verifications	
	12.2 Safety-related electrical tests	
	12.3 Single-fault condition test – General	
13	-	
	13.1 Dielectric withstand test	
	13.2 Dielectric withstand verification test	
	13.3 Protective earthing test	105
14	Safety information to be provided by the manufacturer	106
	14.1 Information on evaluation of enclosures for open equipment (power dissipation)	106
	14.2 Information on mechanical terminal connection	
Anı Anı	nex B (informative) Digital input standard operating range equations	109 112
	oliography	
Fig	gure 1 – EUT configurations	15
Fig	gure 2 – Typical interface/port diagram of a PLC-system	29
	gure 3 – I/O Parameters(standards.iteh.ai)	
	gure 4 - U-I operation regions of current-sinking inputs	
Fig	gure 5 – Temporary overload waveform for digital a.c. outputs	35
Fig	gure 5 – Temporary overload waveform for digital a.c. outputs https://standards.iteh.a/catalog/standards/sist/06853d85-84aa-4300-848d- gure 6 – Temporary overload waveform forsdigital d.c. outputs	37
	gure 7 – Gradual shut-down/start-up test	
Fig	gure 8 – Fast supply voltage variation test	46
Fig	gure 9 – Third harmonic immunity test	47
	gure 10 – Slow supply voltage variation test	
	gure 11 – EMC immunity zones	
-	gure 12 – Impact withstand test procedure	
_	gure 13 – Dielectric withstand test procedures	
	gure A.1 – Programmable controller system (PLC-system)	
_	gure C.1 – Jointed test finger	
6	gare o	103

シュ・ショッ ニラミー こう

Figure C.2 – 15 mm × 3 mm test pin	110
Figure C.3 – 100 mm × 4 mm test pin	110
Figure C.4 – 100 mm × 3 mm test pin	.111
Figure E.1 – Creepage distances of circuits where recurring peak voltages	
are generated	.114
Table 1 Conoral conditions for toots	17
Table 1 – General conditions for tests	
Table 3 – Sinusoidal vibration service conditions for PLC-systems	
Table 4 – Free fall on concrete floor for portable and hand-held equipment	
Table 5 – Free fall on concrete floor in manufacturer's original packaging	
Table 6 – Rated values and operating ranges of incoming power supply	
Table 7 – Standard operating ranges for digital inputs (current sinking)	
Table 8 – Rated values and operating ranges for current sourcing digital a.c. outputs	35
Table 9 – Rated values and operating ranges (d.c.) for current sourcing digital d.c. outputs	37
Table 10 – Rated values and impedance limits for analogue inputs	
Table 11 – Rated values and impedance limits for analogue outputs	
Table 12 – Dry-heat and cold withstand tests	
Table 13 – Change of temperature, withstand and immunity tests	
Table 14 – Cyclic (12 + 12) damp-heat test	
Table 15 – Immunity vibration test	
Table 16 – Immunity shock test	
Table 17 – Free-fall immunity/withstand tests (portable and hand-held equipment)	
Table 18 – Free-fall withstand test (units within manufacturer's original packaging)	
Table 19 – Insertions/withdrawals of removable units	
Table 20 – Voltage-ripple and frequency-range immunity test (1)	
Table 21 – Third harmonic immunity test	
Table 22 – Gradual shut-down/start-up test	
·	
Table 23 – Supply voltage variation tests Table 24 – Back-up duration withstand test DARD PREVIEW	40
Table 25 – Change of energy sourcestandards.itch.ai)	
Table 26 – Overload and short-circuit tests for digital outputs	
Table 27 – Emission limits. SIST EN 61131-2:2004 https://standards.iteh.ai/catalog/standards/sist/06853d85-84aa-4300-848d- Table 28 – EMC immunity zones e1c6d78da395/sist-en-61131-2-2004	64
Table 29 – Criteria to prove the performance of a PLC-system against EMC	04
disturbances	64
Table 30 – Radiated immunity and enclosure ports (1) Conducted immunity, Zones A-B	65
Table 31 – Conducted immunity, Zone B	66
Table 32 – Conducted immunity, Zone A	67
Table 33 – Voltage drops and interruptions	68
Table 34 – Radiated emission measurement	69
Table 35 – Conducted emission measurement	69
Table 36 - Electrostatic discharge immunity test	70

Table 37 – Radiated electromagnetic field immunity test	71
Table 38 – Power frequency magnetic field immunity test	71
Table 39 – Fast transient burst immunity test	72
Table 40 – High-energy surge immunity test	73
Table 41 – Conducted RF immunity test	74
Table 42 – Damped oscillatory wave immunity test	75
Table 43 – Voltage drop and interruption immunity test	76
Table 44 – Operator accessibility for open and enclosed equipment	80
Table 45 – Limits of output current and output power for inherently limited power sources	83
Table 46 – Limits of output current, output power and ratings for over-current protective devices for non-inherently limited power sources	83
Table 47 – Minimum clearances in air corresponding to overvoltage category II conditions (except for field-wiring terminals) for basic/supplementary insulation	84
Table 48 – Minimum clearances in air corresponding to overvoltage category II conditions (except for field-wiring terminals) for double /reinforced insulation	85
Table 49 – Minimum clearances in air at field-wiring terminals	85
Table 50 – Minimum clearances in air for micro-environment where the voltages are known and controlled	86
Table 51 – Classification of material group according to comparative tracking index (CTI)	87
Table 52 – Minimum creepage distances for other than printed circuit boards (1)	87
Table 53 – Minimum creepage distances for printed circuit boards (1), (6), (9) (basic and supplementary insulation)	88
Table 54 – Minimum creepage distances related to recurring peak voltages on printed wiring boards without protective coating (1) (pollution degrees 1 and 2)	89
Table 55 – Temperature limits	90
Table 56 – Impact withstand test (1)	96
Table 57 – Operator accessibility tests (1)	97
Table 58 – Dielectric withstand voltages for impulse a.c. power frequency and d.c. tests for basic/supplementary insulation (5)	101
Table 59 – Dielectric withstand voltages for impulse a.c. power frequency and d.c. tests for double/reinforced insulation (5) D.A.R.D.P.R.H.V.L.H.	101
Table 60 – Overload test circuit values. Table 61 – Endurance test circuit values	103
Table 61 – Endurance test circuit values	103
Table 62 - Routine dielectric withstandstest (5)[31-2:2004	
Table D.1 – Radiated immunity and enclosure ports (1) conducted immunity, Zone C	.112
Table D.2 – Conducted immunity, Zone C	.113

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PROGRAMMABLE CONTROLLERS -

Part 2: Equipment requirements and tests

FOREWORD

- 1. The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations having liaisons with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2. The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4. In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5. The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6. Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61131-2 has been prepared by subcommittee 65B: Devices, of IEC technical committee 65: Industrial-process measurement and control.

This second edition of IEC 61131-2 cancels and replaces the first edition published in 1992 and constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting		
65B/470A/FDIS	A R 65B/481/RVD V E	V	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

SIST EN 61131-2:2004

This publication has been drafted in accordance with the ISO/IEO Directives, Part 2.

e1c6d78da395/sist-en-61131-2-2004

IEC 61131 consists of the following parts under the general title Programmable controllers:

- Part 1: General information
- Part 2: Equipment requirements and tests
- Part 3: Programming languages
- Part 4: User guidelines
- Part 5: Communications
- Part 6: Reserved
- Part 7: Fuzzy control programming
- Part 8: Guidelines for the application and implementation of programming languages