

PUBLICLY
AVAILABLE
SPECIFICATION

IEC
PAS 62407

First edition
2005-06

**Real-time Ethernet control automation
technology (EtherCAT™)**

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai/standards/iec/iec/pas/62407:2005>
<https://standards.iteh.ai/standards/iec/iec/pas/62407:2005>



Reference number
IEC/PAS 62407:2005(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

<https://standards.iteh.ai/catalog/standards/iec/60034-1-2005>

PUBLICLY
AVAILABLE
SPECIFICATION

IEC
PAS 62407

First edition
2005-06

**Real-time Ethernet control automation
technology (EtherCAT™)**

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai/document/standards/iec/iec-pas-62407:2005>
[https://standards.iteh.ai/document/standards/iec/f16dda9d2-60f4-4710-a3de-562d0eed26b9/iec-pas-62407-2005](https://standards.iteh.ai/document/standards/iec/iec-pas-62407:2005)

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

CONTENTS

FOREWORD.....	18
1 Introduction.....	20
2 Scope.....	20
3 Normative References.....	20
4 Terms, Definitions and Abbreviations.....	21
4.1 IEC 61158 definitions.....	21
4.2 Definitions from other standards.....	24
4.3 EtherCAT Definitions.....	24
4.4 Abbreviations.....	26
5 Technology Overview.....	28
5.1 Operating principle.....	28
5.2 Topology.....	28
5.2.1 Telegram processing principles.....	28
5.3 Data Link Layer overview.....	29
5.4 Error Detection Overview.....	30
5.5 Parameter and Process Data Handling Introduction.....	30
5.6 Node Reference Model.....	30
5.6.1 Mapping onto OSI basic reference model.....	30
5.6.2 Physical Layer.....	31
5.6.3 Data Link Layer.....	31
5.6.4 Application Layer.....	31
5.7 Data types and encoding rules.....	32
5.7.1 General description of data types and encoding rules.....	32
5.7.2 Data type definitions.....	32
5.7.3 Bit sequences.....	33
5.7.3.1 Definition of bit sequences.....	33
5.7.3.2 Transfer syntax for bit sequences.....	33
5.7.4 Basic data types.....	34
5.7.4.1 Type Definition.....	34
5.7.4.2 NIL.....	34
5.7.4.3 Boolean.....	34
5.7.4.4 Void.....	34
5.7.4.5 Unsigned Integer.....	34
5.7.4.6 Signed Integer.....	35
5.7.4.7 Floating-Point Numbers.....	36
5.7.5 Extended data types.....	37
5.7.5.1 Octet String.....	37
5.7.5.2 Visible String.....	37
6 Contents of Part 2: Physical Layer.....	38
6.1 Overview.....	38
6.2 100BASE-TX.....	38
6.3 100BASE-FX.....	38
6.4 LVDS.....	38
7 Contents of Part 3: Data Link Layer Service definition.....	39
7.1 Overview.....	39

7.1.1	Relation to ISO/IEC8802-3	39
7.1.2	Frame Structure	39
7.1.3	EtherCAT Modes	39
7.1.3.1	Open Mode	39
7.1.3.2	Direct Mode	40
7.1.4	Segment represents logical ring	40
7.1.5	Addressing	41
7.1.5.1	Segment addressing	41
7.1.5.2	Device addressing	41
7.1.5.2.1	Position addressing	41
7.1.5.2.2	Node addressing	41
7.1.5.3	Logical Addressing	42
7.1.5.3.1	FMMU introduction	42
7.1.6	Slave Classification	42
7.1.6.1	Full Slave	42
7.1.6.2	Basic Slave	43
7.2	EtherCAT Services	43
7.2.1	Read	43
7.2.1.1	Auto Increment Physical Read (APRD)	43
7.2.1.2	Node-Addressed Physical Read (NPRD)	44
7.2.1.3	Logical Read (LRD)	45
7.2.1.4	Broadcast Read (BRD)	46
7.2.2	Write	46
7.2.2.1	Auto Increment Physical Write (APWR)	46
7.2.2.2	Node-Addressed Physical Write (NPWR)	47
7.2.2.3	Logical Write (LWR)	48
7.2.2.4	Broadcast Write (BWR)	49
7.2.3	ReadWrite	50
7.2.3.1	Logical ReadWrite (LRW)	50
7.2.3.2	Auto Increment Physical Read Multiple Write (ARMW)	51
7.3	EtherCAT Attributes	52
7.3.1	Register	53
7.3.1.1	Management	53
7.3.1.1.1	DL Information	53
7.3.1.1.2	Configured Station Address	53
7.3.1.1.3	DL Control	54
7.3.1.1.4	DL Status	54
7.3.1.1.5	AL Management Interface	54
7.3.1.1.5.1	AL Control	56
7.3.1.1.5.2	AL Status	56
7.3.1.1.6	PDI Control	57
7.3.1.1.7	PDI Configuration	57
7.3.1.1.8	AL Event	57
7.3.1.2	Statistics	58
7.3.1.2.1	Channel CRC Fault Counter	58
7.3.1.3	Watchdogs	58
7.3.1.3.1	Watchdog Divider	58
7.3.1.3.2	PDI Watchdog	58
7.3.1.3.3	Sync Manager Channel Watchdog	58

7.3.1.3.4	Sync Manager Watchdog Status.....	58
7.3.1.4	Slave Information Interface	59
7.3.1.4.1	Slave Information Interface Content	59
7.3.1.4.2	Slave Information Interface Size.....	60
7.3.1.4.3	Slave Information Interface Control/Status.....	60
7.3.1.4.4	Actual Slave Information Interface Address	60
7.3.1.4.5	Actual Slave Information Interface Data.....	61
7.3.1.5	Fieldbus Memory Management Unit (FMMU)	61
7.3.1.6	Sync Manager	62
7.3.1.7	Distributed Clock	63
7.3.2	Application Memory.....	64
7.3.2.1	Queued Access Type	64
7.3.2.1.1	Write Access from Master	64
7.3.2.1.2	Read Access from Master	66
7.3.2.2	Buffered Access Type	68
7.3.2.2.1	Write Access from Master	68
7.3.2.2.2	Read Access from Master	69
8	Contents of Part 4: Data Link Layer Protocol definition.....	70
8.1	Frame Structure	70
8.1.1	EtherCAT telegram inside an Ethernet frame	70
8.1.2	EtherCAT frame inside an UDP datagram.....	71
8.1.3	EtherCAT telegram structure	71
8.1.3.1	Read	72
8.1.3.1.1	Auto Increment Physical Read (APRD).....	72
8.1.3.1.2	Node-Addressed Physical Read (NPRD)	72
8.1.3.1.3	Logical Read (LRD)	73
8.1.3.1.4	Broadcast Read (BRD).....	73
8.1.3.2	Write	74
8.1.3.2.1	Auto Increment	74
8.1.3.2.2	Node-Addressed Physical Write (NPWR).....	74
8.1.3.2.3	Logical Write (LWR).....	75
8.1.3.2.4	Broadcast Write (BWR).....	75
8.1.3.3	ReadWrite	75
8.1.3.3.1	Logical ReadWrite (LRW).....	75
8.1.3.3.2	Auto Increment Physical Read Multiple Write (ARMW)	76
8.2	EtherCAT Attributes.....	77
8.2.1	Register.....	77
8.2.1.1	Management.....	77
8.2.1.1.1	DL Information	77
8.2.1.1.1.1	Coding	77
8.2.1.1.1.2	Description.....	77
8.2.1.1.2	Configured Station Address.....	77
8.2.1.1.2.1	Coding	77
8.2.1.1.2.2	Description.....	77
8.2.1.1.3	DL Control	78
8.2.1.1.3.1	Coding	78
8.2.1.1.3.2	Description.....	78
8.2.1.1.4	DL Status	78

	8.2.1.1.4.1	Coding	78
	8.2.1.1.4.2	Description	79
8.2.1.1.5	AL Management Interface		79
	8.2.1.1.5.1	AL Control	79
	8.2.1.1.5.2	AL Status	80
8.2.1.1.6	PDI Control		81
	8.2.1.1.6.1	Coding	81
	8.2.1.1.6.2	Description	81
8.2.1.1.7	PDI Configuration		81
	8.2.1.1.7.1	8 Bit Micro Controller Interface	81
	8.2.1.1.7.2	16 Bit Micro Controller Interface	82
8.2.1.1.8	AL Event		83
	8.2.1.1.8.1	Coding	83
	8.2.1.1.8.2	Description	83
8.2.1.2	Statistics		85
	8.2.1.2.1	Channel CRC Fault Counter	85
		8.2.1.2.1.1 Coding	85
		8.2.1.2.1.2 Description	85
8.2.1.3	Watchdogs		85
	8.2.1.3.1	Watchdog Divider	85
		8.2.1.3.1.1 Coding	85
		8.2.1.3.1.2 Description	85
	8.2.1.3.2	PDI Watchdog	85
		8.2.1.3.2.1 Coding	85
		8.2.1.3.2.2 Description	85
	8.2.1.3.3	Sync Manager Channel Watchdog	86
		8.2.1.3.3.1 Coding	86
		8.2.1.3.3.2 Description	86
	8.2.1.3.4	Sync Manager Watchdog Status	87
		8.2.1.3.4.1 Coding	87
		8.2.1.3.4.2 Description	87
8.2.1.4	Slave Information Interface		88
	8.2.1.4.1	Slave Information Interface Access Flow Charts	88
		8.2.1.4.1.1 Read Operation	88
		8.2.1.4.1.2 Write Operation	89
		8.2.1.4.1.3 Reload Operation	90
	8.2.1.4.2	Slave Information Interface Area	90
		8.2.1.4.2.1 Slave Information Interface Size	91
		8.2.1.4.2.2 Slave Information Interface Control/Status	92
		8.2.1.4.2.3 Actual Slave Information Interface Address	93
		8.2.1.4.2.4 Actual Slave Information Interface Data	93
8.2.1.5	Fieldbus Memory Management Unit (FMMU)		94
	8.2.1.5.1	Coding	94
	8.2.1.5.2	Description	94
8.2.1.6	Sync Manager		95
	8.2.1.6.1	Coding	95

8.2.1.6.2	Description	95
8.2.1.7	Distributed Clock	97
8.2.1.7.1	Coding.....	97
8.2.1.7.2	Description	98
8.2.2	Application Memory.....	100
8.2.2.1	Queued Access Type Flow Charts.....	100
8.2.2.1.1	Write Access from Master (see Figures 22 and 23)	100
8.2.2.1.2	Read Access from Master (see Figures 24 and 25)	102
8.2.2.2	Buffered Access Type Flow Charts.....	104
8.2.2.2.1	Write Access from Master (see Figures 26 and 27)	104
8.2.2.2.2	Read Access from Master (see Figures 28 and 29)	106
9	Contents of Part 5: Application Layer Service definition	108
9.1	Communication Model Overview	108
9.2	Slave.....	108
9.2.1	Slave AL Classification.....	108
9.2.2	Simple Slave Device	108
9.2.3	Complex Slave Device	108
9.2.4	Management	109
9.2.4.1	Overview	109
9.2.4.2	EtherCAT States.....	111
9.2.4.2.1	Init.....	111
9.2.4.2.2	Pre-Operational	111
9.2.4.2.3	Safe-Operational	111
9.2.4.2.4	Operational.....	111
9.2.4.2.5	Bootstrap.....	111
9.2.4.3	EtherCAT State Services	111
9.2.4.3.1	AL Control Sequence	111
9.2.4.3.2	AL State Changed Sequence	113
9.2.4.3.3	AL Control Service.....	113
9.2.4.3.4	AL State Changed Service	114
9.2.4.3.5	AL State Acknowledge Service.....	114
9.2.4.4	Local Management services	115
9.2.4.4.1	Start Mailbox Communication.....	115
9.2.4.4.2	Stop Mailbox Communication	115
9.2.4.4.3	Start Input Update	115
9.2.4.4.4	Stop Input Update.....	116
9.2.4.4.5	Start Output Update	116
9.2.4.4.6	Stop Output Update	116
9.2.4.4.7	Start Bootstrap Mode	116
9.2.5	Mailbox.....	117
9.2.5.1	Overview	117
9.2.5.1.1	Communication from Master to Slave	117
9.2.5.1.2	Communication from Slave to Master	117
9.2.5.2	Mailbox Transmission Services	117
9.2.5.2.1	Mailbox Write.....	119

9.2.5.2.2	Mailbox Read.....	119
9.2.5.3	Mailbox protocols.....	120
9.2.6	EtherCAT Process Data	121
9.2.6.1	Overview	121
9.2.6.2	Process Output Data.....	121
9.2.6.3	Process Input Data	122
9.2.7	CANopen over EtherCAT.....	123
9.2.7.1	Overview	123
9.2.7.2	Object Dictionary	124
9.2.7.2.1	Overview	124
9.2.7.2.2	Data Type Area	124
9.2.7.2.3	CoE Communication Area	125
9.2.7.2.3.1	Device Type.....	125
9.2.7.2.3.2	Manufacturer Device Name	125
9.2.7.2.3.3	Hardware Version	125
9.2.7.2.3.4	Software Version	125
9.2.7.2.3.5	Identity	125
9.2.7.2.3.6	EtherCAT Fixed Station Address	126
9.2.7.2.3.7	Virtual MAC Address	126
9.2.7.2.3.8	IP Address Info	126
9.2.7.2.3.9	Receive PDO Mapping	126
9.2.7.2.3.10	Transmit PDO Mapping	126
9.2.7.2.3.11	Sync Manager Communication Type	127
9.2.7.2.3.12	Sync Manager PDO Assignment.....	127
9.2.7.2.3.13	EtherCAT Physical Memory Access	127
9.2.7.3	SDO Services.....	127
9.2.7.3.1	Overview	127
9.2.7.3.2	SDO Download	129
9.2.7.3.3	SDO Upload	134
9.2.7.3.4	Abort SDO Transfer	139
9.2.7.4	SDO Information Services.....	140
9.2.7.4.1	Overview	140
9.2.7.4.2	SDO Information Service.....	141
9.2.7.4.3	Get OD List	142
9.2.7.4.4	Get Object Description	143
9.2.7.4.5	Get Entry Description.....	144
9.2.7.5	Process Data	146
9.2.7.5.1	Overview	146
9.2.7.5.2	Process Data Objects (PDO).....	148
9.2.7.5.3	Sync Manager Channel Objects (SMCO).....	148
9.2.7.5.4	PDO transmission via Mailbox.....	148
9.2.7.5.4.1	RxPDO	149
9.2.7.5.4.2	TxPDO.....	150
9.2.7.5.4.3	RxPDO Remote Transmission Request.....	151
9.2.7.5.4.4	TxPDO Remote Transmission Request.....	152
9.2.7.6	Command.....	153

9.2.7.7	Emergency	153
9.2.8	Ethernet over EtherCAT (EoE)	155
9.2.8.1	Overview	155
9.2.8.2	EoE Services	155
9.2.8.3	Initiate Ethernet over EtherCAT	156
9.2.8.4	Ethernet over EtherCAT Fragment	157
9.2.9	File Access over EtherCAT	158
9.2.9.1	Overview	158
9.2.9.2	FoE Services	158
9.2.9.3	FoE Read Sequence	159
9.2.9.3.1	FoE Read with Success	159
9.2.9.3.2	FoE Read with Error	159
9.2.9.4	FoE Write Sequence	160
9.2.9.4.1	FoE Write with Success	160
9.2.9.4.2	FoE Write with Error	160
9.2.9.4.3	FoE Write with Busy	161
9.2.9.5	FoE Read Request	161
9.2.9.6	FoE Write Request	162
9.2.9.7	FoE Data Request	162
9.2.9.8	FoE Ack Request	163
9.2.9.9	FoE Busy Request	163
9.2.9.10	FoE Error Request	164
9.2.9.11	FoE Busy Request	164
9.3	Master	165
9.3.1	Overview	165
9.3.2	Management	165
9.3.2.1	Slave Handler	165
9.3.3	Router	166
10	Contents of Part 6: Application Layer Protocol definition	167
10.1	Management	167
10.1.1	EtherCAT State Services	167
10.1.1.1	AL Control Service	167
10.1.1.1.1	AL Control Request (Indication)	167
10.1.1.1.1.1	Coding	167
10.1.1.1.1.2	Description	167
10.1.1.1.2	AL Control Response (Confirmation)	167
10.1.1.1.2.1	Coding	167
10.1.1.1.2.2	Description	167
10.1.1.2	AL State Changed Service	168
10.1.1.2.1	AL State Changed Request (Indication)	168
10.1.1.2.1.1	Coding	168
10.1.1.2.1.2	Description	168
10.1.1.3	AL State Acknowledge Service	168
10.1.1.3.1	AL State Acknowledge Request (Indication)	168
10.1.1.3.1.1	Coding	168
10.1.1.3.1.2	Description	169
10.1.1.3.2	AL State Response (Confirmation)	169
10.1.1.3.2.1	Coding	169

	10.1.1.3.2.2 Description.....	169
10.1.2	EtherCAT State Machine.....	170
	10.1.2.1 Start Mailbox Communication.....	170
	10.1.2.2 Stop Mailbox Communication.....	171
	10.1.2.3 Start Input Update.....	172
	10.1.2.4 Stop Input Update.....	173
	10.1.2.5 Start Output Update.....	173
	10.1.2.6 Stop Output Update.....	174
	10.1.2.7 Acknowledge State Change.....	174
10.1.3	Slave Handler.....	175
	10.1.3.1 Start Mailbox Communication.....	175
	10.1.3.2 Stop Mailbox Communication.....	176
	10.1.3.3 Start Input Update.....	177
	10.1.3.4 Stop Input Update.....	178
	10.1.3.5 Start Output Update.....	179
	10.1.3.6 Stop Output Update.....	180
	10.1.3.7 Acknowledge State Change.....	181
10.2	Mailbox.....	181
	10.2.1 General Mailbox Header.....	181
	10.2.1.1 Coding.....	181
	10.2.1.2 Description.....	181
10.3	CANopen over EtherCAT.....	182
	10.3.1 Coding.....	182
	10.3.2 Description.....	182
	10.3.3 SDO.....	183
	10.3.3.1 Initiate SDO Download Expedited.....	183
	10.3.3.1.1 Initiate SDO Download Expedited Request.....	183
	10.3.3.1.1.1 Coding.....	183
	10.3.3.1.1.2 Description.....	183
	10.3.3.1.2 Initiate SDO Download Expedited Response.....	185
	10.3.3.1.2.1 Coding.....	185
	10.3.3.1.2.2 Description.....	185
	10.3.3.2 Initiate SDO Download Normal.....	185
	10.3.3.2.1 Initiate SDO Download Normal Request.....	185
	10.3.3.2.1.1 Coding.....	185
	10.3.3.2.1.2 Description.....	186
	10.3.3.2.2 Initiate SDO Download Normal Response.....	186
	10.3.3.2.2.1 Coding.....	186
	10.3.3.2.2.2 Description.....	187
	10.3.3.3 Download SDO Segment.....	187
	10.3.3.3.1 Download SDO Segment Request.....	187
	10.3.3.3.1.1 Coding.....	187
	10.3.3.3.1.2 Description.....	187
	10.3.3.3.2 Download SDO Segment Response.....	188
	10.3.3.3.2.1 Coding.....	188
	10.3.3.3.2.2 Description.....	188
	10.3.3.4 Initiate SDO Upload Expedited.....	189
	10.3.3.4.1 Initiate SDO Upload Expedited Request.....	189
	10.3.3.4.1.1 Coding.....	189

10.3.3.4.1.2	Description.....	189
10.3.3.4.2	Initiate SDO Upload Expedited Response.....	190
10.3.3.4.2.1	Coding.....	190
10.3.3.4.2.2	Description.....	190
10.3.3.5	Initiate SDO Upload Normal.....	191
10.3.3.5.1	Initiate SDO Upload Normal Request.....	191
10.3.3.5.1.1	Coding.....	191
10.3.3.5.1.2	Description.....	191
10.3.3.5.2	Initiate SDO Upload Normal Response.....	192
10.3.3.5.2.1	Coding.....	192
10.3.3.5.2.2	Description.....	192
10.3.3.6	Upload SDO Segment.....	193
10.3.3.6.1	Upload SDO Segment Request.....	193
10.3.3.6.1.1	Coding.....	193
10.3.3.6.1.2	Description.....	193
10.3.3.6.2	Upload SDO Segment Response.....	194
10.3.3.6.2.1	Coding.....	194
10.3.3.6.2.2	Description.....	194
10.3.3.7	Abort SDO Transfer.....	195
10.3.3.7.1	Abort SDO Transfer Request.....	195
10.3.3.7.1.1	Coding.....	195
10.3.3.7.1.2	Description.....	195
10.3.3.7.2	SDO Abort Codes.....	196
10.3.4	SDO Information.....	197
10.3.4.1	SDO Information Service.....	197
10.3.4.1.1	Coding.....	197
10.3.4.1.2	Description.....	197
10.3.4.2	Get OD List.....	198
10.3.4.2.1	Get OD List Request.....	198
10.3.4.2.1.1	Coding.....	198
10.3.4.2.1.2	Description.....	198
10.3.4.2.2	Get OD List Response.....	198
10.3.4.2.2.1	Coding.....	198
10.3.4.2.2.2	Description.....	199
10.3.4.3	Get Object Description.....	199
10.3.4.3.1	Get Object Description Request.....	199
10.3.4.3.1.1	Coding.....	199
10.3.4.3.1.2	Description.....	199
10.3.4.3.2	Get Object Description Response.....	200
10.3.4.3.2.1	Coding.....	200
10.3.4.3.2.2	Description.....	200
10.3.4.4	Get Entry Description.....	201
10.3.4.4.1	Get Entry Description Request.....	201
10.3.4.4.1.1	Coding.....	201
10.3.4.4.1.2	Description.....	201
10.3.4.4.2	Get Object Description Response.....	202
10.3.4.4.2.1	Coding.....	202
10.3.4.4.2.2	Description.....	202
10.3.5	Emergency.....	204

10.3.5.1	Emergency Request.....	204
10.3.5.2	Emergency Error Codes.....	204
10.3.5.2.1	EtherCAT State Machine Transition Error.....	205
10.3.5.2.1.1	Error Code.....	205
10.3.5.2.1.2	Diagnostic Data.....	205
10.3.6	Process Data.....	207
10.3.6.1	Process Data Objects (PDO).....	207
10.3.6.1.1	PDO Mapping.....	207
10.3.6.2	Sync Manager Channel Objects (SMCO).....	208
10.3.6.2.1	Sync Manager PDO Assign.....	208
10.3.6.3	PDO transmission via Mailbox.....	209
10.3.6.3.1	RxPDO.....	209
10.3.6.3.2	TxPDO.....	209
10.3.6.3.3	RxPDO Remote Transmission Request.....	209
10.3.6.3.4	TxPDO Remote Transmission Request.....	210
10.3.7	Command.....	210
10.3.8	Object Dictionary.....	212
10.3.8.1	Object Definitions.....	212
10.3.8.2	Data Type Area.....	212
10.3.8.3	CoE Communication Area.....	214
10.3.8.3.1	Device Type.....	215
10.3.8.3.2	Manufacturer Device Name.....	215
10.3.8.3.3	Manufacturer Hardware Version.....	216
10.3.8.3.4	Manufacturer Software Version.....	216
10.3.8.3.5	Identity Object.....	216
10.3.8.3.6	EtherCAT Configured Station Address.....	218
10.3.8.3.7	Virtual MAC Address.....	218
10.3.8.3.8	IP Address Info.....	218
10.3.8.3.9	Receive PDO Mapping.....	220
10.3.8.3.10	Transmit PDO Mapping.....	220
10.3.8.3.11	Sync Manager Communication Type.....	221
10.3.8.3.12	Sync Manager PDO Assignment.....	223
10.3.8.3.12.1	Sync Manager Channel 0 (Mailbox Receive).....	223
10.3.8.3.12.2	Sync Manager Channel 1 (Mailbox Send).....	223
10.3.8.3.12.3	Sync Manager Channel 2 (Process Data Output).....	224
10.3.8.3.12.4	Sync Manager Channel 3 (Process Data Input).....	224
10.3.8.3.12.5	Sync Manager Channel 4-32.....	225
10.3.8.3.13	EtherCAT Physical Memory Access.....	226
10.4	Ethernet over EtherCAT.....	227
10.4.1	Initiate EoE Request.....	227
10.4.1.1	Coding.....	227
10.4.1.2	Description.....	227
10.4.2	EoE Fragment Request.....	227
10.4.2.1	Coding.....	227
10.4.2.2	Description.....	228

- 10.5 File Access over EtherCAT 228
 - 10.5.1 Read Request 228
 - 10.5.1.1 Coding 228
 - 10.5.1.2 Description 229
 - 10.5.2 Write Request 229
 - 10.5.2.1 Coding 229
 - 10.5.2.2 Description 229
 - 10.5.3 Data Request 230
 - 10.5.3.1 Coding 230
 - 10.5.3.2 Description 230
 - 10.5.4 Ack Request 231
 - 10.5.4.1 Coding 231
 - 10.5.4.2 Description 231
 - 10.5.5 Error Request 231
 - 10.5.5.1 Coding 231
 - 10.5.5.2 Description 232
 - 10.5.6 Busy Request 232
 - 10.5.6.1 Coding 232
 - 10.5.6.2 Description 233

FIGURES

- Figure 1 – Frame Structure 29
- Figure 2 – Nodes map data directly in frame 29
- Figure 3 – Slave Node Reference Model 31
- Figure 4: EtherCAT Telegrams embedded in Ethernet Frame 39
- Figure 5: EtherCAT Telegrams embedded in UDP/IP 39
- Figure 6: EtherCAT Segments in Open Mode 40
- Figure 7: EtherCAT Segment in Direct Mode 40
- Figure 8: Addressing Mode Overview 41
- Figure 9: Fieldbus Memory Management Unit Overview 42
- Figure 10: Application Layer Model 52
- Figure 11: Successful Write sequence to AL Control Register 55
- Figure 12: Successful Read sequence to the AL Status Register 56
- Figure 13: Successful Write sequence to application memory area of Queued Access Type 65
- Figure 14: Bad Write sequence to application memory area of Queued Access Type 66
- Figure 15: Successful Read sequence to application memory area of Queued Access Type 67
- Figure 16: Bad read sequence to application memory area of Queued Access Type 68
- Figure 17: Successful Write sequence to application memory area of Buffered Access Type 69
- Figure 18: Successful read sequence to application memory area of Buffered Access Type 70
- Figure 19: Slave Information Interface Read Operation 88
- Figure 20: Slave Information Interface Write Operation 89
- Figure 21: Slave Information Interface Reload Operation 90