

PUBLICLY
AVAILABLE
SPECIFICATION

IEC
PAS 62408

First edition
2005-06

Real-time Ethernet Powerlink (EPL)

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

<https://standards.itih.ai/standards/iec/62408:2005>
<https://standards.itih.ai/standards/iec/62408:2005>



Reference number
IEC/PAS 62408:2005(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

<https://standards.iteh.ai/catalog/standards/iec/60315ccc-afc6-4f34-a2a2-61f862f9149a/iec-pas-62408-2005>

PUBLICLY
AVAILABLE
SPECIFICATION

IEC
PAS 62408

First edition
2005-06

Real-time Ethernet Powerlink (EPL)

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai/standards/iec/68315eee-afc6-4f34-a2a2-61f862f9149a/iec-pas-62408-2005>

<https://standards.iteh.ai/standards/iec/68315eee-afc6-4f34-a2a2-61f862f9149a/iec-pas-62408-2005>

© IEC 2005 – Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XH**

For price, see current catalogue

CONTENT

| | |
|--|----|
| FOREWORD | 14 |
| 1 General | 15 |
| 1.1 Scope and general description | 15 |
| 1.1.1 Slot Communication Network Management (SCNM) | 15 |
| 1.1.2 EPL key features | 16 |
| 1.1.3 Integration | 17 |
| 1.1.4 Modular Machines | 18 |
| 1.2 Normative references | 19 |
| 1.3 Definitions and Abbreviations | 20 |
| 1.3.1 Definitions | 20 |
| 1.3.2 Abbreviations | 23 |
| 2 Modelling | 24 |
| 2.1 Reference Model | 24 |
| 2.1.1 Application Layer | 24 |
| 2.1.1.1 Service Primitives | 25 |
| 2.1.1.2 Application Layer Service Types | 25 |
| 2.2 Device Model | 26 |
| 2.2.1 General | 26 |
| 2.2.2 The Object Dictionary | 27 |
| 2.2.2.1 Index and Sub-Index Usage | 28 |
| 2.3 Communication Model | 28 |
| 2.3.1 Master/Slave relationship | 28 |
| 2.3.2 Client/Server relationship | 29 |
| 2.3.3 Producer/Consumer relationship - Push/Pull model | 30 |
| 2.3.4 Superimposing of Communication Relationships | 30 |
| 3 Physical Layer | 31 |
| 3.1 Topology | 31 |
| 3.1.1 Hubs | 31 |
| 3.1.2 Switches | 31 |
| 3.2 Network Guidelines | 31 |
| 3.3 Connectors | 32 |
| 3.3.1 RJ-45 | 32 |
| 3.3.2 M12 | 32 |
| 3.3.3 Cross Over Pin Assignment | 33 |
| 3.3.3.1 RJ45 to RJ45 | 33 |
| 3.3.3.2 M12 to M12 | 34 |
| 3.3.3.3 M12 to RJ45 | 34 |
| 3.4 Cables (recommendation) | 34 |
| 4 Data Link Layer | 35 |
| 4.1 Modes of Operation | 35 |
| 4.2 EPL Mode | 35 |
| 4.2.1 Introduction | 35 |
| 4.2.2 EPL Nodes | 35 |
| 4.2.2.1 EPL Managing Node | 35 |
| 4.2.2.2 EPL Controlled Node | 36 |
| 4.2.2.2.1 Isochronous CN | 36 |
| 4.2.2.2.2 Async-only CN | 36 |
| 4.2.3 Services | 36 |
| 4.2.4 EPL Cycle | 36 |
| 4.2.4.1 Isochronous EPL Cycle | 36 |
| 4.2.4.1.1 Start period | 37 |
| 4.2.4.1.2 Isochronous period | 37 |
| 4.2.4.1.2.1 Multiplexed Timeslots | 38 |
| 4.2.4.1.3 Asynchronous period | 38 |
| 4.2.4.1.3.1 Asynchronous Scheduling | 39 |

| | | |
|---------------|---|----|
| 4.2.4.1.3.2 | Asynchronous Transmit Priorities..... | 40 |
| 4.2.4.1.3.3 | Distribution of the Asynchronous period..... | 40 |
| 4.2.4.1.4 | Idle Period..... | 40 |
| 4.2.4.2 | Reduced EPL Cycle..... | 40 |
| 4.2.4.3 | EPL CN Cycle State Machine..... | 41 |
| 4.2.4.3.1 | Overview..... | 41 |
| 4.2.4.3.2 | States..... | 41 |
| 4.2.4.3.3 | Events..... | 41 |
| 4.2.4.3.4 | Usage of the the NMT_CS state by the DLL_CS..... | 42 |
| 4.2.4.3.4.1 | State NMT_CS_OPERATIONAL, NMT_CS_PRE_OPERATIONAL_2, NMT_CS_READY_TO_OPERATE..... | 42 |
| 4.2.4.3.4.1.1 | Transitions..... | 43 |
| 4.2.4.3.4.2 | Other States..... | 44 |
| 4.2.4.3.4.2.1 | Transitions in other NMT states..... | 45 |
| 4.2.4.4 | EPL MN Cycle State Machine..... | 45 |
| 4.2.4.4.1 | Overview..... | 45 |
| 4.2.4.4.2 | States..... | 45 |
| 4.2.4.4.3 | Events..... | 45 |
| 4.2.4.4.4 | Usage of the NMT_MS state by the DLL_MS..... | 46 |
| 4.2.4.4.4.1 | State NMT_MS_OPERATIONAL..... | 46 |
| 4.2.4.4.4.1.1 | Transitions..... | 48 |
| 4.2.4.4.4.2 | Other Modes..... | 49 |
| 4.2.5 | Recognizing Active Nodes..... | 49 |
| 4.3 | Basic Ethernet Mode..... | 49 |
| 4.4 | MAC Adressing..... | 50 |
| 4.4.1 | MAC Unicast..... | 50 |
| 4.4.2 | MAC Multicast..... | 50 |
| 4.4.3 | MAC Broadcast..... | 50 |
| 4.5 | EPL Addressing..... | 50 |
| 4.6 | Frame Structures..... | 51 |
| 4.6.1 | Integration with Ethernet..... | 51 |
| 4.6.1.1 | EPL Frame..... | 51 |
| 4.6.1.1.1 | EPL Basic Frame..... | 51 |
| 4.6.1.1.2 | Start Of Cyclic (SoC)..... | 52 |
| 4.6.1.1.3 | PollRequest (PReq)..... | 53 |
| 4.6.1.1.4 | PollResponse (PRes)..... | 54 |
| 4.6.1.1.5 | Start Of Asynchronous (SoA)..... | 55 |
| 4.6.1.1.5.1 | RequestedServiceID s..... | 56 |
| 4.6.1.1.6 | AsynchronousSend (ASnd) – EPL format..... | 57 |
| 4.6.1.1.6.1 | ASnd ServiceID values..... | 58 |
| 4.6.1.2 | Non-EPL Frames..... | 58 |
| 4.6.1.3 | Transfer Protection..... | 58 |
| 4.7 | Error Handling Data Link Layer (DLL)..... | 59 |
| 4.7.1 | Possible Error Sources and Error Symptoms..... | 59 |
| 4.7.2 | Error Handling Table for CN..... | 60 |
| 4.7.3 | Error Handling Table for MN..... | 61 |
| 4.7.4 | Error Handling Registration..... | 62 |
| 4.7.4.1 | Threshold counters..... | 63 |
| 4.7.4.2 | Cumulative Counter..... | 63 |
| 4.7.5 | Physical Layer Error Sources..... | 63 |
| 4.7.5.1 | Loss of Link..... | 63 |
| 4.7.5.2 | Incorrect physical Ethernet operating modes..... | 64 |
| 4.7.6 | Rx MAC buffer overflow / Tx MAC buffer underrun..... | 64 |
| 4.7.6.1 | Transmission / CRC Errors..... | 65 |
| 4.7.7 | Communication Error Symptoms detected by the MN..... | 65 |
| 4.7.7.1 | Timing Violation..... | 65 |
| 4.7.7.1.1 | Slot Time Exceeded..... | 65 |
| 4.7.7.1.1.1 | Case 1-2 Frame received in time..... | 67 |
| 4.7.7.1.1.2 | Case 3 Loss of PollResponse: Frame not received..... | 67 |
| 4.7.7.1.1.3 | Case 4-6 Late PollResponse: Frame received in foreign slot (also collisions)..... | 67 |

| | | |
|-----------|---|-----|
| 4.7.7.2 | Loss of PollResponse | 67 |
| 4.7.7.3 | Late PollResponse | 68 |
| 4.7.7.4 | Cycle Time Exceeded | 68 |
| 4.7.7.5 | Collisions | 69 |
| 4.7.7.6 | Invalid Formats | 70 |
| 4.7.7.7 | EPL Address Conflicts | 71 |
| 4.7.7.8 | Multiple MNs on a single EPL Network | 71 |
| 4.7.8 | Communication Error Symptoms detected by the CN | 72 |
| 4.7.8.1 | Collisions | 72 |
| 4.7.8.2 | Invalid Formats | 72 |
| 4.7.8.3 | Loss of Frames | 73 |
| 4.7.8.3.1 | Loss of SoC | 73 |
| 4.7.8.3.2 | Loss of SoA | 74 |
| 4.7.8.3.3 | Loss of PollRequest | 74 |
| 4.7.8.4 | SoC Jitter out of Range | 75 |
| 4.7.9 | Error Handling Parameters | 75 |
| 4.7.9.1 | Object 1C00 _h : DLL_MNCRCErrror_REC | 75 |
| 4.7.9.2 | Object 1C01 _h : DLL_MNCCollision_REC | 76 |
| 4.7.9.3 | Object 1C02 _h : DLL_MNCCycTimeExceed_REC | 78 |
| 4.7.9.4 | Object 1C10 _h : DLL_CNLossOfLink_REC | 79 |
| 4.7.9.5 | Object 1C04 _h : DLL_MNCNLatePResCumCnt_AU32 | 80 |
| 4.7.9.6 | Object 1C05 _h : DLL_MNCNLatePResThrCnt_AU32 | 81 |
| 4.7.9.7 | Object 1C06 _h : DLL_MNCNLatePResThrLim_AU32 | 82 |
| 4.7.9.8 | Object 1C07 _h : DLL_MNCNLossPResCumCnt_AU32 | 83 |
| 4.7.9.9 | Object 1C08 _h : DLL_MNCNLossPResThrCnt_AU32 | 84 |
| 4.7.9.10 | Object 1C09 _h : DLL_MNCNLossPResThrLim_AU32 | 85 |
| 4.7.9.11 | Object 1C0A _h : DLL_CNCCollision_REC | 86 |
| 4.7.9.12 | Object 1C0B _h : DLL_CNLossSoC_REC | 87 |
| 4.7.9.13 | Object 1C0C _h : DLL_CNLossSoA_REC | 88 |
| 4.7.9.14 | Object 1C0D _h : DLL_CNLossPReq_REC | 89 |
| 4.7.9.15 | Object 1C0E _h : DLL_CNSoCJitter_REC | 90 |
| 4.7.9.16 | Object 1C0F _h : DLL_CNCRCErrror_REC | 91 |
| 4.7.9.17 | Object 1C10 _h : DLL_CNLossOfLink_REC | 92 |
| 4.7.9.18 | Object 1C11 _h : DLL_MNAsyncSlotTimeout_U32 | 93 |
| 4.7.9.19 | Object 1C12 _h : DLL_MNCCycleSuspendNumber_U32 | 94 |
| 4.7.9.20 | Object 1C13 _h : DLL_CNSoCJitterRange_U32 | 94 |
| 5 | Network / Transport Layer | 95 |
| 5.1 | Internet Protocol (IP) | 95 |
| 5.1.1 | IP Host Requirements | 95 |
| 5.1.1.1 | Nodes without IP Communication | 95 |
| 5.1.1.2 | Minimum Requirements for SDO Communication | 95 |
| 5.1.1.2.1 | IP Stack Requirements | 95 |
| 5.1.1.2.2 | UDP Requirements | 95 |
| 5.1.1.3 | Minimum Requirements for Standard IP Communication | 95 |
| 5.1.1.3.1 | IP Stack Requirements | 95 |
| 5.1.2 | IP Addressing | 96 |
| 5.1.3 | Address Resolution | 96 |
| 5.1.4 | .Hostname | 97 |
| 5.1.5 | Object description | 97 |
| 5.1.5.1 | Object 1E4B _h : NWL_IpGroup_REC | 97 |
| 5.1.5.2 | Object 1E40 _h – 1E4F _h : NWL_IpAddrTable_Xh_REC | 98 |
| 5.2 | EPL conformant UDP/IP format | 100 |
| 5.3 | EPL Sequence Layer | 100 |
| 6 | Application Layer | 101 |
| 6.1 | Data Types and Encoding Rules | 101 |
| 6.1.1 | General Description of Data Types and Encoding Rules | 101 |
| 6.1.2 | Data Type Definitions | 101 |
| 6.1.3 | Bit Sequences | 102 |
| 6.1.3.1 | Definition of Bit Sequences | 102 |
| 6.1.3.2 | Transfer Syntax for Bit Sequences | 103 |

| | | |
|-------------|--|-----|
| 6.1.4 | Basic Data Types..... | 103 |
| 6.1.4.1 | NIL | 103 |
| 6.1.4.2 | Boolean..... | 103 |
| 6.1.4.3 | Void..... | 103 |
| 6.1.4.4 | Unsigned Integer..... | 103 |
| 6.1.4.5 | Signed Integer..... | 104 |
| 6.1.4.6 | Floating-Point Numbers | 105 |
| 6.1.5 | Compound Data Types..... | 105 |
| 6.1.6 | Extended Data Types | 106 |
| 6.1.6.1 | Octet String..... | 106 |
| 6.1.6.2 | Visible String..... | 106 |
| 6.1.6.3 | Unicode String..... | 106 |
| 6.1.6.4 | Time of Day..... | 106 |
| 6.1.6.5 | Time Difference..... | 106 |
| 6.1.6.6 | Domain..... | 107 |
| 6.2 | Object Dictionary..... | 107 |
| 6.3 | Service Data (SDO)..... | 107 |
| 6.3.1 | UDP Layer | 108 |
| 6.3.2 | SDO EPL Message Type..... | 108 |
| 6.3.3 | SDO Sequence Layer..... | 109 |
| 6.3.3.1 | Asynchronous Sequence Layer..... | 109 |
| 6.3.3.1.1 | Connection..... | 110 |
| 6.3.3.1.1.1 | Initialization of Connection..... | 110 |
| 6.3.3.1.1.2 | Closing a connection | 110 |
| 6.3.3.1.1.3 | Normal Connection..... | 111 |
| 6.3.3.1.1.4 | Connection with Delay..... | 113 |
| 6.3.3.1.1.5 | Sender History Full..... | 114 |
| 6.3.3.1.2 | Errors | 114 |
| 6.3.3.1.2.1 | Error: Loss of Frame with Data..... | 114 |
| 6.3.3.1.2.2 | Error: Loss of Acknowledge Frame | 115 |
| 6.3.3.1.2.3 | Error: Duplication of Frame | 116 |
| 6.3.3.1.2.4 | Error: Overtaking of Frames | 116 |
| 6.3.3.1.2.5 | Broken Connection..... | 117 |
| 6.3.3.1.2.6 | Error: Flooding with commands..... | 117 |
| 6.3.3.2 | Embedded Sequence Layer for SDO in Cyclic Data | 118 |
| 6.3.3.2.1 | Connection..... | 119 |
| 6.3.3.2.1.1 | Initialization of Connection..... | 119 |
| 6.3.3.2.1.2 | Normal Connection..... | 119 |
| 6.3.3.3 | Errors | 121 |
| 6.3.3.3.1 | Error: Request Lost..... | 121 |
| 6.3.3.3.2 | Error: Response Lost..... | 122 |
| 6.3.3.4 | Handling of Segmented Transfers..... | 123 |
| 6.3.3.4.1 | Segmented Download from Client to Server..... | 123 |
| 6.3.3.4.2 | Segmented Upload from Server to Client..... | 124 |
| 6.3.4 | SDO Command Layer..... | 125 |
| 6.3.4.1 | EPL Command Layer Protocol | 126 |
| 6.3.4.1.1 | Download Protocol..... | 128 |
| 6.3.4.1.2 | Upload Protocol | 128 |
| 6.3.4.1.3 | Abort Transfer | 130 |
| 6.3.4.2 | Commands..... | 131 |
| 6.3.4.2.1 | SDO Protocol..... | 133 |
| 6.3.4.2.1.1 | Command: Write by Index | 133 |
| 6.3.4.2.1.2 | Command: Read by Index..... | 133 |
| 6.3.4.2.1.3 | Command: Write All by Index..... | 134 |
| 6.3.4.2.1.4 | Command: Read All by Index..... | 134 |
| 6.3.4.2.1.5 | Command: Write by Name | 135 |
| 6.3.4.2.1.6 | Command: Read by Name | 135 |
| 6.3.4.2.2 | File Transfer..... | 136 |
| 6.3.4.2.2.1 | Command: File Write | 136 |
| 6.3.4.2.2.2 | Command: File Read..... | 137 |
| 6.3.4.2.3 | Variable groups..... | 138 |

| | | |
|---------------|--|-----|
| 6.3.4.2.3.1 | Command: Write Multiple Parameter by Index..... | 138 |
| 6.3.4.2.3.1.1 | Write Multiple Parameter by Index Request..... | 138 |
| 6.3.4.2.3.1.2 | Write Multiple Parameter by Index Response..... | 139 |
| 6.3.4.2.3.2 | Command: Read Multiple Parameter by Index..... | 140 |
| 6.3.4.2.3.2.1 | Read Multiple Parameter by Index Request..... | 140 |
| 6.3.4.2.3.2.2 | Read Multiple Parameter by Index Response..... | 141 |
| 6.3.4.2.4 | Parameter Services..... | 142 |
| 6.3.4.2.4.1 | Command: Maximum Segment Size..... | 142 |
| 6.3.4.2.4.2 | Command: Link Name to Index..... | 142 |
| 6.3.5 | SDO Embedded in PDO..... | 143 |
| 6.3.6 | Object Description..... | 144 |
| 6.3.6.1 | Object 0422 _h : SDO_ParameterRecord_TYPE..... | 144 |
| 6.3.6.2 | Object 1200 _h – 127F _h : SDO_ServerContainerParam_XXh_REC..... | 144 |
| 6.3.6.3 | Object 1280 _h – 12FF _h : SDO_ClientContainerParam_XXh_REC..... | 144 |
| 6.4 | Process Data Object (PDO)..... | 145 |
| 6.4.1 | PDO Mapping Version..... | 145 |
| 6.4.2 | Container..... | 145 |
| 6.4.3 | Multiplexed timeslots..... | 146 |
| 6.4.4 | Transmit PDOs..... | 146 |
| 6.4.5 | Receive PDOs..... | 147 |
| 6.4.5.1 | PDO via PReq..... | 147 |
| 6.4.5.2 | PDO via PRes..... | 147 |
| 6.4.6 | PDO Error Handling..... | 148 |
| 6.4.6.1 | Dynamic Errors..... | 148 |
| 6.4.6.2 | Configuration Errors..... | 148 |
| 6.4.7 | Object Description..... | 149 |
| 6.4.7.1 | Object 0420 _h :PDO_CommParamRecord_TYPE..... | 149 |
| 6.4.7.2 | Object 0421 _h :PDO_MappParamArray_TYPE..... | 150 |
| 6.4.7.3 | Object 1400 _h – 14FF _h : PDO_RxCommParam_XXh_REC..... | 151 |
| 6.4.7.4 | Object 1600 _h – 16FF _h : PDO_RxMappParam_XXh_AU64..... | 153 |
| 6.4.7.5 | Object 1800 _h – 18FF _h : PDO_TxCommParam_XXh_REC..... | 154 |
| 6.4.7.6 | Object 1A00 _h – 1AFF _h : PDO_TxMappParam_XXh_AU64..... | 156 |
| 6.5 | Synchronisation (SYNC)..... | 157 |
| 6.6 | Error Handling and Diagnostics..... | 157 |
| 6.6.1 | Error Signalling..... | 157 |
| 6.6.1.1 | Error Register..... | 158 |
| 6.6.1.2 | Error History..... | 158 |
| 6.6.1.3 | Error Signaling Bits..... | 160 |
| 6.6.1.4 | Initialisation..... | 161 |
| 6.6.1.5 | Error Signaling with RReq and PRes frames..... | 162 |
| 6.6.1.6 | Error Signaling with Async-only CNs..... | 163 |
| 6.6.1.7 | Format of StatusResponse Data..... | 164 |
| 6.6.1.7.1 | Static Error Bit Field..... | 164 |
| 6.6.1.7.2 | Status and History Entries..... | 164 |
| 6.6.1.8 | Object descriptions..... | 165 |
| 6.6.1.8.1 | Object 1001h : ERR_ErrorRegister_U8..... | 165 |
| 6.6.1.8.2 | Object 1003h : ERR_History_ADOM..... | 166 |
| 6.7 | Program Download..... | 167 |
| 6.7.1 | EPL manager owned objects..... | 168 |
| 6.8 | MN Configuration Manager..... | 168 |
| 6.8.1 | DCF storage..... | 168 |
| 6.8.2 | Concise configuration storage..... | 169 |
| 6.8.3 | Check configuration process..... | 170 |
| 6.8.4 | Request configuration..... | 170 |
| 6.8.5 | „DEVICE DESCRIPTION FILE“ storage..... | 171 |
| 6.9 | Input from a Programmable Device..... | 171 |
| 6.9.1 | Basics..... | 171 |
| 6.9.2 | Dynamic index assignment..... | 172 |
| 6.9.3 | Object dictionary entries..... | 172 |
| 6.9.3.1 | Object 1F70 _h : Process picture..... | 173 |

| | | |
|---------------|---|-----|
| 7 | NMT | 174 |
| 7.1 | NMT State Machine | 174 |
| 7.1.1 | Overview | 174 |
| 7.1.2 | Common Initialisation NMT State Machine | 175 |
| 7.1.2.1 | States | 176 |
| 7.1.2.1.1 | NMT_GS_POWERED | 176 |
| 7.1.2.1.1.1 | NMT_GS_INITIALISATION | 176 |
| 7.1.2.1.1.1.1 | Sub-states | 176 |
| 7.1.2.1.1.2 | NMT_GS_COMMUNICATING | 177 |
| 7.1.2.2 | Transitions | 177 |
| 7.1.3 | MN NMT State Machine | 178 |
| 7.1.3.1 | Overview | 178 |
| 7.1.3.2 | States | 179 |
| 7.1.3.2.1 | NMT_MS_NOT_ACTIVE | 179 |
| 7.1.3.2.2 | NMT_MS_EPL_MODE | 180 |
| 7.1.3.2.2.1 | NMT_MS_PRE_OPERATIONAL_1 | 180 |
| 7.1.3.2.2.1.1 | NMT_MS_PRE_OPERATIONAL_2 | 180 |
| 7.1.3.2.2.1.2 | NMT_MS_READY_TO_OPERATE | 180 |
| 7.1.3.2.2.1.3 | NMT_MS_OPERATIONAL | 181 |
| 7.1.3.3 | Transitions | 182 |
| 7.1.4 | CN NMT State Machine | 183 |
| 7.1.4.1 | States | 184 |
| 7.1.4.1.1 | NMT_CS_NOT_ACTIVE | 184 |
| 7.1.4.1.1.1 | NMT_CS_PRE_OPERATIONAL_1 | 184 |
| 7.1.4.1.1.2 | NMT_CS_PRE_OPERATIONAL_2 | 184 |
| 7.1.4.1.1.3 | NMT_CS_READY_TO_OPERATE | 185 |
| 7.1.4.1.1.4 | NMT_CS_OPERATIONAL | 185 |
| 7.1.4.1.1.5 | NMT_CS_STOPPED | 185 |
| 7.1.4.1.2 | NMT_CS_BASIC_ETHERNET | 186 |
| 7.1.4.2 | Transitions | 186 |
| 7.1.4.3 | States and Communication Object Relation | 187 |
| 7.1.4.4 | Relationship to other state machines | 188 |
| 7.2 | NMT CN Objects | 189 |
| 7.2.1 | Object 1000 _h : NMT_DeviceType_U32 | 189 |
| 7.2.2 | Object 1006 _h : NMT_CycleTime_U32 | 189 |
| 7.2.3 | Object 1008 _h : NMT_ManufactDevName_VS | 190 |
| 7.2.4 | Object 1009 _h : NMT_ManufactHwVers_VS | 190 |
| 7.2.5 | Object 100A _h : NMT_ManufactSwVers_VS | 190 |
| 7.2.6 | Object 1010 _h : NMT_StoreParam_REC | 191 |
| 7.2.7 | Object 1011 _h : NMT_RestoreDefParam_REC | 193 |
| 7.2.8 | Object 1016 _h : NMT_ConsumerHeartbeatTime_AU32 | 195 |
| 7.2.9 | Object 1018 _h : NMT_IdentityObject_REC | 196 |
| 7.2.10 | Object 1030 _h - 103F _h : NMT_IfGroup_Xh_REC | 198 |
| 7.2.11 | Object 1F98 _h : NMT_CycleTiming_REC | 200 |
| 7.2.12 | Object 1F99 _h : NMT_CnStateMachineTimeouts_REC | 202 |
| 7.3 | NMT MN Objects | 203 |
| 7.3.1 | NMT Master Start Up Behaviour | 203 |
| 7.3.1.1 | Object 1F80 _h : NMT_StartUp_U32 | 203 |
| 7.3.1.2 | Object 1F89 _h : NMT_BootTime_REC | 205 |
| 7.3.2 | NMT Master Network Node Lists | 207 |
| 7.3.2.1 | Object 1F81 _h : NMT_CNAssignment_AU32 | 207 |
| 7.3.2.2 | Object 1F84 _h : NMT_MNDeviceTypeIdList_AU32 | 209 |
| 7.3.2.3 | Object 1F85 _h : NMT_MNVendorIdList_AU32 | 210 |
| 7.3.2.4 | Object 1F86 _h : NMT_MNProductCodeList_AU32 | 211 |
| 7.3.2.5 | Object 1F87 _h : NMT_MNRevisionNoList_AU32 | 212 |
| 7.3.2.6 | Object 1F88 _h : NMT_MNSerialNoList_AU32 | 213 |
| 7.3.3 | Network Timing | 213 |
| 7.3.3.1 | Object 1F8A _h : NMT_MNCycleTiming_REC | 214 |
| 7.3.3.2 | Object 1F8B _h : NMT_MNPReqPayloadList_AU16 | 215 |
| 7.3.3.3 | Object 1F8C _h : NMT_MNCNRespTimeList_AU16 | 216 |
| 7.3.3.4 | Object 1F92 _h : NMT_MNCNResTimeout_AU16 | 217 |

| | | |
|---------------|---|-----|
| 7.3.3.5 | Object 1F8D _n : NMT_MNPResPayloadList_AU16 | 218 |
| 7.3.4 | CN NMT State Surveillance | 219 |
| 7.3.4.1 | Object 1F8E _n : NMT_MNCNCurrState_AU8 | 219 |
| 7.3.4.2 | Object 1F8F _n : NMT_MNCNExpState_AU8 | 220 |
| 7.4 | Network Management Services | 221 |
| 7.4.1 | NMT State Command Services | 222 |
| 7.4.1.1 | Implicit NMT State Command Services | 222 |
| 7.4.1.1.1 | Implicit NMT State Command Transmission | 222 |
| 7.4.1.2 | Explicit NMT State Command Services | 222 |
| 7.4.1.2.1 | Plain NMT State Command | 224 |
| 7.4.1.2.1.1 | NMT State Commands to the MN | 225 |
| 7.4.1.2.1.2 | Extended NMT State Command | 225 |
| 7.4.1.2.1.3 | EPL Node List Format | 226 |
| 7.4.2 | NMT Managing Command Services | 227 |
| 7.4.2.1 | Service Descriptions | 228 |
| 7.4.2.1.1 | NMTNetParameterSet | 228 |
| 7.4.2.1.2 | NMTNetSetHostName | 229 |
| 7.4.2.1.3 | NMTFlushArpEntry | 230 |
| 7.4.3 | NMT Response Services | 230 |
| 7.4.3.1 | NMTStateResponse | 230 |
| 7.4.3.2 | IdentResponse Service | 231 |
| 7.4.3.2.1 | IdentResponse Frame | 232 |
| 7.4.3.3 | StatusResponse service | 234 |
| 7.4.3.3.1 | StatusResponse Frame | 234 |
| 7.4.4 | NMT Info Services | 235 |
| 7.4.4.1 | Service Descriptions | 236 |
| 7.4.4.1.1 | NMTPublishConfiguredCN | 236 |
| 7.4.4.1.2 | NMTPublishActiveCN | 236 |
| 7.4.4.1.3 | NMTPublishPreOperational1 | 236 |
| 7.4.4.1.4 | NMTPublishPreOperational2 | 236 |
| 7.4.4.1.5 | NMTPublishReadyToOperate | 237 |
| 7.4.4.1.6 | NMTPublishOperational | 237 |
| 7.4.4.1.7 | NMTPublishStopped | 237 |
| 7.4.4.1.8 | NMTPublishEmergencyNew | 237 |
| 7.4.4.1.9 | NMTPublishTime | 237 |
| 7.4.5 | NMT Guard Services | 238 |
| 7.4.5.1 | Guarding EPL Controlled Nodes | 238 |
| 7.4.5.2 | Guarding EPL Managing Node | 238 |
| 7.4.6 | Requesting NMT Services by an CN | 238 |
| 7.4.6.1 | NMTRequestASnd Frame | 238 |
| 7.4.6.1.1 | Invalid NMTRequests | 239 |
| 7.5 | Boot-Up CN | 239 |
| 7.6 | Boot-Up MN | 239 |
| 7.6.1 | EPL Managing Node, Terms and Definitions | 239 |
| 7.6.2 | Boot-Up Procedure | 240 |
| 7.6.2.1 | Overview | 240 |
| 7.6.2.2 | NMT_MS_NOT_ACTIVE | 240 |
| 7.6.2.3 | NMT_MS_PRE_OPERATIONAL_1 | 241 |
| 7.6.2.3.1 | BOOT_STEP1 | 243 |
| 7.6.2.3.1.1 | CHECK_IDENTIFICATION | 244 |
| 7.6.2.3.1.2 | CHECK_CONFIGURATION | 245 |
| 7.6.2.3.1.2.1 | GET_IDENT | 246 |
| 7.6.2.4 | NMT_MS_PRE_OPERATIONAL_2 | 247 |
| 7.6.2.4.1 | BOOT_STEP2 | 248 |
| 7.6.2.5 | NMT_MS_READY_TO_OPERATE | 249 |
| 7.6.2.5.1 | CHECK_COMMUNICATION | 251 |
| 7.6.2.6 | NMT_MS_OPERATIONAL | 251 |
| 7.6.2.6.1 | START_CN | 254 |
| 7.6.2.6.2 | START_ALL | 255 |
| 7.6.2.6.3 | CHECK STATE | 256 |
| 7.6.2.6.4 | ERROR_TREATMENT | 257 |

| | | |
|------------------------|---|-----|
| 8 | Routing..... | 260 |
| 8.1 | Routing Type 1..... | 260 |
| 8.1.1 | Core Tasks of an EPL Router..... | 260 |
| 8.1.2 | Reference Model..... | 261 |
| 8.1.3 | Data Link Layer..... | 262 |
| 8.1.3.1 | DLL EPL Interface..... | 262 |
| 8.1.3.2 | DLL interface to the external network..... | 262 |
| 8.1.4 | Network Layer..... | 262 |
| 8.1.4.1 | Communication between EPL and the external network..... | 262 |
| 8.1.4.2 | IP Coupling..... | 263 |
| 8.1.4.2.1 | IP Routing..... | 263 |
| 8.1.4.2.1.1 | Configuration..... | 263 |
| 8.1.4.2.1.1.1 | SNMP..... | 263 |
| 8.1.4.2.1.1.2 | SDO..... | 264 |
| 8.1.4.2.2 | Network Address Translation (NAT)..... | 264 |
| 8.1.4.2.2.1 | Configuration..... | 266 |
| 8.1.4.2.2.1.1 | SNMP..... | 266 |
| 8.1.4.2.2.1.2 | SDO..... | 266 |
| 8.1.5 | Security..... | 266 |
| 8.1.5.1 | Packet Filter – Firewall..... | 267 |
| 8.1.5.1.1 | ACL – Filter Entries..... | 267 |
| 8.1.5.1.2 | Filter strategy..... | 268 |
| 8.1.5.1.3 | Configuration..... | 268 |
| 8.1.5.1.3.1 | SNMP..... | 268 |
| 8.1.5.1.3.2 | SDO..... | 268 |
| 8.1.6 | Additional Services of an EPL Router..... | 268 |
| 8.1.7 | Object description..... | 269 |
| 8.1.7.1 | Object 1E80 _h : RT1_EplRouter_REC..... | 269 |
| 8.1.7.2 | Object 1E90 _h - 1ECF _h : RT1_IpRoutingTable_XX _h _REC..... | 270 |
| 8.1.7.3 | Object 1D00 _h - 1DFF _h : RT1_NatTable_XX _h _REC..... | 273 |
| 8.1.7.4 | Object 1E81 _n : RT1_SecurityGroup_REC..... | 275 |
| 8.1.7.5 | Object 1B00 _n - 1BFF _n : RT1_AclFwdTable_XX _h _REC..... | 276 |
| 8.1.7.6 | Object 1ED0 _n - 1EDF _n : RT1_AclInTable_X _h _REC..... | 280 |
| 8.1.7.7 | Object 1EE0 _n - 1EEF _n : RT1_AclOutTable_X _h _REC..... | 283 |
| 8.1.8 | EPL Router MIB..... | 286 |
| 8.2 | Routing Type 2..... | 286 |
| 9 | Device Description..... | 287 |
| Annex. 1 (informative) | Summary Object Library..... | 288 |
| Annex. 2 (informative) | Constant Value Assignments..... | 292 |
| Annex. 3 (informative) | ETHERNET Powerlink Timing Examples..... | 293 |
| Annex. 4 (informative) | Router MIB example..... | 300 |
| Bibliography | | 308 |

Tables

Table 1 – Object Dictionary Structure 27

Table 2 – Pin assignment IP67 connector..... 33

Table 3 – Transitions for CN Cycle State Machine, States NMT_CS_OPERATIONAL,
NMT_CS_PRE_OPERATIONAL_2, NMT_CS_READY_TO_OPERATE 43

Table 4 – Transitions for CN Cycle State Machine, States NMT_CS_INITIALISATION,
NMT_CS_NOT_ACTIVE, NMT_CS_PREOPERATIONAL_1,
NMT_CS_BASIC_ETHERNET 45

Table 5 – Transitions for MN Cycle State Machine, State NMT_MS_OPERATIONAL 48

Table 6 – Assigned Multicast Addresses 50

Table 7 – EPL Node ID Assignment..... 50

Table 8 – EPL Basic Frame structure 51

Table 9 EPL – Basic Frame data fields 52

Table 10 EPL – Message types 52

Table 11 – SoC Frame structure 52

Table 12 – SoC Frame data fields..... 53

Table 13 – PReq Frame structure 53

Table 14 – PReq Frame data fields..... 54

Table 15 – PRes Frame structure 54

Table 16 – PRes Frame data fields..... 55

Table 17 – SoA Frame structure 55

Table 18 – SoA Frame data fields 56

Table 19 – Definition of the RequestedServiceID in the SoA frame 57

Table 20 – ASnd Frame frame structure 57

Table 21 – SoA Frame data fields 58

Table 22 – ServiceID values in the ASnd frame 58

Table 23 – CN Error Handling Table 60

Table 24 – MN Error Handling Table 61

Table 25 – IP Parameters of an EPL Node 96

Table 26 – EPL conformant UDP/IP frame structure 100

Table 27 – Transfer Syntax for Bit Sequences 103

Table 28 – Transfer syntax for data type UNSIGNEDn 104

Table 29 – Transfer syntax for data type INTEGERn 104

Table 30 – Transfer syntax of data type REAL32 105

Table 31 – UDP Header 108

Table 32 – SDO EPL Message Type Field 109

Table 33 – SDO EPL Message Type Field Interpretation 109

Table 34 – EPL Sequence Layer in asynchronous data frame 109

Table 35 – Fields of EPL Sequence Layer in asynchronous data frame 110

Table 36 – EPL Sequence Layer for embedding of SDO in cyclic data 118

Table 37 – Fields of EPL Sequence Layer for embedding of SDO in cyclic data 118

Table 38 – EPL Command Layer 126

Table 39 – EPL Command Layer Field Interpretation 126

Table 40 – Abort Transfer Frame 130

Table 41 – Abort Transfer Frame Field Interpretation 131

Table 42 – SDO Abort Codes 131

Table 43 – Command Services and Command ID 132

Table 44 – Command: Write by Index Request 133

Table 45 – Write by Index Request Field Interpretation 133

Table 46 – Command: Read by Index Request 133

Table 47 – Read by Index Request Field Interpretation 133

Table 48 – Command: Write All by Index Request 134

Table 49 – Write All by Index Request Field Interpretation 134

Table 50 – Command: Read All by Index Request 134

Table 51 – Read All by Index Request Field Interpretation 134

Table 52 – Command: Write by Name Request 135


Table 53 – Write by Name Request Field Interpretation 135

Table 54 – Command: Read by Name Request 136

Table 55 – Read by Name Request Field Interpretation 136

Table 56 – Command: File Write Request 137

Table 57 – File Write Request Field Interpretation 137



| | |
|--|-----|
| Table 58 – Command: File Read Request..... | 137 |
| Table 59 – File Read Request Field Interpretation | 138 |
| Table 60 – Command: Write Multiple Parameter by Index Request..... | 138 |
| Table 61 – Write Multiple Parameter by Index Request Field Interpretation | 139 |
| Table 62 – Command: Write Multiple Parameter by Index Response | 139 |
| Table 63 – Write Multiple Parameter by Index Response Field Interpretation..... | 140 |
| Table 64 – Command: Read Multiple Parameter by Index Request..... | 140 |
| Table 65 – Read Multiple Parameter by Index Request Field Interpretation | 140 |
| Table 66 – Command: Read Multiple Parameter by Index Response..... | 141 |
| Table 67 – Read Multiple Parameter by Index Response Field Interpretation | 142 |
| Table 68 – Command: Maximum Segment Size..... | 142 |
| Table 69 – Maximum Segment Size Field Interpretation | 142 |
| Table 70 – Command: Write by Index Request via PDO..... | 143 |
| Table 71 – Write by Index Request via PDO Field Interpretation | 143 |
| Table 72 – SDO Parameter Record (data type)..... | 144 |
| Table 73 – Structure of the Mapping versions:..... | 145 |
| Table 74 – Structure of PDO Mapping Entry..... | 150 |
| Table 75 – Format of one entry | 159 |
| Table 76 – Description of one entry | 159 |
| Table 77 – Format of the field Entry Type..... | 159 |
| Table 78 – Error Signaling Bits..... | 160 |
| Table 79 – Static Error Bit Field | 164 |
| Table 80 – Common Initialisation NMT State Transitions | 177 |
| Table 81 – MN Specific State Transitions | 182 |
| Table 82 – CN Specific State Transitions..... | 186 |
| Table 83 – States and Communication Objects..... | 188 |
| Table 84 – NMT_StoreParam_REC Storage write access signature..... | 192 |
| Table 85 – NMT_StoreParam_REC Storage read access structure | 192 |
| Table 86 – NMT_StoreParam_REC Structure of read access..... | 192 |
| Table 87 – NMT_RestoreDefParam_REC Restoring write access signature..... | 194 |
| Table 88 – NMT_RestoreDefParam_REC Restoring default values read access structure..... | 195 |
| Table 89 – NMT_RestoreDefParam_REC Structure of restore read access..... | 195 |
| Table 90 – Structure of Revision number..... | 197 |
| Table 91 – Implicit NMT State Commands..... | 222 |
| Table 92 – NMT State Command Service, NMT Managing Command Service and NMT Info Service ASnd Service Field Structure..... | 223 |
| Table 93 – ASnd Service Data Fields of Explicit NMT State Command Services..... | 223 |
| Table 94 – Plain NMT State Commands..... | 224 |
| Table 95 – Extended NMT State Commands..... | 225 |
| Table 96 – EPL Node List: Node ID to Bit Assignment..... | 226 |
| Table 97 – ASnd Service Data Fields of NMT Managing Command Services | 227 |
| Table 98 – NMT Managing Command Services | 227 |
| Table 99 – NMTNetParameterSet ASnd Service Slot Structure..... | 228 |
| Table 100 – ASnd Service Slot Data Fields of NMTNetParameterSet | 228 |
| Table 101 – NMTNetSetHostName ASnd Service Slot Structure..... | 229 |
| Table 102 – ASnd Service Slot Data Fields of NMTNetSetHostName | 229 |
| Table 103 – NMTFlushArpEntry ASnd Service Slot Structure..... | 230 |
| Table 104 – ASnd Service Slot Data Fields of NMTFlushArpEntry | 230 |
| Table 105 – IdentResponse ASnd Service Slot Structure | 232 |
| Table 106 – ASnd Service Slot Data Fields of IdentResponse..... | 233 |
| Table 107 – StatusResponse ASnd Service Slot Structure | 234 |
| Table 108 – ASnd Service Slot Data Fields of StatusResponse..... | 235 |
| Table 109 – ASnd Service Slot Data Fields of NMT Managing Info Services | 235 |
| Table 110 – NMT Info Services..... | 236 |
| Table 111 – NMTPublishTime ASnd Service Slot Structure..... | 237 |
| Table 112 – ASnd Service Slot Data Fields of NMT Managing Command Services..... | 237 |
| Table 113 – NMTRequest ASnd Service Slot Structure | 238 |
| Table 114 – ASnd Service Slot Data Fields of NMT Managing Command Services..... | 239 |
| Table 115 – Descriptions of the Error status codes of the boot-up procedure..... | 258 |
| Table 116 – Object Dictionary Entries, sorted by name..... | 288 |
| Table 117 – Object Dictionary Entries, sorted by Index..... | 290 |

Figures

| | |
|---|-----|
| Figure 1 – SCNM..... | 15 |
| Figure 2 – Integration EPL based machines into the IT infrastructure of end customer..... | 17 |
| Figure 3 – Typical centralized and decentralized controller structures..... | 18 |
| Figure 4 – Reference Model..... | 24 |
| Figure 5 – Service Types..... | 25 |
| Figure 6 – Device Model..... | 26 |
| Figure 7 – Unconfirmed Master Slave Communication..... | 29 |
| Figure 8 – Confirmed Master Slave Communication..... | 29 |
| Figure 9 – Client/Server Communication..... | 29 |
| Figure 10 – Push model..... | 30 |
| Figure 11 – Pull model..... | 30 |
| Figure 12 – Star topology and line topology..... | 31 |
| Figure 13 – RJ45 pin assignment..... | 32 |
| Figure 14 – IP67 connector pin assignment..... | 32 |
| Figure 15 – recommended RJ45 to RJ45 pin assignment..... | 33 |
| Figure 16 – not recommended RJ45 to RJ45 pin assignment..... | 33 |
| Figure 17 – M12 to M12 pin assignment..... | 34 |
| Figure 18 – M12 to RJ45 pin assignment..... | 34 |
| Figure 19 – EPL Cycle..... | 37 |
| Figure 20 – EPL - an Isochronous Process..... | 37 |
| Figure 21 – Asynchronous Scheduling..... | 39 |
| Figure 22 – Reduced EPL Cycle..... | 40 |
| Figure 26 – Error Registration..... | 62 |
| Figure 27 – Threshold counter..... | 63 |
| Figure 28 – Timeouts..... | 66 |
| Figure 29 – Timing violation..... | 66 |
| Figure 30 – Cycle Time exceeded..... | 69 |
| Figure 31 – AsyncSlot timeout..... | 93 |
| Figure 32 – Construction of the IPv4 address..... | 96 |
| Figure 33 – EPL frame structure..... | 101 |
| Figure 34 – EPL conformant UDP/IP frame structure..... | 101 |
| Figure 35 – Legacy Ethernet frame structure..... | 101 |
| Figure 36 – EPL Command Embedded in UDP/IP Frame..... | 107 |
| Figure 37 – UDP Socket..... | 108 |
| Figure 38 – Initialization of a asynchronous connection..... | 110 |
| Figure 39 – Closing of asynchronous connection..... | 111 |
| Figure 40 – Normal asynchronous communication..... | 112 |
| Figure 41 – Delayed asynchronous communication..... | 113 |
| Figure 42 – Asynchronous communication when history buffer gets full..... | 114 |
| Figure 43 – Error loss of asynchronous frame..... | 115 |
| Figure 44 – Error loss of asynchronous acknowledge..... | 115 |
| Figure 45 – Error duplication of asynchronous frame..... | 116 |
| Figure 46 – Error asynchronous communication broken..... | 117 |
| Figure 47 – Error Flooding with asynchronous commands..... | 118 |
| Figure 48 – Initialization of embedded connection..... | 119 |
| Figure 49 – Normal embedded communication..... | 120 |
| Figure 50 – Error embedded request lost..... | 121 |
| Figure 51 – Error embedded response lost..... | 122 |
| Figure 52 – Embedded segmented download..... | 123 |
| Figure 53 – Embedded segmented upload..... | 124 |
| Figure 54 – Information Structure EPL Command Layer..... | 125 |
| Figure 55 – Definition of Segment Size..... | 127 |
| Figure 56 – EPL Command Layer: Typical Download Transfer..... | 128 |
| Figure 57 – EPL Command layer: Typical Upload Transfer..... | 129 |
| Figure 58 – Abort Protocol..... | 130 |
| Figure 59 – Multiplexed EPL Cycle..... | 146 |
| Figure 60 – Error Signaling - Reference Model..... | 157 |
| Figure 61 – Error Signaling - Overview..... | 158 |
| Figure 62 – Error Signaling Initialisation..... | 161 |
| Figure 63 – Error Signaling with PReq and PRes..... | 162 |