

SLOVENSKI STANDARD
SIST EN ISO 15156-1:2004**01-maj-2004**

Petroleum and natural gas industries - Materials for use in H₂S-containing environments in oil and gas production - Part 1: General principles for selection of cracking-resistant materials (ISO 15156-1:2001)

Petroleum and natural gas industries - Materials for use in H₂S-containing environments in oil and gas production - Part 1: General principles for selection of cracking-resistant materials (ISO 15156-1:2001)

Erdöl- und Erdgasindustrie - Werkstoffe für den Einsatz in H₂S-haltiger Umgebung bei der Öl- und Gasgewinnung - Teil 1: Allgemeine Grundlagen für die Auswahl von gegen Rissbildung beständigen Werkstoffen (ISO 15156-1:2001)

Industries du pétrole et du gaz naturel - Matériaux pour utilisation en présence de H₂S dans la production de pétrole et de gaz naturel - Partie 1: Principes généraux pour le choix des matériaux résistant au craquage (ISO 15156-1:2001)

Ta slovenski standard je istoveten z: EN ISO 15156-1:2001

ICS:

75.180.10	Oprema za raziskovanje in odkopavanje	Exploratory and extraction equipment
77.060	Korozija kovin	Corrosion of metals

SIST EN ISO 15156-1:2004 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15156-1:2004](https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 15156-1

December 2001

ICS 75.180.01

English version

**Petroleum and natural gas industries - Materials for use in H₂S-
containing environments in oil and gas production - Part 1:
General principles for selection of cracking-resistant materials
(ISO 15156-1:2001)**

Industries du pétrole et du gaz naturel - Matériaux pour utilisation en présence de H₂S dans la production de pétrole et de gaz naturel - Partie 1: Principes généraux pour le choix des matériaux résistant au craquage (ISO 15156-1:2001)

Erdöl- und Erdgasindustrie - Werkstoffe für den Einsatz in H₂S-haltiger Umgebung bei der Öl- und Gasgewinnung - Teil 1: Allgemeine Grundlagen für die Auswahl von gegen Rissbildung beständigen Werkstoffen (ISO 15156-1:2001)

This European Standard was approved by CEN on 15 December 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7c481a5521a1/cen-15156-1:2001>

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 15156-1:2001 (E)

CORRECTED 2003-02-05

Foreword

This document (ISO 15156-1:2001) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum and natural gas industries", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2002, and conflicting national standards shall be withdrawn at the latest by June 2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Endorsement notice

The text of ISO 15156-1:2001 has been approved by CEN as EN ISO 15156-1:2001 without any modifications.

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

INTERNATIONAL STANDARD

ISO 15156-1

First edition
2001-12-15

Petroleum and natural gas industries — Materials for use in H₂S-containing environments in oil and gas production —

Part 1:

General principles for selection of cracking- resistant materials

iTeh STANDARD REVIEW
(standards.iteh.ai)

*Industries du pétrole et du gaz naturel — Matériaux pour utilisation en
présence de H₂S dans la production de pétrole et de gaz naturel —*

SIST EN ISO 15156-1:2004

<https://standards.iteh.ai/catalog/standards/sist-en-iso-15156-1-2004>
*Partie 1: Principes généraux pour le choix des matériaux résistant au
craquage*



Reference number
ISO 15156-1:2001(E)

© ISO 2001

ISO 15156-1:2001(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15156-1:2004](https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

	Page
1 Scope	1
2 Normative references	2
3 Terms and definitions	3
4 Abbreviated terms	5
5 General principles	6
6 Evaluation and definition of service conditions to enable material selection	6
7 Selection of pre-qualified materials resistant to SSC/SCC in the presence of sulfides	7
8 Qualification of materials for H ₂ S service	7
9 Report of the method of selection or qualification	8
Bibliography.....	10

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15156-1:2004](https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

ISO 15156-1:2001(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 15156 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 15156-1 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum and natural gas industries*.

ISO 15156 consists of the following parts, under the general title *Petroleum and natural gas industries — Materials for use in H₂S-containing environments in oil and gas production*:

- Part 1: *General principles for selection of cracking-resistant materials*
- Part 2: *Cracking-resistant carbon and low alloy steels*
- Part 3: *Cracking-resistant CRAs (corrosion-resistant alloys) and other alloys*

SIST EN ISO 15156-1:2004
<https://standards.itec.ai/catalog/standards/sist/20ad0c0e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

Introduction

The consequences of sudden failures of metallic components used in the oil and gas field, and associated with their exposure to H₂S-containing production fluids, led to the preparation of the first edition of NACE MR 0175. This standard was published in 1975 by the National Association of Corrosion Engineers, now known as NACE International.

The original and subsequent editions of NACE MR 0175 established limits of H₂S partial pressure above which precautions against sulfide stress cracking (SSC) were always considered necessary. They also provided guidance for the selection and specification of SSC-resistant materials when the H₂S thresholds were exceeded. In more recent editions, NACE MR 0175 has also provided application limits for some corrosion-resistant alloys, in terms of environmental composition and pH, temperature and H₂S partial pressures. NACE MR 0175 is complemented by NACE TM 0177 and NACE M 284.

In separate developments, the European Federation of Corrosion issued EFC Publication 16 in 1995 and EFC Publication 17 in 1996. These documents are generally complementary to those of NACE though they differ in scope and detail.

With the cooperation of NACE and EFC, ISO/TC 67 formed Working Group 7 to prepare ISO 15156. The Working Group are to promote the collection, review and, where appropriate, publication of field experience and laboratory test data related to the cracking resistance of metallic materials in H₂S-containing environments.

This part of ISO 15156 utilises the above sources to provide requirements and recommendations for materials qualification and selection for safe application in environments containing wet H₂S in oil and gas production systems.

[SIST EN ISO 15156-1:2004](https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15156-1:2004](https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004)

<https://standards.iteh.ai/catalog/standards/sist/20ad6c8e-3554-41ee-8948-7ef5fd6efe56/sist-en-iso-15156-1-2004>

Petroleum and natural gas industries — Materials for use in H₂S-containing environments in oil and gas production —

Part 1:

General principles for selection of cracking-resistant materials

1 Scope

This part of ISO 15156 describes general principles and gives requirements and recommendations for the selection and qualification of metallic materials for service in equipment used in oil and gas production and in natural gas sweetening plants in H₂S-containing environments, where the failure of such equipment could pose a risk to the health and safety of the public and personnel or to the environment. It can be applied to help to avoid costly corrosion damage to the equipment itself. It supplements, but does not replace, the material requirements given in the appropriate design codes, standards or regulations.

This part of ISO 15156 addresses all mechanisms of cracking that can be caused by H₂S, including sulfide stress cracking, stress corrosion cracking, hydrogen-induced cracking and stepwise cracking, stress-oriented hydrogen-induced cracking, soft zone cracking and galvanically induced hydrogen stress cracking.

Table 1 provides a non-exhaustive list of equipment to which this part of ISO 15156 is applicable, including permitted exclusions.

This part of ISO 15156 applies to the qualification and selection of materials for equipment designed and constructed using conventional elastic design criteria.

This part of ISO 15156 is not necessarily applicable to equipment used in refining or downstream processes and equipment.

CAUTION — Metallic materials selected or qualified using ISO 15156 are resistant to cracking in defined H₂S-containing environments in oil and gas production, but are not necessarily immune under all service conditions.