INTERNATIONAL STANDARD

ISO/IEC 14709-2

1998

AMENDMENT 1 2005-07

Amendment 1

Information technology – Configuration of customer premises cabling (CPC) for applications –

Teh STANDARD PREVIEW

Integrated services digital network (ISDN) primary rate

ISO/IEC 14709-2:1998/AMD1:2005 https://standards.iteh.ai/catalog/standards/sist/75f5ed30-fe66-4ca3-b0acef7692f278fc/iso-iec-14709-2-1998-amd1-2005

© IEC 2005 Droits de reproduction réservés — Copyright - all rights reserved

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

С

-2-14709-2 Amend. 1 © ISO/IEC:2005(E)

FOREWORD

Amendment 1 to International Standard ISO/IEC 14709-2 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

Page 3

FOREWORD – Sixth paragraph

Instead of:

The reader is referred to IEC 60950 for general safety requirements.

read:

The reader is referred to the IEC 60950 series for general safety requirements.

FOREWORD – Seventh paragraph Instead of: (standards.iteh.ai) ISO/IEC 14709-1:1997

read:

ISO/IEC 14709-2:1998/AMD1:2005 https://standards.iteh.ai/catalog/standards/sist/75f5ed30-fe66-4ca3-b0acef7692f278fc/iso-iec-14709-2-1998-amd1-2005

ISO/IEC 14709-1

Delete footnotes 1) and 2) to all other references.

Page 5

2 Normative references

Update the normative references as follows:

Instead of:	Read:
ISO/IEC 11801:1995	ISO/IEC 11801:2002
ISO/IEC 14709-1:1997	ISO/IEC 14709-1:1997 Amendment 1:2004
CISPR 22:1997	CISPR 22:2005
CISPR 24:1997	CISPR 24:1997 Amendment 1:2001 Amendment 2:2002

14709-2 Amend. 1 © ISO/IEC:2005(E) - 3 -

Page 6

3 Definitions

Replace the text of definition 3.1 by the following:

3.1 cable unit

single assembly of one or more cable elements of the same type or category

NOTE 1 The cable unit may have a screen. NOTE 2 A binder group is an example of a cable unit. [3.1.10 of ISO/IEC 11801:2002]

Replace the text of definition 3.2 by the following:

3.2

channel

end-to-end transmission path connecting any two pieces of application-specific equipment

NOTE Equipment and work area cords are included in the channel, but not the connecting hardware into the application-specific equipment.

[3.1.15 of ISO/IEC 11801:2002]

Add a new definition 3.3 and renumber the existing definition 3.3 as 3.4.

(standards.iteh.ai)

3.3

free cable connector connector for attachment to the free end of a wire of cable 130-fe66-4ca3-b0acef7692f278fc/iso-iec-14709-2-1998-amd1-2005

[IEV 581-06-12]

Page 6

4.1 Abbreviations

Add to abbreviations:

CP consolidation point

TΡ transition point

Page 7

4.2 Symbols

Replace, in the last line, "Generic cabling plug" by "Free cable connector for generic cabling".

Page 8

6 Point-to-point configurations

Figure 1

Replace, in the first part of Figure 1, the symbols for "Dedicated cabling socket" and "Dedicated cabling plug" by the symbols for "Generic cabling socket" and "Free cable connector for generic cabling" respectively.

Page 9

Second paragraph, first dash

Replace

...via a plug at the end of a cord connected to the TE;...

by

...via a free cable connector at the end of a cord connected to the TE;...

iTeh STANDARD PREVIEW Page 10 (standards.iteh.ai)

7.3 Connectors

Replace the existing text by the following 709-2:1998/AMD1:2005 https://standards.iteh.ai/catalog/standards/sist/75f5ed30-fe66-4ca3-b0ac-

The socket used to connect the terminal equipment to the cabling shall be in accordance with IEC 60603-7.

Delete the word "plug" in the NOTE at the end of the subclause.

8.1 General

Replace the existing text of the third paragraph by the following:

The copper cable types supported by ISO/IEC 11801:2002 comprise 100 Ω and 120 Ω balanced cables. The first edition of ISO/IEC 11801:1995 specified 100 Ω , 120 Ω and 150 Ω balanced cables.

Page 11

Figure 2

Replace "TP" by "CP" in the dotted circle of Figure 2.

Key to Figure 2

Add the item and footnote CP Consolidation point¹)

1) ISO/IEC 11801:1995 specified an optional TP, while ISO/IEC 11801:2002 specifies an optional CP.

14709-2 Amend. 1 © ISO/IEC:2005(E) - 5 -

8.2 Connection of ISDN primary access to generic cabling

Replace the first and second paragraphs by the following:

Figure 3a) shows a TE plugged directly into the generic cabling. Figure 3b) shows the use of a cord with different free cable connectors on each end to make the connection. Figure 3c) shows the use of a generic cabling adapter to provide ISDN primary access.

Such an adapter consists of

- a free cable connector which matches the telecommunications outlet of the generic cabling;
- an optional cord conforming to 8.3;
- an optional socket or free cable connector conforming to 7.3;
- an optional impedance matching device.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 14709-2:1998/AMD1:2005</u> https://standards.iteh.ai/catalog/standards/sist/75f5ed30-fe66-4ca3-b0acef7692f278fc/iso-iec-14709-2-1998-amd1-2005

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 14709-2:1998/AMD1:2005</u> https://standards.iteh.ai/catalog/standards/sist/75f5ed30-fe66-4ca3-b0acef7692f278fc/iso-iec-14709-2-1998-amd1-2005



ICS 35.200; 33.080

Typeset and printed by the IEC Central Office GENEVA, SWITZERLAND