

INTERNATIONAL STANDARD

**Industrial communication networks – Profiles –
Part 1: Fieldbus profiles**

(<https://standards.iteh.ai>)
Document Preview

IEC 61784-1:2007

<https://standards.iteh.ai/catalog/standards/iec/74561e77-9005-4d8b-b4d0-dfe7171b05c4/iec-61784-1-2007>

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

IEC 61784-1:2007

<https://standards.iec.org/standards/iec/74561e77-9005-4d8b-b4d0-dfe7171b05c4/iec-61784-1-2007>

INTERNATIONAL STANDARD

**Industrial communication networks – Profiles –
Part 1: Fieldbus profiles**

Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61784-1:2007](https://standards.iteh.ai/catalog/standards/iec/74561e77-9005-4d8b-b4d0-dfe7171b05c4/iec-61784-1-2007)

<https://standards.iteh.ai/catalog/standards/iec/74561e77-9005-4d8b-b4d0-dfe7171b05c4/iec-61784-1-2007>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XH

CONTENTS

FOREWORD.....	12
INTRODUCTION.....	14
1 Scope.....	15
2 Normative references	16
3 Definitions	18
3.1 Terms and definitions	18
3.2 Abbreviations and symbols	18
3.3 Conventions	19
4 Conformance to communication profiles	21
5 Communication Profile Family 1 (FOUNDATION® Fieldbus)	22
5.1 General overview	22
5.2 Profile 1/1 (FF H1).....	23
5.3 Profile 1/2 (FF HSE).....	105
5.4 Profile 1/3 (FF H2).....	106
6 Communication Profile Family 2 (CIP™)	109
6.1 General overview	109
6.2 Profile 2/1 (ControlNet)	110
6.3 Profile 2/2 (EtherNet/IP)	113
6.4 Profile 2/3 (DeviceNet)	115
7 Communication Profile Family 3 (PROFIBUS & PROFINET)	119
7.1 General overview	119
7.2 Profile 3/1 (PROFIBUS DP)	120
7.3 Profile 3/2 (PROFIBUS PA)	188
7.4 Profile 3/3 (PROFINET CBA).....	201
8 Communication Profile Family 4 (P-NET®)	203
8.1 General overview	203
8.2 Profile 4/1 (P-NET RS-485)	203
8.3 Profile 4/2 (P-NET RS-232)	206
9 Communication Profile Family 5 (WorldFIP®)	208
9.1 General overview	208
9.2 Profile 5/1 (WorldFIP).....	209
9.3 Profile 5/2 (WorldFIP).....	217
9.4 Profile 5/3 (WorldFIP).....	222
10 Communication Profile Family 6 (INTERBUS®)	223
10.1 General overview	223
10.2 Profile 6/1	224
10.3 Profile 6/2	227
10.4 Profile 6/3	230
11 Communication Profile Family 7 (This Clause has been removed)	232
12 Communication Profile Family 8 (CC-Link)	232
12.1 General overview	232
12.2 Profile 8/1	233
12.3 Profile 8/2	239
12.4 Profile 8/3	239

13	Communication Profile Family 9 (HART).....	245
13.1	General Overview.....	245
13.2	Profile 9/1, universal command	245
14	Communication Profile Family 16 (SERCOS).....	247
14.1	General overview	247
14.2	Profile 16/1 (SERCOS I).....	247
14.3	Profile 16/2 (SERCOS II).....	249
	Annex A (informative) Communication concepts	251
A.1	CPF 1 (FOUNDATION Fieldbus) communication concepts.....	251
A.2	CPF 2 (CIP) communication concepts	252
A.3	CPF 3 (PROFIBUS & PROFINET) communication concepts	255
A.4	CPF 4 (P-NET) communication concepts	257
A.5	CPF 5 (WorldFIP) communication concepts.....	259
A.6	CPF 6 (INTERBUS) communication concepts	260
A.7	CPF 8 (CC-LINK) communication concepts.....	261
A.8	CPF 9 (HART) communication concepts	262
A.9	CPF 16 (SERCOS) communication concepts	262
	Annex B (informative) Added value of IEC 61784-1.....	265
	Bibliography.....	266
	Figure 1 — Communication profile families and profiles	15
	Figure 2 — Example optical power budget for a 100/140 µm fibre system with a 16/16 optical passive star coupler.....	37
	Figure 3 — CP 3/2 Slave devices usable in applications	120
	Figure A.1 — Ring structure.....	263
	Figure A.2 — Topology example	263
	Table 1 — Relations of Communication Profile Families to type numbers.....	16
	Table 2 — Layout of profile (sub)clause selection tables.....	19
	Table 3 — Contents of (sub)clause selection tables.....	19
	Table 4 — Layout of service selection tables	20
	Table 5 — Contents of service selection tables	20
	Table 6 — Layout of parameter selection tables.....	20
	Table 7 — Contents of parameter selection tables	20
	Table 8 — Layout of class attribute selection tables.....	21
	Table 9 — Contents of class attribute selection tables	21
	Table 10 — CPF 1: overview of profile sets	23
	Table 11 — CP 1/1: PhL selection for communicating devices and their MAUs	23
	Table 12 — CP 1/1: PhL classification of MAUs and attached devices	25
	Table 13 — CP 1/1: PhL selection of Clause 16 for devices and their MAUs	25
	Table 14 — CP 1/1: PhL selection of Clause 12 for devices and their MAUs	26
	Table 15 — CP 1/1: PhL selection of Clause 21 for devices and their MAUs (denigrated)	27

Table 16 — CP 1/1: PhL selection of recommended IS parameters for FF MAU classes 111, 112, 121, 122, 511 and 512	28
Table 17 — CP 1/1: PhL selection for media components	29
Table 18 — CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems	29
Table 19 — CP 1/1: PhL selection for power supplies	30
Table 20 — CP 1/1: PhL selection of power supply types	30
Table 21 — CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies	31
Table 22 — CP 1/1: PhL selection for terminators	32
Table 23 — CP 1/1: PhL selection of IS parameters for terminators	32
Table 24 — CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers	33
Table 25 — CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only)	34
Table 26 — CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators	35
Table 27 — CP 1/1: PhL selection of Clause 15, recommended optical fibre types	36
Table 28 — CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss	36
Table 29 — CP 1/1: PhL selection of active star couplers	36
Table 30 — CP 1/1: Optical power budget considerations	37
Table 31 — CP 1/1: DLL service selection	38
Table 32 — CP 1/1: DLL service selection of Clause 5	38
Table 33 — CP 1/1: DLL service selection of 5.4	38
Table 34 — CP 1/1: DLL service selection of 5.4.1	38
Table 35 — CP 1/1: DLL service selection of 5.4.3	39
Table 36 — CP 1/1: DLL service selection of 5.4.6	39
Table 37 — CP 1/1: DLL service selection of Clause 6	40
Table 38 — CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS	40
Table 39 — CP 1/1: DLL service selection of figures 11—16 of 6.4	41
Table 40 — CP 1/1: DLL service selection of 6.5	41
Table 41 — CP 1/1: DLL service selection: replacement for Table 13 of 6.5	42
Table 42 — CP 1/1: DLL service selection of 6.5, replacement for Table 14	42
Table 43 — CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC	43
Table 44 — CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher	43
Table 45 — CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber	43
Table 46 — CP 1/1: DLL service selection of 6.6	43
Table 47 — CP 1/1: DLL service selection: replacement for Table 15 of 6.6	44
Table 48 — CP 1/1: DLL service selection of 6.7	44
Table 49 — CP 1/1: DLL service selection of 6.7, replacement for Table 16	44
Table 50 — CP 1/1: DLL service selection of 6.7, replacement for Table 17	44
Table 51 — CP 1/1: DLL service selection of 6.7, replacement for Table 18	45
Table 52 — CP 1/1: DLL service selection of Clause 7	45
Table 53 — CP 1/1: DLL service selection of 7.5, replacement for Table 23	46

Table 54 — CP 1/1: DLL service selection of Clause 8	46
Table 55 — CP 1/1: DLL service selection of 8.5, replacement for Table 28.....	46
Table 56 — CP 1/1: DLL protocol selection.....	47
Table 57 — CP 1/1: DLL protocol selection of Clause 4	47
Table 58 — CP 1/1: DLL protocol selection of 4.3	48
Table 59 — CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators	48
Table 60 — CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators.....	48
Table 61 — CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non—local DL-addresses	48
Table 62 — CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link—local DL-addresses	49
Table 63 — CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node—local DL-addresses	49
Table 64 — CP 1/1: DLL protocol selection of 4.7	50
Table 65 — CP 1/1: DLL protocol selection of 4.7.4	51
Table 66 — CP 1/1: DLL protocol selection of 4.7.5	52
Table 67 — CP 1/1: DLL protocol selection of Clause 6	53
Table 68 — CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0	54
Table 69 — CP 1/1: DLL protocol selection of 6.5	55
Table 70 — CP 1/1: DLL protocol selection of 6.7	58
Table 71 — CP 1/1: DLL protocol selection of 6.8	62
Table 72 — CP 1/1: DLL protocol selection of 6.11	63
Table 73 — CP 1/1: DLL protocol selection of 6.12	63
Table 74 — CP 1/1: DLL protocol selection of 6.15	64
Table 75 — CP 1/1: DLL protocol selection of 6.20	65
Table 76 — CP 1/1: DLL protocol selection of Clause 7	66
Table 77 — CP 1/1: DLL protocol selection of 7.4	67
Table 78 — CP 1/1: DLL protocol selection of Clause 8	68
Table 79 — CP 1/1: DLL protocol selection of 8.2	69
Table 80 — CP 1/1: DLL protocol selection of 8.2.2	79
Table 81 — CP 1/1: DLL protocol selection of 8.3	92
Table 82 — CP 1/1: DLL protocol selection of 8.4	92
Table 83 — CP 1/1: DLL protocol selection of Clause 9	93
Table 84 — CP 1/1: DLL protocol selection of 9.3	94
Table 85 — CP 1/1: DLL protocol selection of 9.3.5	96
Table 86 — CP 1/1: DLL protocol selection of 9.3.5.2.2, replacement for element encoding.....	97
Table 87 — CP 1/1: DLL protocol selection of Clause 10	97
Table 88 — CP 1/1: DLL protocol selection of 10.2	98
Table 89 — CP 1/1: DLL protocol selection of 10.3	99
Table 90 — CP 1/1: DLL protocol selection of 10.3.7, specification of errors.....	101
Table 91 — CP 1/1: DLL protocol selection of 10.4	102
Table 92 — CP 1/1: DLL protocol selection of 10.5	103
Table 93 — CP 1/1: DLL protocol selection of 10.6	103

Table 94 — CP 1/1: AL service selection	104
Table 95 — CP 1/1: AL data type selection of Clause 4	104
Table 96 — CP 1/1: AL protocol selection	105
Table 97 — CP 1/2: AL service selection	106
Table 98 — CP 1/2: AL protocol selection	106
Table 99 — CP 1/3: PhL selection for FF H2 devices	107
Table 100 — CP 1/3: PhL selection for FF H2 media and related components	108
Table 101 — CP 2/1: PhL selection	110
Table 102 — CP 2/1: DLL service selection	111
Table 103 — CP 2/1: DLL protocol selection	111
Table 104 — CP 2/1: DLL protocol selection of management objects	111
Table 105 — CP 2/1: AL service selection	112
Table 106 — CP 2/1: AL protocol selection	112
Table 107 — CP 2/2: DLL protocol selection	113
Table 108 — CP 2/2: DLL protocol selection of management objects	114
Table 109 — CP 2/2: AL service selection	114
Table 110 — CP 2/2: AL protocol selection	115
Table 111 — CP 2/3: DLL protocol selection	116
Table 112 — CP 2/3: DLL protocol selection of management objects	116
Table 113 — CP 2/3: AL service selection	117
Table 114 — CP 2/3: AL protocol selection	118
Table 115 — CPF 3: overview of profile sets	119
Table 116 — CP 3/1: PhL selection	121
Table 117 — CP 3/1: PhL selection of Clause 3	122
Table 118 — CP 3/1: PhL selection of Clause 4	122
Table 119 — CP 3/1: General DLL service selection	123
Table 120 — CP 3/1: DLL service selection for DP-V0 master (class 1)	123
Table 121 — CP 3/1: DLM service selection for DP-V0 master (class 1)	124
Table 122 — CP 3/1: DLL service selection for DP-V1 master (class 1)	125
Table 123 — CP 3/1: DLM service selection for DP-V1 master (class 1)	126
Table 124 — CP 3/1: DLL service selection for DP-V0 master (class 2)	126
Table 125 — CP 3/1: DLL service selection for DP-V1 master (class 2)	127
Table 126 — CP 3/1: DLL service selection for DP-V0 slave	128
Table 127 — CP 3/1: DLM service selection for DP-V0 slave	129
Table 128 — CP 3/1: DLL service selection for DP-V1 slave	130
Table 129 — CP 3/1: DLM service selection for DP-V1 slave	131
Table 130 — CP 3/1: General DLL protocol selection	131
Table 131 — CP 3/1: DLL protocol selection of Clause 5	132
Table 132 — CP 3/1: DLL protocol selection of Clause 6	132
Table 133 — CP 3/1: DLL protocol selection of Clause 7	133
Table 134 — CP 3/1: Time variable selection for DP-V0 master (class 1)	133
Table 135 — CP 3/1: Timer and counter selection for DP-V0 master (class 1)	134
Table 136 — CP 3/1: DLPDU selection for DP-V0 master (class 1)	134

Table 137 — CP 3/1: MAC state selection for DP-V0 master (class 1)	134
Table 138 — CP 3/1: Time selection for DP-V1 master (class 1)	135
Table 139 — CP 3/1: Timer and counter selection for DP-V1 master (class 1)	135
Table 140 — CP 3/1: DLPDU selection for DP-V1 master (class 1)	136
Table 141 — CP 3/1: MAC state selection for DP-V1 master (class 1)	136
Table 142 — CP 3/1: CS protocol selection for DP-V1 master (class 1)	136
Table 143 — CP 3/1: Time selection for DP-V1 master (class 2)	137
Table 144 — CP 3/1: Timer and counter selection for DP-V1 master (class 2)	137
Table 145 — CP 3/1: DLPDU selection for DP-V1 master (class 2)	138
Table 146 — CP 3/1: Time selection for DP-V0 slave	138
Table 147 — CP 3/1: Timer and counter selection for DP-V0 slave	139
Table 148 — CP 3/1: DLPDU selection for DP-V0 slave	139
Table 149 — CP 3/1: MAC state selection for DP-V0 slave	139
Table 150 — CP 3/1: Time selection for DP-V1 slave	140
Table 151 — CP 3/1: Timer and counter selection for DP-V1 slave	140
Table 152 — CP 3/1: DLPDU selection for DP-V1 slave	141
Table 153 — CP 3/1: CS protocol selection for DP-V1 slave	141
Table 154 — CP 3/1, 3/2: AL service selection	141
Table 155 — CP 3/1, 3/2: AL service selection of data types	142
Table 156 — CP 3/1, 3/2: AL service selection of Clause 6	143
Table 157 — CP 3/1, 3/2: AL service selection of I/O data ASE	144
Table 158 — CP 3/1, 3/2: AL service selection of Diagnosis ASE	144
Table 159 — CP 3/1, 3/2: AL service selection of Context ASE	145
Table 160 — CP 3/1, 3/2: AL service selection of Management ASE	145
Table 161 — CP 3/1, 3/2: AL service selection of AR ASE	146
Table 162 — CP 3/1, 3/2: AL service selection of Clause 6	147
Table 163 — CP 3/1, 3/2: AL service selection of Process data ASE	147
Table 164 — CP 3/1, 3/2: AL service selection of I/O data ASE	147
Table 165 — CP 3/1, 3/2: AL service selection of Alarm ASE	148
Table 166 — CP 3/1, 3/2: AL service selection of Context ASE	148
Table 167 — CP 3/1, 3/2: AL service selection of Load region ASE	148
Table 168 — CP 3/1, 3/2: AL service selection of Function invocation ASE	148
Table 169 — CP 3/1, 3/2: AL service selection of Time ASE	149
Table 170 — CP 3/1, 3/2: AL service selection of AR ASE	149
Table 171 — CP 3/1, 3/2: AL service selection of Clause 6	150
Table 172 — CP 3/1, 3/2: AL service selection of I/O data ASE	150
Table 173 — CP 3/1, 3/2: AL service selection of Diagnosis ASE	151
Table 174 — CP 3/1, 3/2: AL service selection of Context ASE	151
Table 175 — CP 3/1, 3/2: AL service selection of Management ASE	151
Table 176 — CP 3/1, 3/2: AL service selection of AR ASE	152
Table 177 — CP 3/1, 3/2: AL service selection of Clause 6	153
Table 178 — CP 3/1, 3/2: AL service selection of Process data ASE	153
Table 179 — CP 3/1, 3/2: AL service selection of Context ASE	153

Table 180 — CP 3/1, 3/2: AL service selection of Load region ASE	154
Table 181 — CP 3/1, 3/2: AL service selection of Function invocation ASE.....	154
Table 182 — CP 3/1, 3/2: AL service selection of Time ASE	154
Table 183 — CP 3/1, 3/2: AL service selection of AR ASE	155
Table 184 — CP 3/1, 3/2: AL service selection of Clause 6	156
Table 185 — CP 3/1, 3/2: AL service selection of I/O data ASE	156
Table 186 — CP 3/1, 3/2: AL service selection of Diagnosis ASE	157
Table 187 — CP 3/1, 3/2: AL service selection of Context ASE.....	157
Table 188 — CP 3/1, 3/2: AL service selection of AR ASE	158
Table 189 — CP 3/1, 3/2: AL service selection of Clause 6	159
Table 190 — CP 3/1, 3/2: AL service selection of Process data ASE	159
Table 191 — CP 3/1, 3/2: AL service selection of I/O data ASE	159
Table 192 — CP 3/1, 3/2: AL service selection of diagnosis ASE	160
Table 193 — CP 3/1, 3/2: AL service selection of Alarm ASE	160
Table 194 — CP 3/1, 3/2: AL service selection of Context ASE	161
Table 195 — CP 3/1, 3/2: AL service selection of Load region ASE	161
Table 196 — CP 3/1, 3/2: AL service selection of Function invocation ASE.....	162
Table 197 — CP 3/1, 3/2: AL service selection of Time ASE	162
Table 198 — CP 3/1, 3/2: AL service selection of AR ASE	163
Table 199 — CP 3/1, 3/2: AL protocol selection	164
Table 200 — CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	165
Table 201 — CP 3/1, 3/2: AL protocol selection of APDUs	166
Table 202 — CP 3/1, 3/2: AL protocol selection of FSPM services primitives	167
Table 203 — CP 3/1, 3/2: AL protocol selection of DMPM services primitives	167
Table 204 — CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	168
Table 205 — CP 3/1, 3/2: AL protocol selection of APDUs	170
Table 206 — CP 3/1, 3/2: AL protocol selection of FSPM services primitives	171
Table 207 — CP 3/1, 3/2: AL protocol selection of DMPM services primitives	172
Table 208 — CP 3/1, 3/2: AL protocol selection of Clause 4 to 6	172
Table 209 — CP 3/1, 3/2: AL protocol selection of APDUs	174
Table 210 — CP 3/1, 3/2: AL protocol selection of FSPM services primitives	174
Table 211 — CP 3/1, 3/2: AL protocol selection of DMPM services primitives	175
Table 212 — CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	175
Table 213 — CP 3/1, 3/2: AL protocol selection of APDUs	176
Table 214 — CP 3/1, 3/2: AL protocol selection of FSPM services primitives	178
Table 215 — CP 3/1, 3/2: AL protocol selection of DMPM services primitives	178
Table 216 — CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	179
Table 217 — CP 3/1, 3/2: AL protocol selection of APDU selection	180
Table 218 — CP 3/1, 3/2: AL protocol selection of FSPM services primitives	181
Table 219 — CP 3/1, 3/2: AL protocol selection of DMPM services primitives	181
Table 220 — CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	182
Table 221 — CP 3/1, 3/2: AL protocol selection of APDUs	184
Table 222 — CP 3/1, 3/2: AL protocol selection of FSPM services primitives	185

Table 223 — CP 3/1, 3/2: AL protocol selection of DMPM services primitives	186
Table 224 — CP 3/2: PhL selection	188
Table 225 — CP 3/2: PhL selection of Clause 12 for devices and their MAUs	190
Table 226 — CP 3/2: PhL selection of recommended IS parameters	190
Table 227 — CP 3/2: PhL selection of Clause 21 for devices and their MAUs	191
Table 228 — CP 3/2: General DLL protocol selection	192
Table 229 — CP 3/2: DLL protocol selection of Clause 4	192
Table 230 — CP 3/2: DLL protocol selection of Clause 5	193
Table 231 — CP 3/2: DLL protocol selection of Clause 6	193
Table 232 — CP 3/2: DLL protocol selection of Clause 7	194
Table 233 — CP 3/2: Time variable selection for DP-V0 master (class 1)	194
Table 234 — CP 3/2: Timer and counter selection for DP-V0 master (class 1)	195
Table 235 — CP 3/2: DLPDU selection for DP-V0 master (class 1)	195
Table 236 — CP 3/2: Time variable selection for DP-V1 master (class 1)	196
Table 237 — CP 3/2: Timer and counter selection for DP-V1 master (class 1)	196
Table 238 — CP 3/2: DLPDU selection for DP-V1 master (class 1)	197
Table 239 — CP 3/2: Time variable selection for DP-V1 master (class 2)	197
Table 240 — CP 3/2: Timer and counter selection for DP-V1 master (class 2)	198
Table 241 — CP 3/2: DLPDU selection for DP-V1 master (class 2)	198
Table 242 — CP 3/2: Time variable selection for DP-V0 slave	199
Table 243 — CP 3/2: Timer and counter selection for DP-V0 slave	199
Table 244 — CP 3/2: DLPDU selection for DP-V0 slave	199
Table 245 — CP 3/2: Time variable selection for DP-V1 slave	200
Table 246 — CP 3/2: Timer and counter selection for DP-V1 slave	200
Table 247 — CP 3/2: DLPDU selection for DP-V1 slave	201
Table 248 — CP 3/3: AL service selection	202
Table 249 — CP 3/3: AL protocol selection	202
Table 250 — CP 4/1: PhL selection	204
Table 251 — CP 4/1: DLL service selection	205
Table 252 — CP 4/1: DLL protocol selection	205
Table 253 — CP 4/1: AL service selection	205
Table 254 — CP 4/1: AL protocol selection	206
Table 255 — CP 4/2: PhL selection	206
Table 256 — CPF 5: overview of profile sets	208
Table 257 — CPF 5: PhL selection	209
Table 258 — CPF 5: DLL service selection	210
Table 259 — CPF 5: DLL service selection of Clause 18	210
Table 260 — CPF 5: DLL protocol selection	211
Table 261 — CPF 5: DLL protocol selection of variables and resources	211
Table 262 — CPF 5: DLL protocol selection of DLPDUs	212
Table 263 — CP 5/1: AL service selection	212
Table 264 — CP 5/1: AL service selection of ASEs	212
Table 265 — CPF 5: AL service selection of MPS ASEs	213

Table 266 — CPF 5: AL service selection of variable elements	213
Table 267 — CPF 5: AL service selection of produced variable elements.....	213
Table 268 — CPF 5: AL service selection of consumed variable elements	213
Table 269 — CP 5/1: AL service selection of MPS services	214
Table 270 — CP 5/1, 5/2: AL service selection of A_Readloc service parameters	214
Table 271 — CP 5/1, 5/2: AL service selection of A_Readfar service parameters	214
Table 272 — CP 5/1, 5/2: AL service selection of A_Read service parameters.....	214
Table 273 — CP 5/1: AL service selection of MCS service classes	214
Table 274 — CP 5/1: AL service selection of QoS.....	215
Table 275 — CP 5/1: AL service selection of MCS services	215
Table 276 — CP 5/1, 5/2: AL service selection of A_Data parameters.....	215
Table 277 — CP 5/1: AL protocol selection.....	215
Table 278 — CPF 5/1: AL protocol selection of MPS data types.....	216
Table 279 — CPF 5/1: AL protocol selection of MPS PDUs.....	216
Table 280 — CPF 5/1: AL protocol selection of MPS encoding rules.....	216
Table 281 — CP 5/1, 5/2: AL protocol selection of MCS PDUs.....	216
Table 282 — CP 5/1: AL protocol selection of MCS state machines.....	217
Table 283 — CP 5/2: AL service selection.....	217
Table 284 — CP 5/2: AL service selection of ASEs.....	217
Table 285 — CP 5/2: AL service selection of MPS services	218
Table 286 — CP 5/2: AL service selection of MCS service classes	218
Table 287 — CP 5/2: AL service selection of QoS.....	218
Table 288 — CP 5/2: AL service selection of MCS services	218
Table 289 — CP 5/2: AL service selection of domain services	219
Table 290 — CP 5/2: AL service selection of domain object attributes	219
Table 291 — CP 5/2: AL service selection of program services.....	219
Table 292 — CP 5/2: AL service selection of program object attributes.....	219
Table 293 — CP 5/2: AL service selection of variable services	220
Table 294 — CP 5/2: AL service selection of variable classes.....	220
Table 295 — CP 5/2: AL service selection of variable class attributes.....	220
Table 296 — CP 5/2: AL protocol selection	220
Table 297 — CP 5/2: AL protocol selection of MCS state machines	221
Table 298 — CP 5/2: AL protocol selection of sub-MMS coding rules.....	221
Table 299 — CP 5/2: AL protocol selection of sub-MMS PDUs	221
Table 300 — CP 5/3: AL service selection	222
Table 301 — CP 5/3: AL service selection of ASEs.....	222
Table 302 — CP 5/3: AL protocol selection.....	222
Table 303 — CPF 6: device CP identifier assignment	223
Table 304 — CPF 6: PhL selection	224
Table 305 — CP 6/1: DLL service selection, assignment of DLL services to device types	225
Table 306 — CPF 6: DLL protocol selection of data widths supported by master	226
Table 307 — CP 6/1: AL service selection, assignment of AL services to device types	227

Table 308 — CP 6/2: DLL service selection, assignment of DLL services to device types	228
Table 309 — CP 6/2: AL service selection, assignment of AL services to device types	229
Table 310 — CP 6/2: AL service selection of AR-Data-Send-Acknowledge service parameters	229
Table 311 — CP 6/3: DLL service selection, assignment of DLL services to device types	230
Table 312 — CP 6/3: AL service selection, assignment of AL services to device types	231
Table 313 — CP 8/1 transmission support level	233
Table 314 — CP 8/1 PhL selection	234
Table 315 — CP 8/1 DLL services selection	234
Table 316 — CP 8/1 DLL protocol selection	235
Table 317 — CP 8/1 AL services selection	237
Table 318 — CP 8/1 AL protocol selection	238
Table 319 — CP 8/2 DLL protocol selection	239
Table 320 — CP 8/3 PhL selection	240
Table 321 — CP 8/3 DLL services selection	240
Table 322 — CP 8/3 DLL protocol selection	241
Table 323 — CP 8/3 AL services selection	242
Table 324 — CP 8/3 AL protocol selection	243
Table 325 — CP 9/1: AL service selection	245
Table 326 — CP 9/1: AL protocol selection	246
Table 327 — CP 16/1: PhL selection	248
Table 328 — CP 16/1: DLL protocol selection	249
Table 329 — CP 16/1: AL service selection	249
Table 330 — CP 16/2: PhL selection	250
Table A.1 — Number of devices per CP16/1 and CP16/2 systems (examples)	264

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 1: Fieldbus profiles

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61784-1 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces IEC 61784-1:2003. This edition of this part constitutes a technical revision.

This edition of IEC 61784-1 includes the following significant technical changes from the previous edition:

- a) partition of IEC 61158 parts 3, 4, 5, and 6 of the third edition into multiple parts numbered for example IEC 61158-6-1, -6-2, -6-3, ...